


KEY PLAN



**SMS ENGINEERING**

SMS Engineering Ltd. Consulting Engineers  
770 Bradford Street Winnipeg MB Canada R3M 0K3  
Telephone: 204.775.0291 Fax: 204.772.2153  
sms@smseng.com

13-130-01

DO NOT SCALE DRAWINGS

5		
4	Issued for Tender and Construction	Oct 10, 13
3	99% Construction Documents	Aug 30, 13
2	50% Construction Document Submission	Jul 19, 13
1	Design Development Submission	Jun 21, 13
0	Pre Design	Jun 21, 13
Revision/ Revision	Description/Description	Date/Date

Client/client

Public Works and  
Government Services  
Canada

167 Lombard Avenue  
Winnipeg, Manitoba

Project title/Titre du projet

Lab Renovations  
Morden Research Station  
Morden, Manitoba

Agriculture and Agri-Food  
Canada

Approved by/Approuvé par

CO

Designed by/Concept par

RE

Drawn by/Dessiné par

JPL

PWGSC Project Manager/Administrateur de Projets TP50C

Steve Milville

PWGSC Architectural and Engineering Resources Manager/  
Ressources Architectural et de Directeur d'ingénierie, TP50C

-

Client/client

PWGSC

Drawing title/Titre du dessin

Plumbing Demolition Plan  
Laboratory Rooms:  
141,143,144,145,146,147,148,148-1,149,  
150,151

Project No./No. du projet

R.059536.001



Sheet/Feuille

M1.2

3 OF 14

Revision no./  
La Révision  
no.

4



1 PLUMBING MAIN FLOOR DEMOLITION PLAN  
SCALE: 1:50

GENERAL NOTES

- DO NOT SCALE OFF THIS DRAWING. CONTRACTOR SHALL VERIFY ALL DIMENSIONS PRIOR TO INSTALLATION AND SHALL REPORT ANY DISCREPANCY TO DEPARTMENTAL REPRESENTATIVE.
- ALL EXISTING EQUIPMENT AND ASSOCIATED PIPES AND DUCTWORK TO REMAIN UNLESS OTHERWISE NOTED.
- CONFIRM EXACT SIZES AND LOCATIONS FOR ALL EXISTING SERVICES.

DEMOLITION KEY NOTES

- EXISTING DISHWASHER TO BE REMOVED BY GENERAL CONTRACTOR AND RETURNED TO AAFC.
- TEMPORARILY DISCONNECT EXISTING PLUMBING SERVICES (HOT WATER, DISTILLED WATER) TO ALLOW REMOVAL OF DISHWASHER.
- DISCONNECT AND TEMPORARILY CAP OFF PLUMBING SERVICES LOCATED IN CRAWLSPACE (13mm DISTILLED WATER, 13mm COLD WATER, 38mm DRAIN, 19mm GAS, 13mm COMPRESSED AIR AND 19mm VACUUM) TO ALLOW RELOCATING OF EXISTING FUME HOOD. REPIPE/RECONNECT SERVICES TO SUIT NEW LOCATION. REFER TO DRAWING M2.2.
- EXISTING FUME HOOD TO BE RELOCATED BY GENERAL CONTRACTOR, REFER TO NEW PLAN.
- EXISTING PLUMBING SERVICES LOCATED IN CRAWLSPACE. SHOWN FOR GENERAL INFORMATION PURPOSES ONLY.