

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions -
TPSGC
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Vehicles & Industrial Products Division
11 Laurier St./11, rue Laurier
7A2, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Title - Sujet Truck, Cab & Chassis	
Solicitation No. - N° de l'invitation 01R11-140193/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client 01R11-140193	Date 2013-11-07
GETS Reference No. - N° de référence de SEAG PW-\$\$HP-371-63632	
File No. - N° de dossier hp371.01R11-140193	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2013-11-18	
Time Zone Fuseau horaire Eastern Standard Time EST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Modérie, Christine	Buyer Id - Id de l'acheteur hp371
Telephone No. - N° de téléphone (819) 956-3970 ()	FAX No. - N° de FAX (819) 953-2953
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Amendment No. 001 to the solicitation is hereby raised to provide Questions (Q) and Answers (A) received from the Industry and to revise Annex “A” to the Bid Solicitation document.

Amendment to the Bid Solicitation

DELETE: Annex “A” in its integrity
INSERT: New revision of Annex “A”

Question (Q) and Answer (A) received from the Industry

Q1:

item 5 the front flaps are historically mounted on the dump or any body.
is this acceptable.

A1:

Yes

Q2:

.5 Must have mud flaps in front and rear of rear axle tires, front must be protected with stop to prevent rubbing of tire to flap.

A2:

This requirement is Not a Mandatory.

All other terms and conditions remain unchanged.

7/11/2013

“Annex “A” – Specifications

Truck for Agriculture Canada
(01R11-14-0193)

Cab and Chassis to accommodate an already existing Grain Box. Bidders Must Indicate Their Conformance to the Specifications.

1	<u>Vehicle Overview</u>	<u>Mandatory</u>	<u>Yes</u>	<u>No</u>
.1	New Truck in Accordance with 2013 GMVOG	X		
.2	Conventional Cab with Straight Chassis to accommodate a 16'x 8.5'end dump grain box with hydraulic lift	X		
.3	Distance from rear of cab to center of rear axle must accommodate 16' dump grain box. (Supply and installation of the Dump Grain Box is NOT part of this contract.)	X		
.4	Single Rear Axle, dual rear wheel	X		
.5	Front Axle Load min 12,000 lbs	X		
.6	Rear Axle Load min 21,000 lbs	X		
2	<u>Drive Train</u>			
.1	DIESEL ENGINE minimum 300 HP and 860lbs-ft of torque, capable of meeting payload requirements and meets all Canadian emission standards for 2013	X		
.2	Engine Block Heater	X		
.3	Cooling system must accommodate temperatures from -40°C to + 40°C	X		
.4	Automatic transmission	X		
.5	Single speed limited slip differential	X		
	Transmission must accommodate PTO or similar system to drive a hydraulic pump	X		
.6	Powertrain geared for a top speed of 110 kph.	X		
3	<u>Cold Weather Starting Aids</u>			
	The vehicle shall be equipped with at a minimum:			
.1	A 110-volt coolant block heater, minimum 700 watts	X		
.2	An oil pan heater	X		
4	<u>Tires</u>			
.1	Wheel Rims must be 22.5"	X		
.2	Steering tread tires on front axle	X		
.3	Traction tires on rear axles, 11R22.5, 14 ply minimum	X		
.4	Must have mud flaps mounted immediately behind front steering wheels	X		
.5	Must have mud flaps in front and rear of rear axle tires, front must be protected with stop to prevent rubbing of tire to flap			
5	<u>Fuel Tank</u>			
.1	Minimum 300 L	X		

7/11/2013

	<u>Other Options</u>			
.1	Anti-Lock brake system with traction control	X		
.2	Hydraulic Power Assisted Brakes	X		
.3	Power Assisted Steering and be capable of manual steering in the event of engine failure	X		
.4	Canadian instrumentation package with primary speedometer reading in KPH	X		
.5	Volt, Temperature and Oil Pressure Gauges	X		
.6	Fuel Gauge	X		
.7	Front Tow hooks	X		
.8	Rear Tow hooks	X		
6	<u>Lighting & Electrical</u>			
.1	12 volt electrical system	X		
.2	Minimum 110 amp brushless alternator and 1000 CA batteries	X		
.3	Hi-lo headlights	X		
.4	Daytime running lights	X		
.5	Signal lights front and back	X		
.6	Cab marker lights	X		
.7	Brake and reverse lights	X		
.8	Dash lights	X		
7	<u>Cab Options</u>			
.1	Rear Window in Cab	X		
.2	Cab entry steps on driver and passenger sides	X		
.3	Tilt and Telescoping Steering Wheel	X		
.4	PTO controls inside cab on Drivers side	X		
.5	Electric horn	X		
.6	Parking brake	X		
.7	Self-cancelling signal lights	X		
.8	Sun visors	X		
.9	Manufacturer's standard AM/FM radio	X		
.10	Theft Deterrent	X		
.11	Air Conditioning	X		
.12	Cruise Control	X		
.13	Power windows	X		
.14	Power door locks	X		
.15	Variable Speed Windshield Wipers	X		
.16	Manufacturer's standard dual rear view mirrors west coast style minimum dimensions 6"x 16" with a convex mirror underneath mounted on drivers and passenger side (no hood mounted mirrors)	X		
.17	Courtesy interior lighting	X		
.18	High back air suspended driver's seat with arm rests on both sides, vinyl with cloth insert	X		
.19	Two man companion seat, vinyl with cloth insert	X		
.20	Vinyl flooring	X		
.21	Color: Production Blue	Desirable		
8	<u>Manufacturer's Standard Warranty Period</u>			

7/11/2013

	Canada requests that the Bidder provide details of the manufacturer's standard warranty period for the vehicle/equipment and its component that exceeds the minimum warranty period of thirty-six (36) months/60 000km.			
9	<u>Manuals</u>			
	Manuals for operation and maintenance of the vehicle shall be provided in English and French languages.	X		