

Please remove the original Specifications Table and Deliverables and replace with the following:

Specification Table (Revised November 13, 2013)		Comply
1	The device must be able to scan 1D barcodes.	<input type="checkbox"/>
2	The device must be able to store latitude and longitude coordinates along with date & time and barcode ID number (when scanned).	<input type="checkbox"/>
3	The latitude and longitude coordinates must be within 10 meters of real world coordinates.	<input type="checkbox"/>
4	The device must be able to collect “bread-crumbling” GPS coordinates at a minimum of 1 minute intervals, and have the option to provide intervals of 5, 10 and 30 seconds.	<input type="checkbox"/>
5	When “bread-crumbling” data is captured & stored, there must be a ‘mute’ option to turn beeping sounds or alerts, off.	<input type="checkbox"/>
6	The device and battery must last for a minimum of 8 consecutive hours without recharging based on continuous use.	<input type="checkbox"/>
7	The device must be able to store a minimum of 7,000 scanned data records.	<input type="checkbox"/>
8	*The device must be durable; GPS will operate in zero degree and above temperature or if dropped from 5 feet.	<input type="checkbox"/>
9	The GPS must include a recharging device for the battery.	<input type="checkbox"/>
10	Data stored in the device must be transferable to a PC using a USB connection and must include applicable software.	<input type="checkbox"/>
11	All downloaded data from the device must be in a delimited text, csv or excel format.	<input type="checkbox"/>
12	Full user manuals must be supplied.	<input type="checkbox"/>
13	**The device must come with a minimum 12 month warranty.	<input type="checkbox"/>
14	GPS device (with battery) must not weigh more than 175 grams.	<input type="checkbox"/>
15	The device must have LCD screen that displays lines of text revealing the latest scanned ID at a minimum. Other features are welcomed but <u>must</u> include the latest scanned ID.	<input type="checkbox"/>

Note:

- ***At a minimum, the device should operate at a temperature of 0 to 40 degrees Celsius and still function after a 5 foot drop on a concrete surface.**
- ****Please note that the GPS unit price quotation must include pricing for a 12 month warranty. If applicable specify separate price for a total 24 month warranty.**
- **The vendor should be able to provide telephone support 8 hours a day, 5 days a week.**

DELIVERABLES

The successful vendor will be required to deliver **up to** 85 GPS units prior to Dec. 31st, 2013. The contract will be awarded no later than, Dec. 2nd, 2013.