

PART 1 – GENERAL

1. Documents Required
 - .1 Maintain at job site, one copy each of the following:
 - .1 Contract drawings;
 - .2 Specifications;
 - .3 Addenda;
 - .4 Reviewed shop drawings/submissions;
 - .5 Change Orders;
 - .6 Other modifications to Contract;
 - .7 Field test reports;
 - .8 Copy of approved work schedule;
 - .9 Manufacturer's installation and application instructions.
2. Site Conditions
 - .1 Records of existing geotechnical reports maybe available for inspection at the offices of Public Works and Government Services Canada, 1713 Bedford Row, Halifax, NS. This material is not necessarily up-to-date and is for information purposes only. It should be complemented with site visits and consultation with appropriate expertise.
3. Work Schedule and Completion Dates
 - .1 Prepare and submit to the Departmental Representative with five 5 days of notification of Contract award, one 1 copy of the construction schedule, in the form of a bar chart, showing the dates for commencement and completion of each major activity of the work, including the work of subcontractors; dates of submissions, review and return of all drawings, etc.; the dates of Substantial Completion; and intended man hours of labour and equipment for each major items of work. If the schedule as submitted is unacceptable in any way, submit without delay a revised schedule satisfactory to the Departmental Representative.
 - .2 The Departmental Representative is to notify the Contractor in writing of acceptance of the Construction Schedule. Comply with the Dates of the Construction Schedule at all times. If, for any reason the Construction Schedule is not followed, immediately notify the Departmental Representative of the changes and submit a revised schedule for acceptance. Upon written acceptance by the Departmental Representative, this schedule will become the Construction Schedule.

- | | | |
|---|----|---|
| | .3 | Whenever required, give further written particulars concerning this schedule. The submission to and acceptance by the Departmental Representative of the Contractor's Construction Schedule or the furnishing of details and particulars thereto will not relieve the Contractor of any duties and responsibilities under the Contract. |
| 4. Measurement
<u>Responsibilities</u> | .1 | Notify <i>Departmental Representative</i> sufficiently in advance of operations to permit required measurements for payment purposes. |
| 5. Contractor's
<u>Use of Site</u> | .1 | Co-operate with users of existing facilities. |
| | .2 | Should interference's occur, take directions from <i>Departmental Representative</i> . |
| | .3 | Do not unreasonably encumber site with materials or equipment. |
| | .4 | Move stored products or equipment which interfere with operations of <i>Departmental Representative</i> or other Contractors. |
| | .5 | Obtain and pay for use of additional storage or work areas needed for operations. |
| | .6 | Comply with all regulations and authorities having jurisdiction over the work, whether on land or on water. |
| | .7 | Ensure no damage occurs to existing structures as a result of operations. Any said damage will be repaired at Contractor's expense. |
| | .8 | Provide temporary barriers and warning signs in location where work is adjacent to areas used by public. |
| 6. Codes and
<u>Standards</u> | .1 | Perform work in accordance with National Building Code of Canada (NBC) 2005 and any other code of provincial or local application provided that in any case of conflict or discrepancy, the more stringent requirements will apply. |

- | | | |
|-------------------------------|----|---|
| | .2 | Meet or exceed requirements of specified standards, codes and referenced documents. When a standard or code is outdated, the latest edition will supersede the referenced date. |
| | .3 | Observe and enforce construction safety measures by Canadian Construction Safety Code and Construction Safety Code of Nova Scotia. In the event of conflict between any provisions of above authorities the most stringent provision will apply. |
| 7. <u>Project Meetings</u> | .1 | Departmental Representative will arrange project meetings and assume responsibility for setting times and recording and distributing minutes. |
| 8. <u>Setting Out of Work</u> | .1 | Do all detail surveys necessary for the work, including locating and maintaining working points, and establishing lines and elevations. Perform all layout work, and carefully preserve benchmarks, reference points and stakes. |
| | .2 | Provide such masts, scaffolds, batter boards, lines, straight edges, templates and other devices as may be necessary to facilitate layout, construction and inspection of the work. Whenever necessary, suspend work for such reasonable time as may be necessary to permit the Departmental Representative to check or inspect any portion of the Work. The Contractor will not be allowed any extra compensation or time for completion because of this suspension of work. |
| | .3 | Elevations for the various grades and features of the specified works to be referenced and properly related to a benchmark, which will be approved by the Departmental Representative. |
| | .4 | Verify all grades, lines, levels, and dimensions shown on the drawings and report any errors or inconsistencies to the Departmental Representative before commencing work. Provide and maintain well built batterboards at all points to facilitate the progress of the work. Establish all other grades, lines, levels required to facilitate the work. |
| 9. <u>Existing Services</u> | .1 | Where work involves breaking into or connecting to existing services, carry out work at times directed by governing |

authorities, with minimum of disturbance to pedestrian and vehicular traffic.

- .2 Before commencing work, establish location and extent of service lines in area of work and notify Departmental Representative of findings.
- .3 Submit schedule to and obtain acceptance from Departmental Representative for any shut-down or closure of active service or facility. Adhere to approved schedule and provide notice to affected parties.
- .4 Where unknown services are encountered, immediately advise Departmental Representative and confirm findings in writing.

10. Contract Documents

- .1 Contract Drawings:
 - .1 The drawings for the Work consist of all drawings listed in these "Plans And Specifications" marked "A" and any additional drawings issued at a later date by the Departmental Representative.
 - .2 Departmental Representative may furnish additional drawings to assist in proper execution of work. These drawings will be issued for clarification only. Such drawings will have same meaning and intent as if they were included with plans referred to in Contract Documents.
 - .3 The drawings indicate the extent and general dimensions of the work. Make all necessary measurements to ensure that the result of the work is in accordance with the intent.
 - .4 Verify all existing conditions in field prior to proceeding with work.
- .2 Contract Specifications:
 - .1 The general requirements and technical specifications are written solely for the General Contractor. They are organized into the NMS format of separate divisions and sections.
 - .2 Specification language is of the 'Short Form type' for example, where the word "provide" occurs, interpret it to

mean "the Contractor shall furnish all labour, material and equipment necessary to complete the work".

- .3 This Specification and accompanying drawings are intended to describe and provide for a finished project. They are intended to be complementary, and what is called for by either will be as binding as if called for by both. The Contractor shall understand that the work herein described will be complete in every detail, notwithstanding that every item necessarily involved is not particularly mentioned, and Contractor will be held to provide all labour, materials and equipment necessary for the entire completion of the work and will not avail himself of any errors or omissions.

11. Permits and Regulations

- .1 Apply for, obtain and pay for all necessary permits, approvals and other authorizations required for the work.
- .2 Comply with all by-laws, ordinances and regulations of all authorities having jurisdiction.
- .3 Pay for any Municipal permits, per General Conditions as stated in the contract.

12. Cutting, Fitting and Patching

- .1 Execute cutting (including excavation), fitting and patching required to make work fit properly.
- .2 Make cuts with clean, true, smooth edges. Make patches inconspicuous in final assembly.
- .3 Where new work connects with existing and where existing work is altered, cut, patch and make good to match existing work.
- .4 Obtain Departmental Representative's approval before cutting, boring or sleeving, or excavating adjacent to load-bearing members.

13. Record of Construction

- .1 As work progresses, maintain accurate records to show all deviations from the contract drawings, with particular reference to work which will be concealed. Prior to the inspection of the

- work for the issuance of the Final Certificate of Completion, provide the Departmental Representative with one set of white prints of the drawings with all deviations shown neatly thereon.
- .2 Provide "as built" cross sections of any excavation, dredging or fill work.
14. Payment
- .1 Payment for all work under this contract to be according to the "Articles of Agreement".
- .2 No separate payment will be made for work specified under General Conditions, Supplementary Conditions or any sections of Specification under Division 01. The cost of this work is to be considered as overhead and to be included in the unit prices of the Contract. [Exceptions are Departmental Representative's Site Office and Mobilization/Demobilization if shown separately in Unit Price Table.](#)
- .3 Dimensional changes as directed by the Departmental Representative to suit existing conditions, but not resulting in additional work or materials, will not be considered as extra to the Contract.
15. Site Examination
- .1 All parties tendering should visit the site of the work prior to submission of tenders and make themselves thoroughly acquainted with site conditions, conditions of existing objects to be removed, tides, degree of exposure and all information necessary for the proper carrying out of the work covered by the drawings and this Specification. Submission of Tender will be deemed that Contractor is conversant with site conditions.
- .2 The Departmental Representative will give no consideration whatsoever to any claim by the Contractor resulting from failure to have made all the necessary investigations prior to tendering.
16. Maintenance of Shipping
- .1 Liaise with the local port officials to coordinate activities such that any interference is minimized.
17. Cooperation & Assistance to

	<u>Departmental Representative</u>	.1	Co-operate with Departmental Representative on inspection of work.
		.2	Provide assistance when requested.
		.3	Provide small motor boat with operator and sounding chain for Departmental Representative's use when requested.
18.	<u>Datum</u>	.1	Datum referred to in this Specification is Chart Datum. Chart Datum is, by International Agreement a plane below which the tide will seldom fall. The Canadian Hydrographic Service has adopted the plane of the lowest normal tide (L.N.T.) as Chart Datum. As the rise, fall, and range of tides varies daily, the Canadian Tide and Current Tables, as issued by the Canadian Hydrographic Service, should be consulted for tidal predictions and other tidal information relating to the work.
19.	<u>Contractor's Representative</u>	.1	Continuously maintain on the site an authorized representative to whom communication may be addressed and who will be competent to speak for the Contractor in discussing work methods. See General Conditions "C".
20.	<u>Workers Compensation</u>	.1	Contractor and all sub-contractors must be registered under the Workers Compensation Act and provide evidence of good standing.
		.2	At completion of Contract and before final payment is made, the Contractor will present to the Departmental Representative a Letter of Certification from the Workers Compensation Board, showing that all required assessments are paid in connection with all trades.
21.	<u>Laws, Standards Taxes and Fees</u>	.1	Comply with all laws and standards governing all or any part of the work, pay all applicable taxes and pay for all permits and certificates required in respect of the execution of the work. Where variances exist between the requirements of agencies

governing all or any part of the work, the most restrictive will govern, but in no instance will the standards established by the drawings and this Specification, which exceed such requirements, be reduced.

- | | | | |
|-----|---|----|--|
| 22. | Protection and
<u>Repair</u> | .1 | Repair any damage resulting from operations under this contract. |
| 23. | Location of
Equipment and
<u>Fixtures</u> | .1 | Location of equipment, fixtures or any appurtenances indicated are to be considered approximate. |
| 24. | Inspection
<u>And Testing</u> | .1 | The Departmental Representative may employ an Inspector and/or Testing Company to ensure work conforms with contract. |
| 25. | Disposal of
<u>Debris</u> | .1 | Debris, including construction materials not incorporated in the work, oil products and containers, and other materials of this nature will be disposed of in suitable locations off the site. This includes costs of disposing of contaminated materials such as creosote treated timber. Disposal is the responsibility of the Contractor. |
| | | .2 | Material from the work will not be permitted to go adrift or otherwise become a menace to navigation. |
| 26. | Existing Soils
<u>Conditions</u> | .1 | Any information pertaining to soils and all boreholes logs are furnished by the Departmental Representative as a matter of general information only and borehole descriptions or logs are not to be interpreted as descriptive of conditions at locations other than those described by the boreholes themselves. |
| 27. | Relics And
<u>Antiquities</u> | .1 | Protect relics, antiquities, items of historical or scientific interest such as cornerstones and contents, commemorative plaques, inscribed tablets, and similar objects found during course of work. |

- .2 Give immediate notice to Departmental Representative and await written instructions before proceeding with work in this area.
 - .3 Relics, antiquities and items of historical or scientific interest remain her Majesty's property.
- 28. Temporary
Navigational Buoys
 - .1 The Contractor is to maintain temporary buoy's to mark the position of the outer end of the structure as construction proceeds. All buoy's are to meet the requirements of Canadian Coast Guard Standard TP968 and be equipped with radar reflectors.

http://www.ccg-gcc.gc.ca/eng/CCG/ATN_Aids_To_Navigation_System
 - .2 The Contractor shall coordinate the bouy installation with the local harbour authority.
 - .3 The Contractor is responsible for all costs associated with the supply, installation and removal of all temporary navigational bouy's

PROJECT PARTICULARS

1.1 Description
of Work

- .1 The work under this contract involves the reconstruction of the south wharf located at the DFO-SCH facility in Pinkney's Point, Yarmouth County, NS.
- .2 The work includes but is not limited to the:
 - .1 Removal and disposal of all of the existing timber wales, longitudinal bracing, sheathing and fenders;
 - .2 Removal and disposal of the section of concrete deck between the existing concrete abutment, at the wharf approach, and the centerline of the new bent '1N';
 - .3 Supply and installation of 91 new timber bearing piles;
 - .4 Installation of 18 new reinforced concrete pile caps;
 - .5 Installation of new reinforced concrete deck and guard spanning between the existing concrete abutment, at the wharf approach, and the centerline of the new bent '1N';
 - .6 Supply and installation of slope protection at the existing wharf approach, concrete abutment;
 - .7 Supply and installation of new timber wales, sheathing and fenders; and
 - .8 Extension of the reinforced concrete deck and guard to match existing.
- .3 The Contractor must maintain user access to the fish plant that is located on the south wharf approach.
- .4 The Contractor is to cooperate with harbour users to minimize disruptions to harbour operations.
- .5 The Contractor is responsible for the evaluation of the condition of the existing structure in order to determine the appropriate sequence and methodology to safely complete the work.
- .6 On-site construction activities must not commence until after January 1, 2014.

1.2 Payment Constraints

- .1 The Contractor shall perform and complete 40% of the work, based on the contract value, by March 31, 2014. The remainder of the work is to be complete by April 30, 2014. Contractor may

accelerate the construction schedule if desired, however payment may have to follow this allocation.

PROJECT MEASUREMENT

1. General

- .1 This section details the measurement method to be used for payment purposes. Incidental items covered in the various sections of the Specification are to be allowed for in the pricing of each pay item.

2. Measurement For Payment

Division 01

Departmental Representative's Site Office: All work associated with the supply, maintenance, and removal from site of the Departmental Representative's site office per Section 01 51 00 of the Specification will constitute a lump sum for measurement purposes.

Division 03

Concrete: Cast-in-place reinforced concrete for pile caps, new deck section and guard, deck extension and guard, will be measured for payment by cubic meter calculated from neat plan view dimensions.

Division 05

Miscellaneous Steel: Supply, fabrication, transportation and installation of miscellaneous steel including all associated timber and hardware and concrete reinforcement will not be measured for payment but considered incidental to the work.

Division 06

Dimension Timber: Treated dimension timber including wales, sheathing, fenders and cross-bracing, will be measured for payment by the cubic metre. Calculations will be based on the timber dimensions indicated on the drawings. Installation of bolts and hardware will not be measured but considered incidental to the work.

Division 31

Sitework: Sitework, demolition, removals, disposal and/or re-installation will be measured for payment by the lump sum.

Supply Of Timber Piles: Supply of timber piles will be measured for payment by the lineal meter of piling ordered as shown on the plans and delivered to site.

Installation Of Timber Piles: The installation of timber piles will be measured for payment per each.

Slope Protection: The supply and installation of slope protection will be measured for payment by the lump sum.

PART 1 – GENERAL

- | | | |
|---------------------------------------|----|---|
| 1. <u>General</u> | .1 | Submit to Departmental Representative, for review, shop drawings, product data, samples and other information specified. |
| | .2 | Until submission is reviewed, work involving relevant product may not proceed. |
| 2. <u>Shop Drawings</u> | .1 | Drawings to be originals prepared by contractor, subcontractor, supplier or distributor, which illustrate appropriate portion of work, showing fabrication, layout, setting or erection details as specified in appropriate sections. |
| | .2 | Identify details by reference to sheet and detail numbers shown on Contract Drawings. |
| | .3 | Maximum sheet size 860mm X 1120 mm. |
| 3. <u>Product Data</u> | .1 | Certain specification sections specify that manufacturer's standard schematic drawings, catalogue sheets, diagrams schedules, performance chart, illustrations and other standard descriptive data will be accepted in lieu of shop drawings. |
| 4. <u>Samples</u> | .1 | Submit samples in sizes and quantities specified. |
| | .2 | Construct field samples and mock-ups at locations acceptable to Departmental Representative. |
| | .3 | Accepted samples will become standards of workmanship and material against which, installed work will be checked on project. |
| 5. <u>Miscellaneous Data</u> | .1 | Provide certificates, methodologies, design and test results as required. |
| 6. <u>Coordination of Submissions</u> | .1 | Review shop drawings, product data, samples and miscellaneous data prior to submissions. |
| | .2 | Verify:
.1 Field Measurements.
.2 Field Construction Criteria. |

- .3 Catalogue numbers and similar data.
 - .3 Coordinate each submission with requirements of work and contract documents. Individual submissions will not be reviewed until all related information is available.
 - .4 Contractor's responsibility for errors and omissions in submission is not relieved by the Departmental Representative's review of submissions.
 - .5 Contractor's responsibility for deviations in submission from requirements in Contract documents is not relieved by Departmental Representative's review of submission, unless Departmental Representative gives written acceptance of specified deviations.
 - .6 Notify the Departmental Representative, in writing at time of submission, of deviations from requirements of contract documents stating reasons for deviations.
 - .7 After Departmental Representative's review, distribute copies.
7. Submission Requirements
- .1 Schedule submissions at least [14] days before dates reviewed submissions will be needed.
 - .2 Submit number of opaque diazo copies of shop drawings, product data which Contractor requires for distribution, plus two [2] copies which will be retained by Departmental Representative.
 - .3 Accompany submissions with transmittal letter, in duplicate, containing:
 - .1 Date.
 - .2 Project title and number.
 - .3 Contractor's name and address.
 - .4 Identification and quantity of each shop drawing, product data and sample submitted.
 - .5 Other pertinent data.
 - .4 Submissions shall include:
 - .1 Date and revision dates.

- .2 Project title and number.
- .3 Name and address of:
 - .1 Subcontractor.
 - .2 Supplier.
 - .3 Manufacturer.
 - .4 Separate details when pertinent.
- .4 Identification of product or material.
- .5 Relation to adjacent structure or materials.
- .6 Field dimensions, clearly identified as such.
- .7 Specification Section Number.
- .8 Applicable standards such as CSA or CGSB numbers.
- .9 Contractor's stamp, initialed or signed, certifying review of submission, verification of field measurements and compliance with contract documents.

- 8. Shop Drawings Review
 - .1 The review of shop drawings by Public Works and Government Services Canada or its authorized consultant, is for the sole purpose of ascertaining conformance with the general concept. This review shall not mean that Public Works and Government Services Canada approves the detail design inherent in the shop drawings, responsibility for which shall remain with the Contractor submitting same, and such review shall not relieve the Contractor of responsibility for errors or omissions in the shop drawings or of responsibility for meeting all requirements of the construction and contract documents. Without restricting the generality of the foregoing, the Contractor is responsible for dimensions to be confirmed and correlated at the job site, for information that pertains solely to fabrication processes or to techniques of construction and installation and for co-ordination of the work of all sub-trades.
- 9. Other Reviews
 - .1 As for shop drawings above, other reviews are for the sole purpose of ascertaining the general concept.

PART 1 – GENERAL

1.1 Definitions

- .1 COSH: Canada Occupational Health and Safety Regulations made under Part II of the Canada Labour Code.
- .2 Competent Person: means a person who is:
 - .1 Qualified by virtue of personal knowledge, training and experience to perform assigned work in a manner that will ensure the health and safety of persons in the workplace, and;
 - .2 Knowledgeable about the provisions of occupational health and safety statutes and regulations that apply to the Work and;
 - .3 Knowledge of potential or actual danger to health or safety is associated with the Work.
- .3 Medical Aid Injury: any minor injury for which medical treatment was provided and the cost of which is covered by Workers' Compensation Board of the province in which the injury was incurred.
- .4 PPE: personal protective equipment
- .5 Work Site: where used in this section shall mean areas, located at the premises where Work is undertaken, used by Contractor to perform all of the activities associated with the performance of the Work.

1.2 Submittals

- .1 Make submittals in accordance with Section 01 33 00.
- .2 Submit site-specific Health and Safety Plan prior to commencement of Work.
 - .1 Submit within 5 work days of notification of Bid Acceptance.
 - .2 Departmental Representative will review Health and Safety Plan and provide comments.
 - .3 Revise the Plan as appropriate and resubmit within 5 work days after receipt of comments.
 - .4 Departmental Representative's review and comments made of the Plan shall not be construed as an endorsement, approval or implied warranty of any kind by

Canada and does not reduce Contractor's overall responsibility for Occupational Health and Safety of the Work.

.5 Submit revisions and updates made to the Plan during the course of Work.

.3 Submit name of designated Health & Safety Site Representative and support documentation specified in the Safety Plan.

.4 Submit building permit, compliance certificates and other permits obtained.

.5 Submit copy of Letter in Good Standing from Provincial Workers Compensation or other department of labour organization.

.1 Submit update of Letter of Good Standing whenever expiration date occurs during the period of Work.

.6 Submit copies of reports or directions issued by Federal, Provincial and Territorial health and safety inspectors.

.7 Submit copies of incident reports.

.8 Submit WHMIS MSDS - Material Safety Data Sheets.

1.3 Compliance
Requirements

.1 Comply with the Occupational Health and Safety Act for the Province of Nova Scotia, and the Regulations made pursuant to the Act.

.2 Comply with Canada Labour Code Part II, and the Canada Occupational Safety and Health Regulations made under Part II of the Canada Labour Code.

.3 Observe and enforce construction safety Requirements measures required by:

.1 2010 National Building Code of Canada, Part 8;

.2 Provincial Worker's Compensation Board;

.3 Municipal statutes and ordinances.

- .4 In event of conflict between any provisions of above authorities the most stringent provision will apply. Should a dispute arise in determining the most stringent requirement, Departmental Representative will advise on the course of action to be followed.
- .5 A copy of the Canada Labour Code Part II may be obtained by contacting:
Canadian Government Publishing
Public Works & Government Services Canada
Ottawa, Ontario, KIA OS9
Tel: (819) 956-4800 (1-800-635-7943)
Publication No. L31-85/2000 E or F)
- .6 Maintain Workers' Compensation Coverage for duration of Contract. Submit Letter of Good Standing to Departmental Representative upon request.
- .7 Medical Surveillance: Where prescribed by legislation or regulation, obtain and maintain worker medical surveillance documentation.

1.4 Responsibility

- .1 Be responsible for safety of persons and property on work site and for protection of building employees and general public circulating adjacent to work operations to extent that they may be affected by conduct of Work.
- .2 Enforce compliance by workers and other persons granted access to work site with safety requirements of Contract Documents, applicable federal, provincial, and local statutes, regulations, and ordinances, and with site-specific Health and Safety Plan.

1.5 Site Control and Access

- .1 Control work site and entry points. Grant and allow entry to only workers and other persons so authorized. Immediately stop non-authorized persons from circulating within construction areas and remove from site.
- .2 Implement procedures for granting permission to enter onto work site to all persons who require access. Procedures to include the provision of a site safety orientation session.

- .3 Delineate and isolate construction areas from other areas of site by use of appropriate means. Erect barricades, fences, hoarding and temporary lighting as required.
- .4 Erect signage at entry points and at other strategic locations around site, clearly identifying construction area(s) as being "off-limits" to non-authorized persons. Signage must be professionally made in both official languages or by use of well understood graphic symbols.
- .5 Secure site at night time or provide security guard as deemed necessary to protect site against entry.
- .6 Ensure persons granted access are fitted and wear appropriate personal protective equipment (PPE). Be responsible for the provision of such PPE to persons who require access to conduct work or perform inspections.

1.6 Protection

- .1 Provide temporary facilities for protection and safe passage of public pedestrians and vehicular traffic around and adjacent to work site.
- .2 Provide safety barricades, lights and signage on work site as required to provide a safe working environment for workers.
- .3 Carry out work placing emphasis on health and safety of public, including facility users, site personnel and protection of the environment.
- .4 Should unforeseen or peculiar safety related hazard or condition become evident during performance of work, immediately take measures to rectify the situation and prevent damage or harm. Advise Departmental Representative verbally and in writing.

1.7 Filing of Notice

- .1 File Notice of Project and other Notices with Provincial authorities prior to commencement of Work.
- .2 Upon request, Departmental Representative will provide name and mailing address of provincial department to whom the Notice of Project must be sent.

-
- | | | | |
|------|---------------------------|----|--|
| 1.8 | <u>Permits</u> | .1 | Obtain building permit related to project prior to commencement of Work. |
| | | .2 | Obtain permits, licenses and compliance certificates, at appropriate times and frequency as stipulated by authorities having jurisdiction. |
| | | .3 | Where particular permit or compliance certificate cannot be obtained at the required stage of work, notify Departmental Representative in writing and obtain Departmental Representative's approval to proceed prior to carrying out that portion of work. |
| | | .4 | Post all permits on site. Submit copies to Departmental Representative. |
|
 | | | |
| 1.9 | <u>Hazard Assessments</u> | .1 | Implement and carry-out a health and safety hazard assessment program as part of the work. Program to include: |
| | | .1 | Initial hazard assessment carried out immediately upon notification of contract award and prior to commencement of work. |
| | | .2 | On-going hazard assessments performed during the progress of work identifying new or potential health risks and safety hazards not previously known. As a minimum hazard assessment shall be carried out when: |
| | | .1 | New subtrade work, new subcontractor(s) or new workers arrive at the site to commence another portion of the work. |
| | | .2 | The scope of work has been changed by Change Order. |
| | | .3 | Potential hazard or weakness in current health and safety practices are identified by <i>Department Representative</i> or by an authorized safety representative. |
| | | .3 | Hazard assessments to be project and site specific, based on review of contract document, site and weather conditions. |
| | | .4 | Each hazard assessment to be made in writing. Keep copies of all assessment on site for duration of work. Upon request, make available to Departmental Representative for inspection. |
-

1.10 Project / Site
Conditions

- .1 Following are potential health, environmental and safety hazards at the site for which Work may involve contact with:
 - .1 Existing hazardous substances or contaminated materials:
 - .1 Treated timber.
 - .3 Known latent site and environmental conditions:
 - .1 Adverse weather.
 - .2 Noise.
 - .3 Debris.
 - .4 Fall Hazards.
 - .5 Electrical lines.
 - .6 Proximity to water influenced by tides and currents.
 - .4 Facility on-going operations:
 - .1 Heavy machinery.
 - .2 Pedestrian traffic.
- .2 Above items shall not be construed as being complete and inclusive of potential health and safety hazards encountered during Work.
- .3 Include above items in the hazard assessment of the Work.
- .4 MSDS Data sheets of pertinent hazardous and controlled products stored on site can be obtained from Departmental Representative.

1.11 Safety Meetings

- .1 Prior to commencement of work attend health and safety meeting conducted by Departmental Representative. Have Contractor's Site Superintendent in attendance. Departmental Representative will advise of time and location.
- .2 Provide site safety orientation session to all workers and other authorized persons prior to granting them access to work site. Brief persons on site conditions and on the minimum site safety rules in force at site.

- .3 Conduct site specific occupational health and safety meetings during the entire work as follows :
 - .1 Formal meetings on a minimum monthly basis
 - .2 Informal tool box meetings on a regular basis from a predetermined schedule.
 - .4 Keep workers informed of anticipated hazards, on safety practices and procedures to be followed and of other pertinent safety information related to:
 - .1 Progress of Work;
 - .2 New sub-trades arriving on site and;
 - .3 Changes in site and project conditions.
- 1.12 Health and
Safety Plan
- .1 Develop written site-specific Project Health and Safety Plan, based on hazard assessments, prior to commencement of work. Submit plan to Departmental Representative within **seven (7)** calendar days of Contract Award date.
 - .2 Health and Safety Plan shall contain the following three (3) parts:
 - .1 Part 1: List of individual health risks and safety hazards identified by hazard assessment(s).
 - .2 Part 2: List of specific measures to control or mitigate each hazard and risk identified in part one of Plan. Describe the engineering controls, personal protective equipment and safe work practices to be implemented and followed when performing work related to each identified hazard or risk.
 - .3 Part 3: Emergency Measures and Communications Procedures as follows:
 - .1 Emergency Measures: on-site operating procedures, evacuation measures and emergency response to be implemented in the occurrence of an accident or incident. Procedures to be specific and relevant to identified hazards. Measures to complement and be integrated with the Facility Emergency Response Plans in place at site. Obtain information on existing emergency and evacuation plans from Departmental Representative and incorporate appropriate data.
 - .2 Communication Procedures:

- .1 list of names and telephone numbers of designated official(s), to be contacted should an incident or emergency situation occur, including the following:
 - .1 General Contractor and all Subcontractors.
 - .2 Federal and Provincial Departments and local emergency resources organizations, as applicable to the hazards identified and type of accident or incident which might occur, in accordance with applicable laws and regulations.
 - .3 Officials from PWGSC, Facility Management and Tenant Departments, housed in building located in vicinity, where work is carried out. Departmental Representative will provide list of names to be included.
- .2 Procedures implemented at site to communicate and share information between workers, subcontractors, and General Contractor on work activities, and in particular those which might endanger workers and Facility employees.
- .3 List of critical construction activities to be communicated with the Facility Manager representative (s) which could affect facility operations, or pose a risk to the health and safety of their employees and to the general public. Develop list in consultation with the Departmental Representative.

- .3 Prepare Health and Safety Plan in a three column format, addressing the three parts specified above, as follows:

Column 1
Identified
Hazard

Column 2
Control
Measures
Implemented

Column 3
Emergency Measures
& Communications
Procedures

- .4 Develop Health and Safety Plan in collaboration with all subcontractors. Address all work and activities of subcontractors as they arrive on site. Immediately update Plan and submit to Departmental Representative.
- .5 Implement, maintain and enforce compliance with requirements of the Health and Safety Plan until final completion of work and demobilization from site.
- .6 As work progresses, review and update Plan addressing additional health risks and safety hazards identified by on-going hazard assessments.
- .7 Submit revised versions of Plan to Departmental Representative.
- .8 Post a typed written copy, including all Safety Plan updates, of the Health and Safety Plan in a common visible location at work site.
- .9 Submission of the Health and Safety Plan, and updates, to the Departmental Representative is for review and information purposes only. It's submission shall not be construed to imply approval by Departmental Representative, be interpreted as a warranty of being complete, accurate and legislative compliant and shall not relieve Contractor of his legal obligations for the provision Health and Safety on the construction project.

1.13 Safety
Supervision and
Inspections

- .1 Designate competent person or persons to be present on site at all times during work, responsible for supervising health and safety and conducting safety inspections of work site.
- .2 Health & Safety Site Representative may be the Superintendent of the Work or other person designated by Contractor and shall be assigned the responsibility and authority to:
 - .1 Implement, monitor and enforce daily compliance with health and safety requirements of the Work
 - .2 Monitor and enforce Contractor's site-specific Health and Safety Plan.

- .3 Conduct site safety orientation session to persons granted access to Work Site.
- .4 Ensure that persons allowed site access are knowledgeable and trained in health and safety pertinent to their activities at the site or are escorted by a competent person while on the Work Site.
- .5 Stop the Work as deemed necessary for reasons of health and safety.

.3 Health & Safety Site Representative must:

- .1 Be qualified and competent person in occupational health and safety.
- .2 Have site-related working experience specific to activities of the Work.
- .3 Be on Work Site at all times during execution of the Work.

.4 All supervisory personnel assigned to the Work shall also be competent persons.

.5 Inspections:

- .1 Conduct regularly scheduled safety inspections of the Work on a minimum **bi-weekly** basis. Record deficiencies and remedial action taken.
- .2 Conduct Formal Inspections on a minimum **monthly** basis. Use standardized safety inspection forms. Distribute to subcontractors.
- .3 Follow-up and ensure corrective measures are taken.

.6 Cooperate with Facility's Occupational Health and Safety representative should one be designated by Departmental Representative.

.7 Keep inspection reports and supervision related documentation on site.

1.14 Training

- .1 Use only skilled workers on Work Site who are effectively trained in occupational health and safety procedures and practices pertinent to their assigned task.

- .2 Maintain employee records and evidence of training received. Make data available to Departmental Representative upon request.
- .3 When unforeseen or peculiar safety-related hazard, or condition occur during performance of Work, follow procedures in place for Employee's Right to Refuse Work in accordance with Acts and Regulations of Province having jurisdiction and advise Departmental Representative verbally and in writing.

1.15 Minimum Site
Safety Rules

- .1 Notwithstanding the requirement to abide by federal and provincial health and safety regulations, the following safety rules shall be considered minimum requirements at the work site and obeyed by all persons granted access:
 - .1 Wear personal protective equipment (PPE) appropriate to function and task on site; the minimum requirements being hard hat, safety footwear and eye protection.
 - .2 Immediately report unsafe activities, conditions, near-miss accidents, injuries and damages.
 - .3 Maintain site in tidy condition.
 - .4 Obey warning signs and safety tags.
- .2 The following actions or conduct by Contractor, workers and sub-contractors will be considered as non conformance with the health and safety requirements of the contract for which a Non-Compliance Notification will be issued to the General Contractor by the Departmental Representative:
 - .1 Failure to follow the minimum site safety rules specified above.
 - .2 Negligence resulting in serious injury or major property damage.
 - .3 Deliberate non-compliance with Federal and Provincial Acts and Regulations.
 - .4 Falsification of information in Workers Compensation Reports, safety reports and other health and safety related documents submitted to Departmental Representative or to Authority having jurisdiction.
 - .5 Possession of firearms on site.
 - .6 Possession of non-prescriptive illegal drugs or alcohol.

- .7 Action, or lack thereof, resulting in the issuance of Warnings, Fines or Stop Work Orders from a Provincial Authority having jurisdiction.
 - .8 Violation of other specified health and safety rules and requirements as determined by Departmental Representative.
 - .3 The final decision as to what constitutes a safety violation or non-compliance issue will be made by Departmental Representative.
 - .4 Brief workers on site safety rules, and on the disciplinary measures to be taken for violation or non compliance of such rules.
- 1.16 Correction Of Non Compliance
 - .1 Immediately address health and safety non-compliance issues identified by authority having jurisdiction or by Departmental Representative.
 - .2 Provide Departmental Representative with written report of action taken to correct non-compliance of health and safety issues identified.
 - .3 Departmental Representative will stop Work if non-compliance of health and safety regulations is not corrected in a timely manner.
- 1.17 Accident Reporting
 - .1 Investigate and report incidents and accidents as outlined in Provincial Occupational Safety and Health Act and Regulations.
 - .2 Investigate and immediately report to Departmental Representative incidents and accidents which results, or has the potential of resulting in:
 - .1 Injuries requiring medical aid,
 - .2 Property damage in excess of \$5000.00,
 - .3 Interruption to building operations with potential loss to owner or client in excess of \$5000.00,
 - .4 Required notification to Workers' Compensation Board or other regulatory agencies as stipulated by applicable regulations.

- .3 Medical aid in above clause shall have the same meaning as the term "medical aid injury" as defined in the Canadian Dictionary of Safety Terms from the Canadian Society of Safety Engineers (C.S.S.E) as follows:
 - .1 Medical Aid Injury: any minor injury for which medical treatment was provided and the cost of which is covered by Workers' Compensation Board of the province in which the injury was incurred.
- 1.18 Tools and Equipment Safety
 - .1 Implement and follow a scheduled tool and equipment inspection/maintenance program at work site. Regularly check tools, equipment and machinery for safe operation and perform maintenance at pre-established time and frequency intervals as recommended by manufacturer. Include subcontractor's equipment as part of the inspection process.
 - .2 Use standardized checklists to ensure established safety checks are stringently followed.
 - .3 Immediately tag and remove items found faulty or defective off site.
 - .4 Maintain written documentation on each inspection. Make available to Departmental Representative upon request.
- 1.19 Hazardous Products
 - .1 Comply with requirements of Workplace Hazardous Materials Information System (WHMIS).
 - .2 Keep MSDS data sheets on site. Provide copies of all data sheets to Departmental Representative upon receipt of materials on site.
 - .3 Post all MSDS data sheets on site, in a Products common area, visible to workers.
- 1.20 Powder Actuated Devices
 - .1 Use power actuated fastening devices only after receipt of written permission from Departmental Representative.

- | | | |
|----------------------------------|----|---|
| 1.21 <u>Posting of Documents</u> | .1 | Post documents indicated herein and as required by Authority having jurisdiction. |
| | .2 | Post other documents as specified herein, including: <ul style="list-style-type: none">.1 Site specific Health and Safety Plan.2 WHMIS data sheets |
| 1.22 <u>Records on Site</u> | .1 | Maintain on site copy of safety documentation as specified in this section and other safety related reports and documents issued to or received from authorities having jurisdiction. |
| | .2 | Make available to Departmental Representative, or authorized safety representative, for inspection upon request. |

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002****Environmental Protection Procedures
for Marine Work**

Page 1

1.1 REFERENCES

- .1 MBCA: Migratory Birds Convention Act, Environment Canada, 1994.
- .2 Fisheries Act, Department of Fisheries and Oceans Canada.
- .3 Canadian Coast Guard Regulations, Department of Fisheries and Oceans Canada.
- .4 Canadian Shipping Act, Transport Canada, 2001.
- .5 AWWPA: American Wood Preserver Association

1.2 DEFINITIONS

- .1 Wetlands: land where the water table is at, near or above the surface or which is saturated for a long enough period to promote such features as wet-altered soils and water tolerant vegetation. Wetlands include organic wetlands or "peatlands," and mineral wetlands or mineral soil areas that are influenced by excess water but produce little or no peat.
- .2 Surface Watercourse: refers to the bed and shore of a river, stream, lake, creek, pond, marsh, estuary or salt-water body that contains water for at least part of each year.
- .3 Invasive (or alien) species: refers to a species or subspecies introduced outside its normal distribution whose establishment and spread threaten ecosystems, habitats or species with economic or environmental harm.
- .4 Buffer zone: a vegetated land that protects watercourses from adjacent land uses. It refers to the land adjacent to watercourses, such as streams, rivers, lakes, ponds, oceans, and wetlands, including the floodplain and the transitional lands between the watercourse and the drier upland areas.

1.3 TRANSPORTATION

- .1 Do not overload trucks when hauling dredged material. Secure contents against spillage.

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002****Environmental Protection Procedures
for Marine Work**

- .2 Maintain trucks clean and free of mud, dirt and other foreign matter.
- .3 Trucks transporting dredged material will have watertight boxes.
- .4 Avoid potential release of contents and of any foreign matter onto highways, roads and access routes used for the Work. Immediately clean any spillage and soils.
- .5 Before commencement of work, advise the Harbour Authority Representative of the existing roads and temporary routes proposed to be used to access work areas and to haul material to and from the site, including roads to the dredged material disposal site.

**1.4 CONCRETE
PLACEMENT**

- .1 There will be no concrete production on site. Concrete is to be supplied to the site in a ready-mix form.

**1.5 PETROLEUM, OIL
AND LUBRICANTS**

- .1 Comply with Federal and Provincial laws, regulations, codes and guidelines for the storage of fuel and petroleum products on site.
- .2 Do not place fuel storage tanks and store fuel or other petroleum products within a 30 meter buffer zone of watercourses and wetlands. Do not fuel or lubricate equipment within this 30 meter buffer zone. Obtain approval from Departmental Representative of acceptable location on site for fuel storage and equipment service.
- .3 Do not dump petroleum products or any other deleterious substances on ground or in the water.
- .4 Be diligent and take all necessary precautions to avoid spills and contaminate the soil and water (both surface and subsurface) when handling petroleum products on site and during

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002****Environmental Protection Procedures
for Marine Work**

Page 3

fueling and servicing of vehicles and equipment.

- .5 Maintain on site appropriate emergency spill response equipment consisting of at least one 250-litre (55 gallon) overpack spill kit for containment and cleanup of spills.
- .6 Maintain vehicles and equipment in good working order to prevent leaks on site.
- .7 In the event of a petroleum spill, immediately notify the Departmental Representative and the Canadian Coast Guard (CCG) at 1-800-565-1633 (24 hour report line). Perform clean-up in accordance with all regulations and procedures stipulated by authority having jurisdiction.

**1.6 DISPOSAL OF
WASTES**

- .1 Do not bury rubbish, demolition debris and waste materials on site.
- .2 Dispose and recycle demolition debris and waste materials in accordance with Provincial Waste Management Regulations.
- .3 Do not dispose of hazardous waste, volatile materials (such as mineral spirits, paints, thinners etc...) and petroleum products into waterways, storm or sanitary sewers or in waste landfill sites.
- .4 Concrete waste:
 - .1 Do not discharge residual or rejected concrete on site.
 - .2 Immediately clean any accidental release of concrete on site prior to solidification.
 - .3 Do not wash and clean concrete vehicles on site.
 - .4 Perform dumping of residual material and truck cleaning operations only at the concrete plant. Follow environmental regulations and good practices as approved by the Provincial Department of the Environment and other authorities having jurisdiction.

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002****Environmental Protection Procedures
for Marine Work**

Page 4

-
- 1.7 WATER QUALITY .1 Where work may affect the water quality adjacent to water intake lines used by Lobster Holding Facilities, Fish Processing Facilities and other harbour users, schedule work in cooperation with the Departmental Representative to minimize interference and impact to harbour users.
- .2 Visually monitor the water turbidity of the surrounding areas adjacent to the project area on a daily basis during the in-water work periods.
- .1 Should excessive change occur in the turbidity of the water outside the work area, such as a distinct color difference; the work must stop and the Department of Fisheries and Oceans - Fisheries Protection Program at 902-426-3909 will be contacted to determine if additional mitigation measures are required.
- .3 Water contamination by preservative treated wood:
- .1 Preservative treated lumber and timber, whether plant or site treated, shall be cured for a minimum of 30 days from date of the treatment application before their installation in areas which will be in contact with the water.
- .2 Do not cut treated wood lumber over the surface of a watercourse or wetland.
- .3 Do not use liquid applied preservative products over the surface of a watercourse or wetland.
- .4 Wood treated with Chromate Copper Arsenate (CCA) or Ammoniac Copper Zinc Arsenate (ACZA) must be CSA or AWPA approved.
- .5 Do not use timber and lumber treated with creosote, petroleum and pentachlorophenol for any part of the Work.
- .4 Do not washdown equipment within a 30 meter buffer zone of a wetland, watercourse or other identified environmentally sensitive area.
- 1.8 SOCIOECONOMIC .1 Abide by municipal and provincial regulations for any restrictions on work performed during
-

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002**Environmental Protection Procedures
for Marine Work

Page 5

RESTRICTIONS

the night time and on flood lighting of the site. Obtain applicable permits.

- .2 Place flood lights in opposite direction of adjacent residential and business areas.
- .3 Equip equipment and machinery with purposely designed mufflers to reduce noise on site to lowest possible level. Maintain mufflers in good operating condition at all times.

1.9 BIRD AND
BIRD HABITAT

- .1 Become knowledgeable with and abide by the *Migratory Birds Convention Act (MBCA)* in regards to the protection of migratory birds, their eggs, nests and their young encountered on site and in the vicinity.
- .2 Minimize disturbance to all birds on site and adjacent areas during the entire course of the Work.
- .3 Do not approach concentrations of seabirds, waterfowl and shorebirds when anchoring equipment, accessing wharves or ferrying supplies.
- .4 During night time work, position flood lights in opposite direction of nearby bird nesting habitat.
- .5 Do not use beaches, dunes and other natural previously undisturbed areas of the site to conduct work.
- .6 Should nests of migratory birds in wetlands be encountered during work, immediately notify the Departmental Representative for directives to be followed.
 - .1 Do not disturb nest site and neighbouring vegetation until nesting is completed.
 - .2 Minimize work immediately adjacent to such areas until nesting is completed.
 - .3 Protect these areas by following recommendations of Canadian Wildlife Service.

1.10 FISH AND

- .1 Be aware of the risk for contamination of the

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002****Environmental Protection Procedures
for Marine Work**

Page 6

FISH HABITAT

fish habitat at the site as a result of alien species being introduced in the water.

- .2 To minimize the possibility of fish habitat contamination, all construction equipment which will be immersed into the water of a watercourse, or has the possibility of coming into contact with such water during the course of the work, must be cleaned and washed to ensure that they are free of marine growth and alien species.
 - .1 Equipment shall include boats, barges, cranes, excavators, haul trucks, pumps, pipe lines and other all miscellaneous tools and equipment previously used in a marine environment.
- .3 Cleaning and washing of equipment shall be performed immediately upon their arrival at the site and before use in or over the body of water.
- .4 Conduct cleaning and washing operations as follows:
 - .1 Scrape and remove heavy accumulation of mud and dispose appropriately.
 - .2 Wash all surfaces of equipment by use of a pressurized fresh water supply.
 - .3 Immediately follow with application of a heavy sprayed coating of undiluted vinegar or other environmentally approved cleaning agent to thoroughly remove all plant matter, animals and sediments.
 - .4 Check and remove all plant, animal and sediment matter from the all bilges and filters.
 - .5 Drain standing water from equipment and let fully dry before use.
 - .6 Upon removal from the water, drain standing water from equipment and let fully dry before removal off the site.
- .5 Do not perform cleaning and washdown within a 30 meter buffer zone of a wetland, watercourse or other identified environmentally sensitive area.

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002****Environmental Protection Procedures
for Marine Work**

Page 7

-
- .6 Record of Assurance Logbook:
 - .1 Maintain an on-going log of past and present usage and washdowns of all equipment to illustrate mitigation measures undertaken against fish habitat contamination by alien species.
 - .2 Write data in a hard cover bound logbook,
 - .3 Include the following:
 - .1 Date and location where equipment was previously used in a watercourse or wetland;
 - .2 Type of work performed.
 - .3 Dates of washdown for each piece of equipment;
 - .4 Cleaning method and cleaning agent(s) used.
 - .7 Keep Record of Assurance Logbook updated from project to project. Upon request, submit logbook to *Departmental Representative* review.
 - .8 Abide by requirements and recommendations of the Federal Department of Environment and the Department of Fisheries and Oceans - Habitat Management Division in cleaning and washdown of equipment.
 - .9 Construction activities must comply with all/any conditions of the "Standard Mitigation Measures to Protect Fish and Fish Habitat when Working in or Near Water" issued by Department of Fisheries and Oceans. A copy of Mitigation Measures must be kept on site at all times. The Mitigation Measures govern any discrepancy in wording between the Mitigation Measures conditions and this specification.

1.11 AIR QUALITY

- .1 Keep airborne dust and dirt resulting from the work on site to an absolute minimum.
- .2 Apply dust control measures to roads, parking lots and work areas.
- .3 Spray surfaces with water or other environmentally approved product. Use

Wharf Reconstruction**Pinkneys Point****Yarmouth County****Project No. R.064746.002**Environmental Protection Procedures
for Marine Work

Page 8

purposely suited equipment or machinery and apply in sufficient quantity and frequency to provide effective result and continued dust control during the entire course of the work.

- .4 Do not use oil or any other petroleum products for dust control.

1.12 FIRES

- .1 Fires and burning of rubbish on site is not permitted.

1.13 ARCHAEOLOGICAL

- .1 All construction personnel are responsible for reporting any unusual materials unearthed during construction to the construction supervisor. If the find is believed to be an archaeological resource, the construction supervisor will immediately stop work in the vicinity of the find and notify his/her immediate supervisor.
- .2 If an archaeological and/or historically significant item is discovered during excavation, work in the area will be stopped and *Departmental Representative* will be contacted.

PART 1 – GENERAL

- | | | | |
|-----|--------------------------------------|----|--|
| 1.1 | <u>Related Requirements</u> | .1 | Particular requirements for inspection and testing of concrete to be carried out by testing laboratory designated by Departmental Representative are specified under various sections. |
| 1.2 | <u>Appointment And Payment</u> | .1 | Departmental Representative will appoint and pay for services of testing laboratory except for the following: <ul style="list-style-type: none">.1 Inspection and testing required by laws, ordinances, rules, regulations or orders of public authorities..2 Inspection and testing performed exclusively for Contractor's convenience..3 Testing, adjustment and balancing of conveying systems, mechanical and electrical equipment and systems..4 Mill tests and certificates of compliance..5 Tests specified to be carried out by the Contractor under the supervision of Departmental Representative. |
| | | .2 | Where tests or inspections by designated testing laboratory reveal work not in accordance with contract requirements, Contractor shall pay costs for additional tests or inspections as Departmental Representative may require to verify acceptability of corrected work. |
| 1.3 | <u>Contractor's Responsibilities</u> | .1 | Furnish labour and facilities to: <ul style="list-style-type: none">.1 Provide access to work to be inspected and tested..2 Facilitate inspections and tests..3 Make good work disturbed by inspection and test..4 Provide storage on site for laboratory's exclusive use to store equipment and cure test samples. |
| | | .2 | Notify Departmental Representative sufficiently in advance of operations to allow for assignment of laboratory personnel and scheduling of test. |
| | | .3 | Where materials are specified to be tested, deliver representative samples in required quantity to testing laboratory. |

- .4 Pay costs for uncovering and making good work that is covered before required inspection or testing is completed and approved by Departmental Representative.

PART 1 – GENERAL

- | | |
|---|---|
| 1. <u>Access</u> | <p>.1 Provide and maintain adequate access to project site.</p> <p>.2 If authorized to use existing roads or structures for access to project site, maintain such roads for duration of Contract and make good damage resulting from Contractor's use of roads.</p> <p>.3 The Contractor is to maintain full access to the work site. Should a court injunction be required ordering a person or group to refrain from impeding access to the site, such as a demonstration, picketing or union action, then obtaining the injunction and any associated costs will be considered incidental to this Contract. Any delays associated with such activity will be considered incidental to this Contract.</p> |
| 2. Contractor's
<u>Site Office</u> | <p>.1 Establish on the site of the work and keep open at all times during the execution of the work an office where all letters, orders, notices and other communications may be received or acknowledged either by the Contractor or his authorized agent or representative. Provide a telephone in the office.</p> <p>.2 Keep one up-to-date copy of contract documents, bulletins and other materials as specified under Section 01 10 10.</p> |
| 3. Departmental
Representative's
<u>Site Office</u> | <p>.1 Provide temporary office for sole use of Departmental Representative, complete with heat and lights. Insulated office required during October to May. Locate on or adjacent to site.</p> <p>.2 Inside dimensions minimum 5 m long x 3 m wide x 2.4 m high, with floor 0.3 m above grade, complete with 4-50% opening windows and one lockable door.</p> <p>.3 Arrange and pay for telephone and fax machine installation and service in Departmental Representative's office for the Departmental Representative's exclusive use. Long distance calls placed on this phone by the Departmental Representative will be paid for by Departmental Representative.</p> |

- | | | |
|----|----------------------------|--|
| | .4 | Washroom facilities not required in the office. Provide outside sanitary facilities to approval. |
| | .5 | Equip office with six chairs, flat 1200 X 2400 X 25 table with writing surface and 4 drawer lockable filing cabinet. |
| | .6 | Maintain in clean condition. |
| 4. | <u>Storage Sheds</u> | |
| | .1 | Provide adequate weather tight sheds with raised floors, for storage of materials, tools and equipment which are subject to damage by weather. |
| | .2 | Contractor to make his own arrangements for on-site storage areas. |
| 5. | <u>Sanitary Facilities</u> | |
| | .1 | Provide sanitary facilities for work force in accordance with governing regulations and ordinances. |
| | .2 | Post notices and take such precautions as required by local health authorities. Keep area and premises in sanitary condition. |
| 6. | <u>Parking</u> | |
| | .1 | Contractor to make own arrangements to provide parking space for work force. |
| 7. | <u>Power</u> | |
| | .1 | Arrange, pay for and maintain temporary electrical power supply in accordance with governing regulations and ordinances. |
| 8. | <u>Water Supply</u> | |
| | .1 | Arrange, pay for and maintain temporary water supply in accordance with governing regulations and ordinances. |
| 9. | <u>Barricades</u> | |
| | .1 | Provide and maintain sufficient barricades, fencing, notices, warning signs, light signals, etc. for the protection of adjoining property and to warn others and workmen engaged on the job of the dangers caused by the work. |
| | .2 | Types and location of barricades, etc. to be in accordance with local regulations and to the satisfaction of Departmental Representative. |

- .3 The presence of such barricades, lights, etc. shall not relieve the Contractor of the responsibility for any damages.
- 10. Security
 - .1 Contractor to make his own arrangements for security of his equipment, materials, damages resulting from fire and theft.
- 11. Site Signs and Notices
 - .1 Only Project Identification and Consultant/ Contractor signboards and notices for safety or instruction are permitted on site.
 - .2 Format, location and quantity of site signs and notices to be accepted by Departmental Representative.
 - .3 Signs and notices for safety or instruction to be in English and French languages, or commonly understood graphic symbols.
- 12. Removal of Temporary Facilities
 - .1 Remove temporary facilities from site when directed by Departmental Representative.
 - .2 When project is closed down for a period of time, keep temporary facilities operational until no longer required by Departmental Representative.

PART 1 – GENERAL

- | | |
|--|---|
| 1. <u>General</u> | <ul style="list-style-type: none">.1 Use new material and equipment unless otherwise specified..2 Submit following information for any or all materials and products proposed for supply within seven (7) days of request by Departmental Representative:<ul style="list-style-type: none">.1 name and address of manufacturer.2 trade name, model and catalogue number.3 performance, descriptive and test data.4 manufacturer's installation or application instructions.5 evidence of arrangements to procure..3 Provide material and equipment of specified design and quality, performing to published ratings and for which replacement parts are readily available..4 Use products of one manufacturer for equipment or material of same type or classification unless otherwise specified. |
| 2. Manufacturer's
<u>Instructions</u> | <ul style="list-style-type: none">.1 Unless otherwise specified, comply with manufacturer's latest printed instructions for materials and installation methods..2 Notify Departmental Representative in writing of any conflict between these specifications and manufacturers' instructions. Departmental Representative will designate which document is to be followed. |
| 3. <u>Fastenings - General</u> | <ul style="list-style-type: none">.1 All fastenings are to be the sizes indicated on the contract plans and are to be hot dipped galvanized to ASTM 123 unless otherwise noted. |
| 4. <u>Delivery and Storage</u> | <ul style="list-style-type: none">.1 Deliver, store and maintain packaged material and equipment with manufacturer's seal and labels intact..2 Prevent damage, adulteration and soiling of material and equipment during delivery, handling and storage. Immediately remove rejected material and equipment from site. |

- .3 Store material and equipment in accordance and Storage with supplier's instructions.
- 5. Conformance
 - .1 When material or equipment is specified by standard or performance specifications, upon request of Departmental Representative, obtain from manufacturer an independent testing laboratory report, stating that material or equipment meets or exceeds specified requirements.
- 6. Substitution
 - .1 Proposals for substitution may be submitted only after award of Contract. Such requests must include statements of respective costs of items originally specified and proposed substitutions.
 - .2 Proposals will be considered by Departmental Representative if:
 - .1 Products selected by tenderer from those specified, are not available, or
 - .2 Delivery date of products from those specified would unduly delay completion of Contract, or
 - .3 Alternative products to those specified, which are brought to attention of, and considered by Departmental Representative as equivalent to those specified and will result in a credit to Contract amount.
 - .3 Should proposed substitution be accepted either in part or in whole, assume full responsibility and costs when substitution affects other work on project. Pay for design or drawing changes required as result of substitution.
 - .4 Amounts of all credits arising from approval of substitutions will be determined by Departmental Representative and Contract price will be reduced accordingly. No substitutions will be permitted without prior written approval of Departmental Representative.
 - .5 Departmental Representative reserves the right for acceptance or rejection of substitution of materials.
- 1.7 Construction Equipment and Plant
 - .1 On request, prove to the satisfaction of Departmental Representative that the construction equipment and plant are adequate to manufacture, transport, place and finish work to

- quality and production rates specified. If inadequate, replace or provide additional equipment or plant as directed.
- .2 Maintain construction equipment and plant in good operating order.
- 1.8 Damaged and
Rejected Materials
- .1 Immediately replace, repair or otherwise make good any material damaged, broken or defaced during construction to the satisfaction of Departmental Representative.
- .2 Remove rejected materials from site.

PART 1 – GENERAL

1. Record
Drawings
 - .1 Departmental Representative will provide two sets of white prints for record drawing purposes.
 - .2 Maintain project record drawings and accurately record deviations from contract documents caused by site conditions and changes ordered by Departmental Representative.
 - .3 Mark changes in red coloured ink.
 - .4 Record following information:
 - .1 Elevations of various elements in relation to Chart Datum.
 - .2 Field changes in dimensions and details.
 - .3 Changes made by Change Order.
 - .5 At completion of project and prior to final inspection, neatly transfer notations to second set and submit both sets to Departmental Representative.

PART 1 – GENERAL

- | | |
|---|---|
| 1. <u>General</u> | <ul style="list-style-type: none">.1 Conduct cleaning and disposal operations to comply with local ordinances and antipollution laws..2 Store volatile waste in covered metal containers, and remove from premises at end of each working day..3 Prevent accumulation of waste which creates hazardous conditions. |
| 2. Cleaning During
<u>Construction</u> | <ul style="list-style-type: none">.1 Maintain the work, at least on a daily basis free from accumulations of waste material and debris..2 Provide on-site containers for collection of waste materials, and debris..3 Remove waste materials, and debris from site..4 Schedule cleaning operations so that resulting dust, debris and other contaminants will not fall on wet, newly painted surfaces. |
| 3. <u>Final Cleaning</u> | <ul style="list-style-type: none">.1 In preparation for acceptance of the project on an interim or final certificate of completion perform final cleaning..2 Remove grease, dust, dirt, stains, and other foreign materials, from exterior finished surfaces. |