

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
PWGSC/TPSGC Acquisitions
1045 Main Street
1st Floor, Lobby C
Unit 108
Moncton, NB E1C 1H1
Bid Fax: (506) 851-6759

REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Electrical Supplies	
Solicitation No. - N° de l'invitation 5P131-130412/B	Date 2013-12-03
Client Reference No. - N° de référence du client 5P131-130412	
GETS Reference No. - N° de référence de SEAG PW-\$MCT-018-4741	
File No. - N° de dossier MCT-3-36048 (018)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-01-13	Time Zone Fuseau horaire Atlantic Standard Time AST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Martin, Lisa M.	Buyer Id - Id de l'acheteur mct018
Telephone No. - N° de téléphone (506) 851-7811 ()	FAX No. - N° de FAX (506) 851-6759
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: PARKS CANADA Kouchibouguac National Park of Cana 186 RTE 117 KOUCHIBOUGQUAC New Brunswick E4X2P1 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award
2. Additional Certifications Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses
12. Shipping Instructions - FOB Destination and DDP

List of Annexes:

- | | |
|---------|--|
| Annex A | List of Required Material / Basis of Payment |
| Annex B | Mandatory Requirements |

Reissue of Bid Solicitation

This bid solicitation cancels and supersedes previous bid solicitation number **5P131-130412/A** dated **2013-09-30** with a closing of **2013-11-12 at 2:00 PM ADT**. A debriefing or feedback session will be provided upon request to bidders/offerors/suppliers who bid on the previous solicitation.

PART 1 - GENERAL INFORMATION

1. Security Requirement

There is no security requirement associated with this bid solicitation.

2. Requirement

The requirement is detailed under Article 2 of the resulting contract clauses.

(Derived from - Provenant de: B4008T, 16/06/06)

3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013/06/01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

1.1 SACC Manual Clauses

SACC Reference	Section	Date
C9000T	Price	2010/08/16

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

2.1 Improvement of Requirement During Solicitation Period

Should bidders consider that the specifications or Statement of Work contained in the bid solicitation could be improved technically or technologically, bidders are invited to make suggestions, in writing, to the Contracting Authority named in the bid solicitation. Bidders must clearly outline the suggested improvement as well as the reason for the suggestion. Suggestions that do not restrict the level of competition nor favour a particular bidder will be given consideration provided they are submitted to the Contracting Authority at least five days before the bid closing date. Canada will have the right to accept or reject any or all suggestions.

(Derived from - Provenant de: A9076T, 25/05/07)

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **New Brunswick**.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Section I: Technical Bid (2 copies)
 Section II: Financial Bid (1 copy)
 Section III: Certifications (1 copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green](#)

Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the List of Requirement Material / Basis of Payment at Annex A. The total amount of Applicable Taxes must be shown separately.

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**1. Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation**1.1.1 Mandatory Technical Criteria**

Mandatory Technical Criteria as specified in Annex " B "

1.2 Financial Evaluation

SACC Manual Clause A0220T (2013/04/25), Evaluation of Price

2. Basis of Selection**SACC Reference**

A0031T

Section

Basis of Selection - Mandatory Technical Criteria

Date

2010/08/16

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and documentation to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

1. Mandatory Certifications Required Precedent to Contract Award

1.1 Code of Conduct and Certifications - Related documentation

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are in compliance with the provisions as stated in Section 01 Code of Conduct and Certifications - Bid of Standard Instructions 2003. The related documentation therein required will assist Canada in confirming that the certifications are true.

1.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from Human Resources and Skills Development Canada (HRSDC) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement applicable to this Contract.

2. Requirement

The Contractor must provide the items detailed under the "List of Required Material / Basis of Payment" at Annex "A"

(Derived from - Provenant de: B4008C, 16/06/06)

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual

(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2013/04/25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

4. Term of Contract

4.1 Delivery Date

While delivery is requested by 28 February 2014 , the best delivery that could be offered is _____

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name: Lisa Martin
 Title: Contracting Officer
 Public Works and Government Services Canada
 Acquisitions Branch
 Address: 1045 Main Street, Unit 108
 Moncton, New Brunswick
 E1C 1H1
 Telephone: 1-506-851-7811
 Facsimile: 1-506-851-6759
 E-Mail: lisa.m.martin@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Project Authority

The Project Authority for the Contract is: **Details will be provided in any resulting contract**

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative (bidder please complete)

Name: _____
 Telephone: _____
 Facsimile: _____

E-mail address: _____

6. Payment

6.1 Basis of Payment- Firm Lot Price(s)

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price(s), as specified in Annex A for a cost of \$ _____. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

(Derived from - Provenant de: C0207C, 25/04/13)

6.2 Limitation of Price

SACC Manual clause C6000C (2011/05/16) Limitation of Price

6.3 Single Payment

SACC Manual clause H1000C (2008/05/12) Single Payment

6.4 SACC Manual Clauses

SACC Reference	Section	Date
C2000C	Taxes - Foreign-based Contractors	2007/11/30

7. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

(Derived from - Provenant de: H5001C, 12/12/08)

8. Certifications

8.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is

untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **New Brunswick**.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2013/04/25), General Conditions - Goods (Medium Complexity);
- (c) Annex A, List of Required Material / Basis of Payment
- (d) Annex B, Mandatory Requirements
- (e) the Contractor's bid dated _____

11. SACC Manual Clauses

SACC Reference	Section	Date
B1501C	Electrical Equipment	2006/06/06
B7500C	Excess Goods	2006/06/06
G1005C	Insurance	2008/05/12
D0018C	Delivery and Unloading	2007/11/30

12. Shipping Instructions - FOB Destination and DDP

Goods must be consigned and delivered to the destination specified in the contract:

FOB Destination (Parks Canada, Kouchibouguac National Park, NB) including all delivery charges and customs duties and Applicable Taxes.

(Derived from - Provenant de: D4002C, 25/04/13)

Solicitation No. - N° de l'invitation

5P131-130412/B

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

mct018

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

5P131-130412

MCT-3-36048

ANNEX "A"
LIST OF REQUIRED MATERIAL / BASIS OF PAYMENT
(see attached document)

ANNEX "B"
MANDATORY REQUIREMENTS
(see attached document)

Annex A
List of Required Material / Basis of Payment

Item No.	Description	OEM Brand Name and Model Number	Unit of Issue	Quantity	Unit Price	Total Price
1.	Wire, Type RWU 2/0 black		M	1653		
2.	Wire, Type RWU 2/0 white		M	902		
3.	Wire, Type RWU 1/0 black		M	1386		
4.	Wire, Type RWU 1/0 white		M	1024		
5.	Wire, Type RWU #1 black		M	1081		
6.	Wire, Type RWU #1 white		M	902		
7.	Wire, Type RWU #3 black		M	750		
8.	Wire, Type RWU #3 white		M	600		
9.	Wire, Type RWU #6 black		M	2000		
10.	Open power distribution blocks wire range 2/0-#14, two pole one opening per pole. 185 amp CSA rated Dimensions: Height=75mm, Width=45mm, Dept=50mm		Each	70		
11.	Open power distribution blocks wire range 2/0-#14, single primary two poles secondary. 185 amp CSA rated Dimensions: Height=75mm, Width=45mm, Dept=50mm		Each	17		
12.	Junction boxes, CSA type 3Rpainted steel galvanized. Dimensions: Width=8", Height=12", Dept=4" Formed and spot welded from 16 or 14 gauge galvanized steel. Drip-shield top and seam-free sides, front and back. Slip-on removable cover fastened with plated steel screws. Door handles on body type C enclosures. Embossed mounting holes on back of enclosure. Easily removed knockouts on bottom of enclosure.		Each	42		
13.	Recreational vehicle load centers, c/w 1-30 amp 125v and 1 -20 amp 125v receptacle Provide electrical power to individual recreational vehicle park sites. Each receptacle protected by appropriate circuit breaker. 10,000 RMS Symmetrical Ampere short circuit current rating. All receptacles and circuit breakers included. Lugs to loop through neutral 2/0 - #6. Load centres must have both breakers on a common busbar.		Each	42		

Annex A
List of Required Material / Basis of Payment

Item No.	Description	OEM Brand Name and Model Number	Unit of Issue	Quantity	Unit Price	Total Price
14.	2/0 stranded bare copper ground		M	200		
15.	¾" x10' copper clad steel ground rods		Each	30		
16.	Thermite weld molds for ¾" ground rods to 2/0 stranded pass through		Each	2		
17.	Thermite weld material for molds mentioned in item 16.		Each	30		
18.	2" PVC conduit		M	200		
19.	2" male PVC terminations c/w locknuts		Each	42		
20.	120/240v single phase distribution panel c/w 400A 2 pole 240 V main breaker and 12 50amp 2 pole breakers (common trip). Panel to have 10,000 map interrupting capacity and spare for 20 poles. Lugs to accommodate 3 runs 1/0 to 250 mcm per phase.		Each	3		
21.	30" x 24" 7" mild steel enclosure, 16ga. with screws on cover, CSA type 1.		Each	6		
22.	Bold down ground lugs to accept #6 ground		Each	42		
23.	4" PVC rigid conduit		M	500		
24.	PVC rigid conduit 90° sweeps		Each	20		
25.	167 kVA 7200v primary to 120-240v secondary pad mount transformers (as per specs)		Each	3		
26.	15 kv concentric neutral. Specs: A. 1/0 AWG Class B Compact, 19 str aluminum with Strandseal. B. Semi-conducting, supersmooth thermosetting conductor shield. 12 mils min point. C. TRXLPE insulation, 15 kV 100%, 158 mils min point, 175 mils min average. D. Semi-conducting thermosetting insulation shield, 30 mils min point. E. 16 - #14 AWG bare copper concentric neutral wires with water swellable powder. F. Black LLDPE Encapsulating Jacket, 64 mils min point, 80 mils min average.		M	800		

Annex A
List of Required Material / Basis of Payment

Item No.	Description	OEM Brand Name and Model Number	Unit of Issue	Quantity	Unit Price	Total Price
27.	Load break elbows to accept 1/0 concentric neutral (for item 26)		Each	7		
28.	2" PVC lb's with locknuts		Each	42		
29.	High voltage caution tape		M	2000		
30.	Rolls, green electrical tape		Each	20		
31.	Rolls, white electrical tape		Each	20		
32.	Rolls, black electrical tape		Each	40		
Sub-total						
13% tax						
Total						

The evaluated cost/total bid price will be based on the aggregate of all the extended prices for all of the line items detailed at Annex A – List of Required Material / Basis of Payment

NOTE:

The successful supplier will have to contact the Park's electrician to get the proper cut for the wire (item 1 through 9) before shipping the material.

Annex "B"
MANDATORY REQUIREMENTS

Bids MUST meet the mandatory requirements specified below. To demonstrate that all requirements of the technical specifications are respected bidder's MUST respond with complete specifications and/or descriptive literature of the equipment being offered.

The complete specifications and/or descriptive literature should be submitted with the proposal but may be submitted afterwards. If the complete specifications and/or descriptive literature are not submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet this requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

Any proposal which fails to meet all mandatory requirements will be deemed non-responsive. Each requirement should be addressed separately.

Technical Specifications		Comply Yes/No	Comments: Compliance or deviations
1	Wire, Type RWU 2/0 black		
2	Wire, Type RWU 2/0 white		
3	Wire, Type RWU 1/0 black		
4	Wire, Type RWU 1/0 white		
5	Wire, Type RWU #1 black		
6	Wire, Type RWU #1 white		
7	Wire, Type RWU #3 black		
8	Wire, Type RWU #3 white		
9	Wire, Type RWU #6 black		
10	Open power distribution blocks wire range 2/0-#14, two pole one opening per pole. 185 amp CSA rated Dimensions: Height=75mm, Width=45mm, Dept=50mm		
11	Open power distribution blocks wire range 2/0-#14, single primary two poles secondary. 185 amp CSA rated Dimensions: Height=75mm, Width=45mm, Dept=50mm		
12	Junction boxes, CSA type 3R painted steel galvanized. Dimensions: Width=8", Height=12", Dept=4" Formed and spot welded from 16 or 14 gauge galvanized steel. Drip-shield top and seam-free sides, front and back. Slip-on removable cover fastened with plated steel screws. Door handles on body type C enclosures. Embossed mounting holes on back of enclosure. Easily removed knockouts on bottom of enclosure.		
13	Recreational vehicle load centers, c/w 1-30 amp 125v and 1 -20 amp 125v receptacle Provide electrical power to individual recreational vehicle park sites. Each receptacle protected by appropriate circuit breaker. 10,000 RMS Symmetrical Ampere short circuit current rating. All receptacles and circuit breakers included. Lugs to loop through neutral 2/0 - #6. Load centres must have both breakers on a common busbar.		

Annex "B"
MANDATORY REQUIREMENTS

14	2/0 stranded bare copper ground		
15	¾" x10' copper clad steel ground rods		
16	Thermite weld molds for ¾" ground rods to 2/0 stranded pass through		
17	Thermite weld material for molds mentioned in item 16.		
18	2" PVC conduit		
19	2" male PVC terminations c/w locknuts		
20	120/240v single phase distribution panel c/w 400A 2 pole 240 V main breaker and 12 50amp 2 pole breakers (common trip). Panel to have 10,000 amp interrupting capacity and spare for 20 poles. Lugs to accommodate 3 runs 1/0 to 250 mcm per phase.		
21	30" x 24" 7" mild steel enclosure, 16ga. with screws on cover, CSA type 1.		
22	Bolt down ground lugs to accept #6 ground		
23	4" PVC rigid conduit		
24	PVC rigid conduit 90° sweeps		
25	167 kVA 7200v primary to 120-240v secondary pad mount transformers (as per specs)		
26	15 kv concentric neutral. Specs: A. 1/0 AWG Class B Compact, 19 str aluminum with Strandseal. B. Semi-conducting, supersmooth thermosetting conductor shield. 12 mils min point. C. TRXLPE insulation, 15 kV 100%, 158 mils min point, 175 mils min average. D. Semi-conducting thermosetting insulation shield, 30 mils min point. E. 16 - #14 AWG bare copper concentric neutral wires with water swellable powder. F. Black LLDPE Encapsulating Jacket, 64 mils min point, 80 mils min average.		
27	Load break elbows to accept 1/0 concentric neutral (for item 26)		
28	2" PVC lb's with locknuts		
29	High voltage caution tape		
30	Rolls, green electrical tape		
31	Rolls, white electrical tape		
32	Rolls, black electrical tape		

Annex "B"
MANDATORY REQUIREMENTS

33	<p>Transformers 167kVA (item #25)</p> <p>Specification: CSA C227.3-06</p> <p>Quantity :1</p> <p>Type: Mini-Pad (Loop Feed)</p> <p>KVA: 167</p> <p>Phase: 1</p> <p>Temperature Rise: 65 C</p> <p>Coolant: ONAN (oil)</p> <p>Frequency: 60Hz</p> <p>High Voltage (HV): 12470Grdy/7200</p> <p>Dual Voltage: none</p> <p>HV kV BIL: 95</p> <p>HV Taps: 4-2.5%+2-2</p> <p>Low Voltage (LV): 240/120</p> <p>LV kV BIL: 30</p> <p>Winding Material: Aluminum</p> <p>Paint: Equip. Green (Powder Coat)</p> <p>HV Bushing: 2 - Standard Wells w/Removable Studs</p> <p>LV Bushing: 3 -4 Hole NEMA spade</p> <p>Protection: Bayonet 2 Fuse 358C12 (8.3kV 165A)</p> <p>DV Fuse: None</p> <p>Loadbreak Switches: (1) Loadbreak Switch (RTE 2 Pos. 12kA)</p> <p>Packaging: Pallet</p> <p>Accessories: Thermometer c/w one contact Oil level guage c/w one contact (1) drain valve w/o sampler (1) copper ground bus bar (2) HV bushing inserts (95kV BIL)</p>		
----	--	--	--