

DRAWING NOTES:

- CONNECT TO EXISTING PIPE AT APPROXIMATELY THIS POINT.
- APPROXIMATE LOCATION OF KITCHEN SINK. VERIFY EXACT LOCATION WITH INTERIOR DESIGNER.
- HU-1.N DRAIN LINE DISCHARGED TO JANITOR'S SINK.
- HU-1.N DOW CONNECTION

EQUIPMENT SCHEDULE:

WC-1: WATER CLOSET (BARRIER FREE)- FLUSH TANK FLOOR MOUNTED ELONGATED BOWL 6 LPF (1.6 GPF), 15" HIGH, FLUSH TANK. VITREOUS CHINA. PROVIDE FLOOR FLANGE, BOLTS, AND GASKET.
SEAT: SOLID PLASTIC EXTRA HEAVY DUTY, ELONGATED, OPEN FRONT, LESS COVER.

LAV-1: LAVATORY (BARRIER FREE)
WALL HUNG VITREOUS CHINA BASIN ELECTRONIC FAUCET, MIXING VALVE, OPEN GRID STRAINER, OFFSET WASTE ASSEMBLY, TRAP, SUPPLIES WITH STOPS AND FLOOR BASED CHAIR CARRIER AND 0.5 GAL. AERATOR.
FLUSH VALVE: "NO TOUCH", COMPLETE WITH TRANSFORMER.
CARRIER: PROVIDE CARRIER PER LAVATORY MANUFACTURER RECOMMENDATION.

SK-1: STAINLESS STEEL SINK
SINGLE BOWL COUNTERTOP STAINLESS STEEL SINK 20 1/2"x20"x8" WITH CRUMB CUP, 4" CENTER SET, DECK MOUNT GOOSENECK WITH BLADE HANDLES, LAMINAR FLOW OUTLET, WASTE TRAP, AND SUPPLIES WITH STOPS.

SK-2: STAINLESS STEEL SINK
DOUBLE COMPARTMENT COUNTERTOP STAINLESS STEEL SINK WITH LEDGE BACK 20"x31"x7", CRUMB CUPS, 8" SINGLE LEVER DECK MOUNTED FAUCET WITH SIDE SPRAY, TRAP AND SUPPLIES WITH STOPS.

JS-1: JANITORS' SINK (MOP SINK)
FLOOR BASED MODELED MOP BASIN 24"x24"x10" WITH STAINLESS STEEL STRAINER, RIM GUARDS, WALL MOUNTED TRIM, VACUUM BREAKER, HOSE AND HOLDER.

CONSULTANT

These design documents are prepared solely for the use by the party with whom the design professional has entered into a contract and there are no representations of any kind made by the design professional to any party with whom the design professional has not entered into a contract.
Any use of the drawings, data or information contained herein without the expressed written permission of Tower Engineering Group is strictly prohibited.
The consultant is responsible to verify all dimensions with conditions on the site and report discrepancies to Tower Engineering for adjustment.
All rights to be returned.

TOWER PROJECT NO. : 13038
TOWER ENGINEERING GROUP
UNIT 1 - 1140 WAVERLEY ST. WINNIPEG, MB R3T 0P4
TEL: (204) 925-1150 FAX: (204) 925-1155
EMAIL: towereng@towereng.ca WEB: www.towereng.ca
• WINNIPEG • CALGARY • CAMERIDGE



Certificate of Authorization

Tower Engineering Group

No. 4156 Expiry: April 30, 2014

DO NOT SCALE DRAWINGS

0	ISSUED FOR TENDER/CONSTRUCTION	26/11/13
Revision/	Description/Description	Date/Date
Revision		

PUBLIC WORKS
GOVERNMENT SERVICES
CANADA

100-167 LOMBARD AVENUE
PO BOX 1408
WINNIPEG, MANITOBA R3C 2Z1

Project Site/Le site du projet

STANLEY KNOWLES FIT-UP
391 YORK AVENUE

Approved by/Approuvé par

DHO

Designed by/Concept par

DHO

Drawn by/Dessiné par

SC

PWGSC Project Manager/Administrateur de Projets TPWGSC

OH

PWGSC Architectural and Engineering Resources Manager/

Resources Architecturales et de Directeur d'ingénierie, TPWGSC

SO

Client/client

PWGSC

Drawing title/Titre du dessin

MECHANICAL

PARTIAL 2ND FLOOR PLAN

PLUMBING

Project No./No. du projet

R.056754.002

Sheet/ Feuille

M1-03

OF 14

Revision no./

La révision

no.

0

