

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
800 Burrard Street, 2nd Floor
800, rue Burrard, 2e étage
Vancouver, BC V6Z 0B9
Bid Fax: (604) 775-7526

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless
otherwise indicated, all other terms and conditions of the
Offer remain the same.

Ce document est par la présente révisé; sauf indication
contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services Canada -
Pacific Region
800 Burrard Street, 12th Floor
800, rue Burrard, 12e étage
Vancouver, BC V6Z 0B9

Title - Sujet Vinyl-coated Polyester Fabric		
Solicitation No. - N° de l'invitation 21C81-130282/A		Date 2013-12-18
Client Reference No. - N° de référence du client 21C81-130282		Amendment No. - N° modif. 002
File No. - N° de dossier VAN-3-36212 (524)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$VAN-524-7135		
Date of Original Request for Standing Offer Date de la demande de l'offre à commandes originale		2013-11-21
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-01-06		Time Zone Fuseau horaire Pacific Standard Time PST
Address Enquiries to: - Adresser toutes questions à: Yamamoto, Albert		Buyer Id - Id de l'acheteur van524
Telephone No. - N° de téléphone (604) 775-7549 ()	FAX No. - N° de FAX (604) 775-7526	
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required Accusé de réception requis	Yes - Oui <input type="checkbox"/>	No - Non <input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Questions and Answers:

Q: May I ask what the application is for this material?

A: Mattress covers.

Q: Does the material have to be coated or could it be laminated pvc?

A: Laminated or extruded.(coating has a tendency to wear/ wash out)

Q: Does it have to be in 100 yard rolls or could it be in 50 yard rolls which is a lot easier for people to handle due to the weight ?

A: Either 100 or 50 yard rolls are acceptable

PART 4 EVALUATION PROCEDURES AND BASIS OF SELECTION**1.1.1 Mandatory Technical Criteria**

Delete:

- Fabric must be supplied in 100 yard rolls, individually wrapped in plastic:
 _____Yes _____No

Insert:

- Fabric must be supplied in 50 yard rolls or 100 yard rolls, individually wrapped in plastic:
 _____Yes _____No

And

Annex A - Statement of Requirement, Bidding Requirements

Delete:

Fabric must be supplied in 100 yard rolls, individually wrapped in plastic.

Insert:

Fabric must be supplied in 50 yard rolls or 100 yard rolls, individually wrapped in plastic.

Q: I see there is +10% beside the size so my hopes are it may be o.k. if it is 61" wide. For the 60" width could it be 61" rather than 60"?

A: Yes

Q: Do you know the denier of the polyester scrim as well as the size of opening, eg. 10 X 10 or 10 X 12? We don't usually go by the same description that is shown in the Composition shown in regard to percentages.

A: 18 x 9

Q: ASTM D751 does not have a composition part – Is there another test method you could point to, specifically for composition? We use AATCC 20/20A, a fiber content test.

A: The requirement for Composition (ASTM D751) has been deleted:

PART 4 EVALUATION PROCEDURES AND BASIS OF SELECTION

1.1.1 Mandatory Technical Criteria

Delete:

- Bidder must provide test results from a certified independent testing laboratory with their bid, confirming that the fabric samples submitted with their bid meet the following 3 requirements: _____ Yes
_____ No

-Weight (ASTM D3776)

-*Composition (ASTM D751)*

-Fire Retardancy (NFPA 701-2010 Test Method 2)

Insert:

- Bidder must provide test results from a certified independent testing laboratory with their bid, confirming that the fabric samples submitted with their bid meet the following 2 requirements: _____ Yes
_____ No

-Weight (ASTM D3776)

-Fire Retardancy (NFPA 701-2010 Test Method 2)

And

Annex A - Statement of Requirement, Bidding Requirements

Delete:

- Bidder must provide test results from a certified independent testing laboratory with their bid, confirming that the fabric samples submitted with their bid meet the following 3 requirements:

-Weight (ASTM D3776)

-*Composition (ASTM D751)*

-Fire Retardancy (NFPA 701-2010 Test Method 2)

Insert:

Bidders must provide test results from a certified independent testing laboratory, confirming that the fabric samples submitted with their bid meet the following two (2) requirements:

Weight (ASTM D3776)

Fire Retardancy (NFPA 701-2010 Test Method 2)

Q: Our normal packaging is paper wrapping versus the plastic you're asking for. Is that acceptable?

A: No, we require the rolls to be wrapped in plastic.

Q: Our internal tolerance levels are +/- 10% for width, weight, and composition. Your bid is asking for +/- 5% - Could this also be acceptable?

A: +/- 10% on weight and composition is acceptable. Width must be as per spec.

The revised Annex A is attached.

ANNEX A - STATEMENT OF REQUIREMENT (Rev 2013/12/11)
21C81-130282

Requirement: To supply and deliver Vinyl-coated Polyester Fabric to Correctional Service Canada at Mission, Agassiz and Abbotsford, British Columbia on an as-and-when requested basis, in accordance with the specifications below.

Estimated usage 25,000 square yards per year

Fabric will be supplied in 50 or 100 yard rolls, individually wrapped in plastic.

Minimum quantity per call-up is 500 linear yards

Period of standing offer: 1 year

Delivery required: Within **fourteen (14) calendar days** of receipt of a call-up against the standing offer.

Product must meet the following specifications:

Composition:	83.4% Vinyl/16.6% Polyester +/- 10%
Flame Retardancy:	NFPA 701-2010 Test Method 2
Weight:	10 oz/ sq yd +/- 10%
Colour:	Tan
Antimicrobial:	AATCC M30-1998 AATCC M147-2004
Size of fabric:	43" and 60" width -0/+10%

Bidding requirements

- Bidders must provide two (2) samples in the specified colour, each at least one (1) yard x one (1) yard.
- Bidders must provide test results from a certified independent testing laboratory, confirming that the fabric samples submitted with their bid meet the following two (2) requirements:

Weight (ASTM D3776)
Fire Retardancy (NFPA 701-2010 Test Method 2)

- Bidders must provide pricing in linear yards for 43" and 60" wide fabric.
- All pricing must be FOB destination (3 locations):

Ferndale Institution 33737 Dewdney Trunk Rd., Mission, British Columbia, Canada V2V 4L8	Matsqui Institution 33344 King Rd, Abbotsford, British Columbia, Canada V2S 4P3	Mountain Institution 4732 Cemetery Rd., Agassiz, British Columbia Canada V0M 1A0
--	--	---

- Bidders must state delivery in days from receipt of order.
- Award of contract will be based on lowest conforming bid.