RETURN BIDS TO: RETOURNER LES SOUMISSIONS A :

Bid Receiving/Réception des sousmissions RCMP - F Division Procurement & Contracting Services c/o Commissionaires, F Division 6101 Dewdney Ave Regina, SK S4P 3K7

Fax No. - Nº de FAX: (306) 780-3466

REQUEST FOR PROPOSAL

DEMANDE DE PROPOSITION

Proposal to: Royal Canadian Mounted Police

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

Proposition aux : Gendarmerie royale du Canada

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux appendices ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments: - Commentaries :

THIS DOCUMENT CONTAINS A SECURITY REQUIREMENT

Date Title - Sujet: Supply and Install an December 23, 2014 Industrial Dishwasher, Regina, SK Solicitation No. - Nº de l'invitation M5000-4-4336/A Client Reference No. - No. De Référence du Client PW-13-00553950 Solicitation Closes - L'invitation prend fin Central Standard Time (CST) At /à: 2:00 pm On / le: 03 Febuary 2014 F.O.B. - F.A.B **GST - TPS Duty - Droits** See herein — Voir aux Destination See herein — Voir aux présentes présentes Destination of Goods and Services - Destinations des biens et services See herein — Voir aux présentes Instructions See herein — Voir aux présentes Address Inquiries to -Adresser toute demande de renseignements à Teresa Hengen Telephone No. - No. de téléphone Facsimile No. - No. de télécopieur 306-780-8179 306-780-3466 **Delivery Required -**Delivery Offered -Livraison exigée Livraison proposée See Herein Voir aux présentes See herein — Voir aux présentes

See fierein — voir aux presentes	See Herein Voll aux presentes
Vendor/Firm Name, Address and Re adresse et représentant du fourniss	•
Telephone No. – No. de téléphone	Facsimile No. – No. de télécopieur
Name and title of person authorized (type or print) – Nom et titre de la pe du fournisseur/de l'entrepreneur (ta d'imprimerie)	ersonne autorisée à signer au nom
Signature	Date





TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

- 1. Security Requirement
- 2. Statement of Requirement
- 3. Debriefings
- 4. Procurement Ombudsman

PART 2 - BIDDER INSTRUCTIONS

- Standard Instructions, Clauses and Conditions
- Submission of Bids
- 3. Enquiries Bid Solicitation
- 4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

- 1. Evaluation Procedures
- Basis of Selection
- 3. Security Requirement

PART 5 – CERTIFICATIONS

Mandatory Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

- 1. Security Requirement
- 2. Statement of Requirement
- 3. Standard Clauses and Conditions
- 4. Term of Contract
- Authorities
- 6. Proactive Disclosure of Contracts with Former Public Servants
- 7. Payment
- 8. Invoicing Instructions
- 9. Certifications
- 10. Applicable Laws
- 11. Priority of Documents
- 12. Procurement Ombudsman
- 13. Delivery and Unloading
- 14. Shipping Instructions Free on Board Destination and Delivered Duty Paid
- 15. On-site Maintenance
- 16. SACC Manual Clauses

List of Annexes:

Annex A Statement of Requirement

Annex B Basis of Payment

Annex C Security Requirements Check List
Annex D Mandatory Technical Criteria
Annex E Pictures of Existing Connections

PART 1 - GENERAL INFORMATION

1. Security Requirement

There is a security requirement associated with the requirement. For additional information, consult Part 4 - Evaluation Procedures and Basis of Selection, and Part 6 - Resulting Contract Clauses.

2. Requirement

The requirement is detailed under Annex A of the resulting contract clauses.

3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

4. Procurement Ombudsman

The Office of the Procurement Ombudsman (OPO) was established by the Government of Canada to provide an independent avenue for suppliers to raise complaints regarding the award of contracts under \$25,000 for goods and under \$100,000 for services. You have the option of raising issues or concerns regarding the solicitation, or the award resulting from it, with the OPO by contacting them by telephone at 1-866-734-5169 or by e-mail at boa.opo.gc.ca. You can also obtain more information on the OPO services available to you at their website at www.opo-boa.gc.ca.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the <u>Standard Acquisition Clauses and Conditions Manual</u> (https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.

Revision to Departmental Name: As this solicitation is issued by Royal Canadian Mounted Police (RCMP), any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this solicitation, including any individual SACC clauses incorporated by reference, will be interpreted as reference to RCMP or its Minister.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Section 01 – Code of Conduct and Certification – Bid of 2003 referenced above is amended as follows:

Delete subsection 1.4 and 1.5 in their entirety.

1.1 SACC Manual Clauses

B1000T (2007-11-30) Condition of Materials



2. Submission of Bids

Bids must be submitted only to RCMP Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

Due to the nature of the bid solicitation, bids transmitted by email to RCMP will not be accepted.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Type or legibly print the Bidder's full business name, address, telephone number, fax number and sign and date the offer form in the space provided for that purpose on page 1 of the Request for Proposal and submit along with the Technical Bid and Financial Bid.

Section I: Technical Bid (one hard copy)
Section II: Financial Bid (one hard copy)
Section III: Certifications (one hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement



(http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work. Refer to Annex D, Mandatory Technical Criteria.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with Annex B, Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.1 Exchange Rate Fluctuation

C3011T (2010-01-11), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

Refer to Annex D, Mandatory Technical Criteria

1.2 Financial Evaluation

SACC Manual Clause A0220T (2013-04-25), Evaluation of Price

The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, FOB destination, Canadian customs duties and excise taxes included.

2. Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract. Bids will be assessed as per Annex B, Basis of Payment.

3. Security Requirement

Before award of a contract, the proposed Resource(s) must hold a valid Facility Access with Escort Security Clearance, issued by the Royal Canadian Mounted Police (RCMP).

The Bidder recommended for award must:

- a) Provide personal data including the full name, date of birth, present address and other data as requested by the RCMP representative, for each person working on this project if requested. This information will be used for security clearance purposes. Fingerprinting may be required. This information is required to be provided within 3 days of request.
- b) Ensure that all persons working onsite hold a valid Facility Access with Escort Security Clearance issued by RCMP Departmental Security.

NOTE: The proposed resource must be able to obtain an RCMP security clearance at the level of Facility Access with Escort issued by the Personnel Security Unit (PSU) in order to be awarded a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and documentation to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

1. Mandatory Certifications Required Precedent to Contract Award

1.1 Code of Conduct and Certifications - Related documentation

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are in compliance with the provisions as stated in the Standard Instructions identified in this solicitation. The related documentation therein required will assist Canada in confirming that the certifications are true.

1.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from Human Resources and Skills Development Canada (HRSDC) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" is at the time of contract award.

2. Additional Certifications Precedent to Contract Award

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive.

2.1 Former Public Servant Certification

Contracts awarded to former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts with FPS, bidders must provide the information required below before contract award.

Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the <u>Financial Administration Act</u>, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

- a. an individual;
- b. an individual who has incorporated;
- c. a partnership made of former public servants; or
- d. a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means a pension or annual allowance paid under the <u>Public Service Superannuation Act</u> (PSSA), R.S., 1985, c.P-36, and any increases paid pursuant to the <u>Supplementary Retirement Benefits Act</u>, R.S., 1985, c.S-24 as it affects the PSSA. It does not include pensions payable pursuant to the <u>Canadian Forces Superannuation Act</u>, R.S., 1985, c.C-17, the <u>Defence Services Pension Continuation Act</u>, 1970, c.D-3, the <u>Royal Canadian Mounted Police Pension Continuation Act</u>, 1970, c.R-10, and the <u>Royal Canadian Mounted Police Superannuation Act</u>, R.S., 1985, c.R-11, the <u>Members of Parliament Retiring Allowances Act</u>, R.S., 1985, c.M-5, and that portion of pension payable to the <u>Canada Pension Plan Act</u>, R.S., 1985, c.C-8.

Former Public Servant in Receipt of a Pension

As per the above definitions, is the Bidder a FPS in receipt of a pension? **Yes** () **No** () If so, the Bidder must provide the following information, for all FPS in receipt of a pension, as applicable:

- a. name of former public servant;
- b. date of termination of employment or retirement from the Public Service.

By providing this information, Bidders agree that the successful Bidder's status, with respect to being a former public servant in receipt of a pension, will be reported on departmental websites as part of the published proactive disclosure reports in accordance with Contracting Policy Notice: 2012-2 and the Guidelines on the Proactive Disclosure of Contracts.

Work Force Adjustment Directive

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of the Work Force Adjustment Directive? **Yes** () **No** ()

If so, the Bidder must provide the following information:

- a. name of former public servant;
- b. conditions of the lump sum payment incentive;
- c. date of termination of employment;
- d. amount of lump sum payment;
- e. rate of pay on which lump sum payment is based;



- f. period of lump sum payment including start date, end date and number of weeks;
- g. number and amount (professional fees) of other contracts subject to the restrictions of a work force adjustment program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including Applicable Taxes.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

1.1 The following security requirement (Security Requirement Checklist at Annex C and related clauses) applies and form part of the Contract.

The contractor is required to have all persons working on site to be security cleared at the level of Facility Access with Escort as verified by the Personal Security Unit (PSU) of the Royal Canadian Mounted Police (RCMP).

The contractor SHALL NOT remove or make copies of any DESIGNATED or CLASSIFIED information or assets from the identified work site(s).

2. Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex A.

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the <u>Standard</u> <u>Acquisition Clauses and Conditions Manual(https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) issued by Public Works and Government Services Canada.</u>

Revision to Departmental Name: As this contract is issued by Royal Canadian Mounted Police (RCMP), any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this contract, including any individual SACC clauses incorporated by reference, will be interpreted as reference to RCMP or its Minister.

3.1 General Conditions

2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

Section 29 - Code of Conduct and Certifications - Contract of 2010A referenced above is amended as follows:

Delete subsection 29.4 in its entirety.

4. Term of Contract

4.1 Delivery Date

All the deliverables including the decommissioning, dismantling, removal and disposal of one (1) industrial dishwasher and for the supply, delivery, offloading, installation and commissioning of one (1) flight type industrial dishwasher must be received on or before 31 March 2014.



Royal Canadian Gendarmerie royale Mounted Police du Canada

Authorities

5.1 **Contracting Authority**

The Contracting Authority for the Contract is:

Teresa Hengen **Procurement Officer** Royal Canadian Mounted Police Corporate Management Branch 5600 - 11th Ave

Regina, SK S4P 3K7

Telephone: 306-780-8179/Facsimile: 306-780-3466

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 F	Project Authority (to be completed upon award)
The Proj	ject Authority for the Contract is:
Name:	
Title:	
Organiza	ation:
Telephor	ne :
Facsimile	e:
E-mail ad	ddress:
Contract authority through a	the Contract and is responsible for all matters concerning the technical content of the Work under the truly. Technical matters may be discussed with the Project Authority, however the Project Authority has no to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made a contract amendment issued by the Contracting Authority.
5.3 (Contractor's Representative (to be completed upon award)
Name:	
Title:	
	ation:
Address:	:
Telephor	ne :
Facsimile	e:
E-mail ad	ddress:

Proactive Disclosure of Contracts with Former Public Servants 6.

By providing information on its status, with respect to being a former public servant in receipt of a Public Service Superannuation Act (PSSA) pension, the Contractor has agreed that this information will be reported on departmental websites as part of the published proactive disclosure reports, in accordance with Contracting Policy Notice: 2012-2 of the Treasury Board Secretariat of Canada.

7. Payment

7.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm all inclusive price, as specified in Annex B, Basis of Payment for a cost of \$ _____ (insert the amount at contract award). Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

7.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

7.3 Terms of Payment

SACC Manual clause H1001C (2008-05-12) Multiple Payment SACC Manual clause H3028C (2010-01-11) Advance Payment

The Contractor must submit invoices in accordance with Annex B, Basis of Payment.

8. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. One invoice will need to be submitted for the decommissioning, dismantling, removal and disposal of one (1) industrial dishwasher and for the supply, delivery, offloading, installation (including all plumbing, electrical and ventilation) and commissioning of one (1) flight type industrial dishwasher and an invoice will need to be submitted yearly at the beginning of each Service Agreement period.

9. Certifications

9.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

10. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Saskatchewan.

11. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.



- (a) the Articles of Agreement:
- (b) the general conditions 2010A (2013-04-25), General Conditions Goods (Medium Complexity);
- (c) Annex A, Statement of Requirement;
- (d) Annex B, Basis of Payment;
- (e) Annex C, Security Requirements Check List;
- (f) the Contractor's bid dated _____ (to be completed upon award)

12. Procurement Ombudsman

12.1 Dispute Resolution Services

The parties understand that the Procurement Ombudsman appointed pursuant to Subsection 22.1(1) of the *Department of Public Works and Government Services Act* will, on request, and consent of the parties, to participate in an alternative dispute resolution process to resolve any dispute between the parties respecting the interpretation or application of a term or condition of this contract and their consent to bear the cost of such process, provide to the parties a proposal for an alternative dispute resolution process to resolve their dispute.

The Office of the Procurement Ombudsman may be contacted by telephone at 1-866-734-5169 or by e-mail at boa.opo.@boa.opo.gc.ca.

12.2 Contract Administration

The parties understand that the Procurement Ombudsman appointed pursuant to Subsection 22.1(1) of the Department of Public Works and Government Services Act will review a complaint filed by [the supplier or the contractor or the name of the entity awarded this contract] respecting administration of this contract if the requirements of Subsection 22.2(1) of the Department of Public Works and Government Services Act and Sections 15 and 16 of the Procurement Ombudsman Regulations have been met, and the interpretation and application of the terms and conditions and the scope of the work of this contract are not in dispute.

The Office of the Procurement Ombudsman may be contacted by telephone at 1-866-734-5169 or by e-mail at boa.opo.gc.ca.

13. Delivery and Unloading

- 1. Delivery trucks must be equipped with an unloading device which will permit unloading at sites with no hydraulic, stationary or other type of unloading facility.
- 2. When making deliveries, sufficient personnel must be provided to permit unloading of any type of vehicle without the assistance of federal government personnel.

14. Shipping Instructions - Free on Board Destination and Delivered Duty Paid

Goods must be consigned and delivered to the destination specified in the contract:

FOB Destination 5600 – 11th Ave, Regina, Saskatchewan including all delivery charges and customs duties and applicable taxes.

15. On-site Maintenance

The Contractor must perform on-site maintenance and related services with respect to Canada-owned equipment and components located at the site(s) identified at Annex A. The Work will be performed on an as-and-when requested basis in accordance with the Statement of Requirement at Annex A.

16. SACC Manual Clauses

B1501C (2006-06-16) Electrical Equipment



B7500C (2006-06-16) Excess Goods G1005C (2008-05-12) Insurance



Annex A Statement of Requirement

For the decommissioning, dismantling, removal and disposal of one (1) industrial dishwasher and for the supply, delivery, offloading, installation (including all plumbing, electrical and ventilation) and commissioning of one (1) flight type industrial dishwasher and provide after warranty service for a period of three (3) years at the Royal Canadian Mounted Police Academy, Depot Division, located in Regina, Saskatchewan, in accordance with the requirements specifications, terms and conditions detailed herein.

Delivery is to be coordinated with the Project Authority to ensure as little downtime as possible.

The flight type dishwasher must have the following specifications:

1.	Maximum length of twenty (20) feet, not including blow dryer attachment
2.	Operate from left to right
3.	Stainless Steel Construction
4.	Automatic Tank Fill
5.	Steam coil tank heat
6.	Minimum Type 180 steam booster heater to maximum Type 190 steam booster heater
7.	20 psi flow pressure
8.	Energy/water saver system that uses a maximum of 120 gallons per hour
9.	Energy Star qualified or approved equivalent
10.	National Sanitation Foundation approved
11.	Chemical dispensing equipment capabilities
12.	Energy/steam recovery system
13.	Minimum three (3) horse power fan cooled, prewash and wash motors, enclosed to protect from getting wet
14.	Motor and controls 208/60/3 (3P-60 AMP breaker, 208V, 3 phase)
15.	Stainless steel washing pumps, enclosed to protect from getting wet
16.	Minimum of 30.5 inches to maximum of 33 inches wide conveyor with standard BB, must be able to accommodate 14 inch x 18 inch trays and 10 inch plates
17.	Minimum 19 inches to maximum of 22 inches high opening to handle 18 inch by 26 inches pans
18.	Single point vent connection
19.	Start and stop switches at both ends
20.	Door open and door interlocks to prevent operation if doors are open
21.	Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level
22.	Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher
23.	Load end flush system
24.	Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing
25.	Chamber walls to be insulated for energy efficiency and quiet operation
26.	Water hammer arrestor/pressure reducing value kit
27	Easy to remove wash arms, debris trays and baskets, no tools required



Royal Canadian Gendarmerie royale Mounted Police du Canada

- 28. Variable speed conveyor for increase and/or decrease counts
- 29. Flexible plastic strip curtains to control overspray between wash chambers and at each end of machine

Contractor must provide the following:

- 30. Training in English for the complete operation including maintenance and cleaning of the dishwasher for a maximum of five people for a maximum of eight hours of instruction.
- 31. Training will take place at the RCMP Academy, Depot Division, Division Mess, Regina, SK
- 32. Warranty and Service Agreement work must be performed by an authorized representative. The authorized representative must be on-site within 4 hours of an emergency call. The authorized representative must have ready access to regular maintenance and servicing parts and able to access all other parts not normally stocked from an authorized parts dealer.
- 33. One (1) hard copy in English of the user manual
- 34. Service Agreement must include semi-annual service visits, to be scheduled with the Project Authority, for preventative maintenance on the dishwasher. Service Agreement to include full parts, call out charges and labour repair coverage on dishwasher.
- 35. Service Agreement will begin when the one year warranty period expires on the dishwasher.

Annex B Basis of Payment

Firm prices, in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax is excluded, FOB destination, off-loading charges, Canadian customs duties and excise taxes included.

Three year Service Agreement will begin when the one year warranty period expires. The Service Agreement is to be invoiced yearly at the beginning of each Service Agreement period.

Description	Unit of Issue	Price	Quantity
a) For the decommissioning, dismantling, removal and disposal of one (1) industrial dishwasher and for the supply, delivery, offloading, installation (including all plumbing, electrical and ventilation) and commissioning of one (1) flight type industrial dishwasher, in accordance with Annex A	Lot	\$/Lot	1
b) Service Agreement	Year 1	\$/year	1
c) Service Agreement	Year 2	\$/year	1
d) Service Agreement	Year 3	\$/year	1
a+b+c+d = Total Evaluated Price		\$	

Manutacturer:	
Model:	
WOUEI	

Annex D Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include one (1) copy of descriptive literature, and detailed pictures or drawings of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications. The following information must be submitted with bid:

Where weight, dimensions or other characteristics are shown as approximate, minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-complaint and will be given no further consideration.

Please see the attached pictures of dishwasher for reference for existing electrical, plumbing and ventilation connections.

The flight type dishwasher must have the following specifications:

		Compliant	Non-	Cross Reference to Technical
			Compliant	Proposal
1.	Maximum length of twenty (20) feet, not including blow dryer attachment			
2.	Operate from left to right			
3.	Stainless Steel Construction			
4.	Automatic Tank Fill			
5.	Steam coil tank heat			
6.	Minimum Type 180 steam booster heater to maximum Type 190 steam booster heater			
7.	20 psi flow pressure			
8.	Energy/water saver system that uses a maximum of 120 gallons per hour			
9.	Energy Star qualified or approved equivalent			
10.	National Sanitation Foundation approved			
11.	Chemical dispensing equipment capabilities			
12.	Energy/steam recovery system			
13.	Minimum three (3) horse power fan cooled, prewash and wash motors, enclosed to protect from getting wet			
14.	Motor and controls 208/60/3(3P-60 AMP breaker, 208V, 3 phase)			
15.	Stainless steel washing pumps, enclosed to protect from getting wet			
16.	Minimum of 30.5 inches to maximum of			



Royal Canadian Gendarmerie royale Mounted Police du Canada

33 inches wide conveyor with standard BB, must be able to accommodate 14 inch x 18 inch trays and 10 inch plates 17. Minimum 19 inches to maximum of 22 inches high opening to handle 18 inch by 26 inch pans 18. Single point vent connection 19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required 28. Variable speed conveyor for increase				
inch x 18 inch trays and 10 inch plates 17. Minimum 19 inches to maximum of 22 inches high opening to handle 18 inch by 26 inch pans 18. Single point vent connection 19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		33 inches wide conveyor with standard		
17. Minimum 19 inches to maximum of 22 inches high opening to handle 18 inch by 26 inch pans 18. Single point vent connection 19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		BB, must be able to accommodate 14		
inches high opening to handle 18 inch by 26 inch pans 18. Single point vent connection 19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		inch x 18 inch trays and 10 inch plates		
by 26 inch pans 18. Single point vent connection 19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	17.	Minimum 19 inches to maximum of 22		
18. Single point vent connection 19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		inches high opening to handle 18 inch		
19. Start and stop switches at both ends 20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		by 26 inch pans		
20. Door open and door interlocks to prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	18.	Single point vent connection		
prevent operation if doors are open 21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	19.	Start and stop switches at both ends		
21. Electronic digital or microprocessor control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	20.	Door open and door interlocks to		
control that indicate temperatures of all cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		prevent operation if doors are open		
cycles, low temperature alert, on/off switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	21.	Electronic digital or microprocessor		
switch, displays error messages, located at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		control that indicate temperatures of all		
at eye level 22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		cycles, low temperature alert, on/off		
22. Blow dryer attachment, to be three (3) feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		switch, displays error messages, located		
feet in length, width to accommodate size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		at eye level		
size of dishwasher 23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	22.	Blow dryer attachment, to be three (3)		
23. Load end flush system 24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		feet in length, width to accommodate		
24. Insulated hinged doors for energy efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		size of dishwasher		
efficiency, quiet operation and safe opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	23.	Load end flush system		
opening and closing 25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	24.	Insulated hinged doors for energy		
25. Chamber walls to be insulated for energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		efficiency, quiet operation and safe		
energy efficiency and quiet operation 26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		opening and closing		
26. Water hammer arrestor/pressure reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required	25.	Chamber walls to be insulated for		
reducing value kit 27. Easy to remove wash arms, debris trays and baskets, no tools required		energy efficiency and quiet operation		
27. Easy to remove wash arms, debris trays and baskets, no tools required	26.	Water hammer arrestor/pressure		
and baskets, no tools required		reducing value kit		
	27.	Easy to remove wash arms, debris trays		
28. Variable speed conveyor for increase		and baskets, no tools required		
	28.	Variable speed conveyor for increase		
and/or decrease counts		and/or decrease counts	 	
29. Flexible plastic strip curtains to control	29.	Flouible plactic strip surtains to control	 	
overspray between wash chambers and		Flexible plastic strip curtains to control		
at each end of machine		overspray between wash chambers and		

Bidder must provide the following:

	Compliant	Non- Compliant	Cross Reference to Technical Proposal
30. Warranty and Service Agreement work must be performed by an authorized representative. The authorized representative must be on-site within 4 hours of an emergency call. The authorized representative must have ready access to regular maintenance and servicing parts and able to access all other parts not normally stocked from an authorized parts dealer.			Name: Address: Telephone: Response Time to Emergency Call:
31. Contractor must be a representative authorized by the equipment manufacturer to supply, install and repair all products being offered.			



Contract Number / Numéro du contrat
Security Classification / Classification de sécurité

SECURITY REQUIREMENTS CHECK LIST (SRCL)

LISTE DE VERIFIC	CATION DES EXIGENCES RELATIVE	S À LA SÉCURITÉ (LVERS)	
1. Originating Government Department or Organization	on /	2. Brench or Directorate / Direction générale ou Direction	
Ministère ou organisme gouvernemental d'origine	RCMP Division Mess	Support Services	
3. a) Subcontract Number / Numéro du contrat de soi		s of Subcontractor / Nom et adresse du sous-traitant	
4. Brief Description of Work / Brève description du tra			
Delivery, installation and set up of new flight type dishwe		takes Foundam and accorded by the barriers	
The second secon	miles as well as territoral and disposal of old digital	serier. Pour days work esconed by kilchen staff.	
5. a) Will the supplier require access to Controlled Go	oods?	√ No Ye	BS
Le fournisseur aura-t-il accès à des marchandis	es contrôlées?	Non O	
5. b) Will the supplier require access to unclassified n	nilitary technical data subject to the provision	ns of the Technical Data Control No Ye	
Regulations? Le foumleseur aura-t-il accès à des données tec	mainum militaine men eigenifiken mula ent e	Non 🗀 O	
sur le contrôle des données techniques?	awarings trainmage bott crassinges dra sollt a	ssujemes aux dispositions du Regiement	
Indicate the type of access required / Indiquer le ty	/pe d'accès requis		-
6. a) Will the supplier and its employees require acce	es to PROTECTED and/or CLASSIFIED inf	ormation or assets?	_
Le fournisseur ainei que les employés auront-its	accès à des renseignements ou à des bien	PROTÉGÉS et/ou CLASSIFIÉS? Non O	
(Specify the level of access using the chart in Qualification (Practice is niversured access on utilisant in tables)	Jestion 7, c)		
6. b) Will the supplier and its employees (e.g. cleaner	s, maintenance personnel) require access to	o restricted access areas? No access to 📝 No 💮 Ye	_
PROTECTED and/or CLASSIFIED information of	or assets is permitted.	V Non 10	1
Le fournisseur et ses employés (p. ex. nettoyeur à des renseignements ou à des biens PROTÉG	's, personnel d'entretien) auront-ils accès à : ÉS et/ou CLASSIETÉS d'est pas autorisé	des zones d'accès restreintes? L'accès	
6. c) is this a commercial courier or delivery requirem	ent with no overnight storage?	Z No Ye	_
S'agit-il d'un contrat de messagerte ou de livrais	on commerciale sans entreposage de nuit?	Non O	
7. a) Indicate the type of information that the supplier	will be required to access / Indiquer le type	d'information auquel le fournisseur devra avoir accès	_
Canada	NATO/OTAN	Foreign / Étranger	\neg
7. b) Release restrictions / Restrictions relatives à la c	diffusion	Total Table	
No release restrictions	All NATO countries	No release restrictions	_
Aucune restriction relative	Tous les pays de l'OTAN	Aucune restriction relative	
à la diffusion		à la diffusion	
Not releasable			
À ne pas diffuser			
Restricted to: / Limité à :	Restricted to: / Limité à :	Restricted to: / Limité à :	
Specify country(les): / Préciser le(s) pays :	Specify country(les): / Préciser le(s) pays		
Opening Country (Cos). / Process lets/ pays.	Specify country(les): / recise: le(s) pays	. Specify country(les): / Preciser le(s) pays :	
7. c) Level of Information / Niveau d'information	L		
PROTECTED A	NATO UNCLASSIFIED	PROTECTED A	\dashv
PROTÉGÉ A	NATO NON CLASSIFIÉ	PROTÉGÉ A	
PROTECTED B	NATO RESTRICTED	PROTECTED B	-
PROTECTED C	NATO DIFFUSION RESTREINTE	PROTEGÉ 8	
PROTEGÉ C	NATO CONFIDENTIAL NATO CONFIDENTIAL	PROTECTED C PROTÉGÉ C	į
CONFIDENTIAL	NATO SECRET	CONFIDENTIAL	
CONFIDENTIEL	NATO SECRET	CONFIDENTIEL	
SECRET	COSMIC TOP SECRET	SECRET	
SECRET	COSMIC TRÈS SECRET	SECRET L	
TRÈS SECRET		TRÈS SECRET	
TOP SECRET (SIGINT)		TOP SECRET (SIGINT)	
TRÈS SECRET (SIGINT)		TRÉS SECRET (SIGINT)	

TBS/SCT 350-103(2004/12)

Security	Classification /	Classification	n de sécurité

Canada



Contract Number / Numéro du contrat	
Security Classification / Classification de sécurité	
	Contract Number / Numéro du contrat Security Classification / Classification de sécurité

8. Will the sup Le fournisse	olier require access to PROTECTED and/or CLASSIFIED COMSEC information or assets? ur sura-l-li accès à des renseignements ou à des biens COMSEC désignés PROTEGÉS et/ou CLASSIFIÉS?	✓ No Yes								
If Yee, Indic	ate the level of sensitivity: letive, indiquer le nivesu de sensibilité :									
9. Will the sup	oller require access to extremely sensitive INFOSEC information or assets? ur aura-t-il accès à des renseignements ou à des biens INFOSEC de nature extrêmement délicate?	✓ No Yes								
_	-	Non Ou								
) of meterial / Titre(s) abrégé(s) du matérial ; lumber / Numéro du document :									
10. a) Person	10. a) Personnel security screening level required / Niveau de contrôle de la sécurité du personnel requis									
1	DELIABILITY OTATIO									
į Ll	RELIABILITY STATUS CONFIDENTIAL SECRET TOP SEC COTE DE FIABILITÉ CONFIDENTIEL SECRET TRÉS SE									
		TOP SECRET								
	SITE ACCESS	TRÈS SECRET								
! Ш	ACCÉS AUX EMPLACEMENTS									
]	Special comments:									
	Commentaires spécieux :									
!]	NOTE: If multiple levels of screening are identified, a Security Classification Guide must be provided.									
	REMARQUE : Si plusieurs niveaux de contrôle de sécurité sont requis, un guide de classification de la sécurité doit être creened personnel be used for portions of the work?	fourni.								
1	onnel sans autorisation sécuntaire peut-il se voir confier des parties du travail? Ill unscreened personnel be escorted?	Non Oui								
	Mirmative, le personnel en question sera-1-il escorté?	Non Yes								
	e and files of the state of the North August State of the									
INFORMATE	DN / ASSETS / RENSEIGNEMENTS / BIENS									
	supplier be required to receive and store PROTECTED and/or CLASSIFIED information or assets on its site or	No Yes								
premies Le fourn	s? Isseur sera-t-il tenu de recevoir et d'entreposer sur place des renseignements ou des biens PROTÉGÉS et/ou	Non LOU								
CLASS	FIÉS?									
	supplier be required to safeguard COMSEC information or assets?	No Yes								
	isseur sers I-il tenu de protéger des renseignements ou des biens COMSEC?									
PRODUCTIO	N .									
11. c) Will the p	roduction (manufacture, and/or repair and/or modification) of PROTECTED and/or CLASSIFIED material or equipment	Mo ☐Yes								
	ihe supplier's elle or premises? Mallons du fournisseur serviront-elles à la production (fabrication et/ou réparation et/ou modification) de matériei PROTÉGÉ	✓ Non Oui								
	ASSIFIÉ?									
INFORMATIO	N TECHNOLOGY (IT) MEDIA / SUPPORT RELATIF A LA TECHNOLOGIE DE L'INFORMATION (TI)									
informat	upplier be required to use its IT systems to electronically process, produce or store PROTECTED and/or CLASSIFIED on or data?	✓ Non Yes								
	seeur sera-t-il tenu d'utiliser ses propres systèmes informatiques pour traiter, produire ou stocker électroniquement des ements ou des données PROTÉGÉS et/ou CLASSIFIÉS?									
		- Ma								
11 e) Will then Dispose	i be an electronic link between the supplier's IT systems and the government department or agency? ra-t-on d'un lien électronique entre le système informatique du fournisseur et calui du ministère ou de l'agence	✓ Non Yes								
	ementale?									

TBS/SCT 360-103(2004/12)

Security Classification / Classification de sécurité

Canadä

Government
of Canada

Gouvernement du Canada

Contract Number / Numéro du contrat	
Security Classification / Classification de sécurité	

ategory alégorie		OTÉC			ASSIFIED LASSIFIÉ			NATO	-				_	COMSEC		
	A	В	С	CONFIDENTIAL	SECRET	TOP	NATO RESTRICTED	NATO CONFIDENTIAL	NATO	COSMIC		OTECT		CONFIDENTIAL	SECRET	TOP
:				CONFIDENTIEL		TRES SECRET	NATO DIFFUSION RESTREINTE	NATO CONFIDENTIEL		SECRET COSMIC TRES SECRET	A	В	С	CONFIDENTIEL	J. J	TRES SECRE
tion / Assets					T	1		1			1					\vdash
on .			\vdash			1	<u> </u>	1	1	İ	1					T
a /			_													
/ ctmoinue																
nements / Biens ion a / i Ti / ctronique	otion			ork contained										Γ	7	No Non



Contract Number / Numéro du contrat	
Security Classification / Classification de sécurité	

PART D. AUTHORIZATION / PART 13. Organization Project Authority / C								
Name (print) - Nom (en lettres moulé	Title - Titre		1	Signature	Signature			
Jeff Varis		Executive Ci	nef					
Telephone No N° de téléphone 306-780-6243	Facsimile No Nº de 306-780-8820	télécopieur	E-mail address jeff.varls@rcmp		riel	Date 2013-10-28		
14. Organization Security Authority /	Responsable de la séc	urité de l'organ	isme		-	\sim		
Name (print) - Nom (en lettres moulé	es)	Title - Titre		_	Signature			
Telephone No N° de téléphone	NTÉ	NCO YO	c Depot	Rout		12		
306 780 GU8		İ	E-mail address	- Adresse cour	1	Date	13/0/28	
 Are there additional instructions (Des instructions supplémentaires 	e.g. Security Guide, Se (p. ex. Guide de sécu	ecurity Classific rité, Guide de c	ation Guide) atfa dassification de l	iched? a sécurité) son	t-elles jointes	?	Non Yes Oui	
16. Procurement Officer / Agent d'ap	provisionnement				- ,			
Name (print) - Nom (en lettres moulé	es)	Title - Titre			Signature			
Telephone No Nº de téléphone	Facsimile No Nº de	télécopieur	E-mail addres	s - Adresse co	urriel	Date		
17. Contracting Security Authority / A	utorité contractante en	matière de sé	curité	**				
Name (print) - Nom (en lettres moulé	_	Title - Titre	0.10		Signature	/		
DIE PARME LAPO	(INTE	NCO 7c	. 1/900 X	chy				
Telephone No N° de téléphone	Facsimile No Nº de	télécopieur	E-rwail addres	s - Adresse co	urriel	Date /3/c/	/31	

Security Classification / Classification de sécurité