



4211 KINGSWAY, SUITE 308  
BURNABY, BRITISH COLUMBIA, CANADA V5H 1Z6  
TELEPHONE: (604) 294-5800  
FAX: (604) 294-0400

Project number/ Numéro de projet: 111-15111-08



NOV 2 9 2013

5		
E	Issued for tender	2013/11/29
D	Issued for pre-TENDER Review	2013/11/20
C	Released for 99% Completion	2013/10/23
B	Issued for 99% Completion	2013/09/30
A	Issued For 66% Completion	2013/08/16

Revision/	Description/Description	Date/Date
Client/client		

Public Works and Government  
Services Canada

800 Burrard Street - 12th Floor  
Vancouver B.C.

Project title/Titre du projet  
Pacific Rim National Park  
Vancouver Island, B.C.

West Coast Trail  
Bridges Repair

Consultant Signature Only

Designed by/Concept par  
R.M. AUG /13

Drawn by/Dessiné par  
S.D. AUG /13


PWGSC Project Manager/Administrateur de Projets TPSCG  
DAVID CHANG

Regional Manager, Architectural and Engineering Services  
Gestionnaire régionale, Services d'architecture et de génie, TPSCG


Drawing title/Titre du dessin

BRIDGE #21  
REPAIR


Project No./No. du projet	Sheet/ Feuille	Revision no./ La Révision no.
R.064182.001	S-4 OF 8	E




1 BRIDGE #21 FRAMING PLAN  
1:50




2 BRIDGE #21 ELEVATION  
1:50



3 DIAPHRAGM REPAIR  
1:20



4 NEW BENT  
1:20



5 NEW GUARDRAIL DETAIL TYP.  
1:20 (ONE SIDE ONLY)

#### NOTES

1. MAKE STRINGER AND POSTS LONGER BY 300 AND FIELD CUT TO SUIT.
2. ALL NAILS TO BE GALVANIZED 0.131"Ø - 75 LONG, TYP U.N.O.
3. ALL STEEL TO BE HOT DIP GALVANIZED.
4. ALL D. FIR TO BE TREATED.
5. FOR METHODS OF CONSTRUCTION, QUALITY OF WORKMANSHIP AND MATERIAL AND FOR STANDARDS AND CODES, REFER TO SPECIFICATIONS THAT ARE PART OF THE CONTRACT DOCUMENTS.

"NO CHANGE TO ORIGINAL LOAD CAPACITY"