

5		
E	Issued for tender	2013/11/29
D	Issued for pre-TENDER Review	2013/11/20
C	Reissued for 99% Completion	2013/10/22
B	Issued for 99% Completion	2013/09/30
A	Issued For 66% Completion	2013/08/16
Revision/	Description/Description	Date/Date

Client/client

**Public Works and Government  
Services Canada**

800 Burrard Street - 12th Floor  
Vancouver B.C.

Project title/Titre du projet  
**Pacific Rim National Park  
Vancouver Island, B.C.**

**West Coast Trail  
Bridges Repair**

Consultant Signature Only

Designed by/Concept par  
R.M. AUG 13

Drawn by/Dessiné par  
S.D. AUG 13

PWGC Project Manager/Administrateur de Projets TPSGC  
DAVID CHANG

Regional Manager, Architectural and Engineering Services  
Gestionnaire régional, Services d'architectural et de génie, TPSGC


Drawing title/Titre du dessin

**BRIDGE #96  
REPAIR**


Project No./No. du  
projet  
**R.064182.001**

Sheet/Feuille  
**S-5**  
OF 8


Revision no./  
Lo Révision  
no.  
**E**




**6 TYPICAL DIAPHRAGM DETAIL (TYP. 4)**  
1:20




**5 DETAIL**  
1:20



**3 TYPICAL PIER DETAIL**  
1:20




**1 BRIDGE #96 PLAN**  
1:50



**2 BRIDGE #96 ELEVATION**  
1:50

REPLACE ALL MEMBERS ABOVE  
LOG WITH NEW TREATED D. FIR



**4 TYPICAL REPLACEMENT DETAIL**  
1:20

#### NOTES

1. MAKE POSTS LONGER BY 300 AND FIELD CUT TO SUIT.
2. ALL NAILS TO BE GALVANIZED 0.131" 75 LONG, TYP U.N.O.
3. ALL STEEL TO BE HOT DIP GALVANIZED.
4. ALL D. FIR TO BE TREATED.
5. FOR METHODS OF CONSTRUCTION, QUALITY OF WORKMANSHIP AND MATERIAL AND FOR STANDARDS AND CODES, REFER TO SPECIFICATIONS THAT ARE PART OF THE CONTRACT DOCUMENTS.

"NO CHANGE TO ORIGINAL LOAD CAPACITY"