

5		
E	Issued for tender	2013/11/29
D	Issued for pre-TENDER Review	2013/11/20
C	Reissued for 99% Completion	2013/10/22
B	Issued for 99% Completion	2013/09/30
A	Issued for 66% Completion	2013/08/16
Revision/Revisión	Description/Description	Date/Date

Client/client

Public Works and Government Services Canada

800 Burrard Street - 12th Floor
Vancouver B.C.

Project title/Titre du projet
**Pacific Rim National Park
Vancouver Island, B.C.**

**West Coast Trail
Bridges Repair**

Consultant Signature Only

Designed by/Concept par
R.M. AUG /13

Drawn by/Dessiné par
S.D. AUG /13


PWGC Project Manager/Administrateur de Projets TPSGC
DAVID CHANG

Regional Manager, Architectural and Engineering Services
Gestionnaire régionale, Services d'architecture et de génie, TPSGC



Drawing title/Titre du dessin

**CHEEWHAAT SUSPENSION
BRIDGE**


Project No./No. du projet R.064182.001	Sheet/Feuille S-3 OF 8	Revision no./ La Révision no. E
--	-------------------------------------	--




11 MAIN SPAN BEAM REPLACEMENT DETAIL
S-2 1:20
(BEAMS 23 & 27 NUMBERED FROM NORTH)




12 DETAIL
S-2 1:20




**13 NEW BACK-UP CABLE
SLING AT BOTH TOWERS**
1:20
(4 LOCATIONS)



8 NORTH PIER PLAN AT PRECAST
S-2 1:20




A DETAIL
1:20




14 DETAIL
1:20


16 SECTION
1:20



15 ELEVATION
1:20



9 NORTH PIER SCOUR PROTECTION DETAIL
1:20



**10 REPAIR OF LOOSE BACK-UP CABLE
SLING AT THE SOUTH TOWER**
1:20
(1 LOCATION)

NOTES

1. ALL NAILS TO BE GALVANIZED 0.131"Ø - 75 LONG, TYP. U.N.O.
2. ALL STEEL AND REINFORCING WHERE NOTED TO BE HOT DIP GALVANIZED.
3. ALL D. FIR TO BE TREATED.
4. FOR METHODS OF CONSTRUCTION, QUALITY OF WORKMANSHIP AND MATERIAL AND FOR STANDARDS AND CODES, REFER TO SPECIFICATIONS THAT ARE PART OF THE CONTRACT DOCUMENTS.

"NO CHANGE TO ORIGINAL LOAD CAPACITY"