

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Used Fire Pumper Truck	
Solicitation No. - N° de l'invitation 5P424-130566/A	Date 2014-01-02
Client Reference No. - N° de référence du client PC	
GETS Reference No. - N° de référence de SEAG PW-\$CAL-130-6181	
File No. - N° de dossier CAL-3-36118 (130)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-01-22	Time Zone Fuseau horaire Mountain Standard Time MST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Gong, Jenny	Buyer Id - Id de l'acheteur cal130
Telephone No. - N° de téléphone (403) 292-5768 ()	FAX No. - N° de FAX (403) 292-5786
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: PARKS CANADA Lake Louise, Yoho, Kootenay Field Unit Box 220 RADIUM HOT SPRINGS British Columbia V0A1M0 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Travaux
publics et Services gouvernementaux Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses

List of Annexes:

Annex A	Requirement
Annex B	Basis of Payment
Annex C	Table of Technical Compliance

PART 1 - GENERAL INFORMATION

1. Security Requirement

There is no security requirement associated with this bid solicitation.

2. Requirement

The requirement is detailed under Article 2 of the resulting contract clauses.

3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than seven (7) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in British Columbia.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (one hard copy)
Section II: Financial Bid (one hard copy)
Section III: Certifications (one hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](#)

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.1 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

All specifications listed in the Annex "C" - Table of Technical Compliance must be demonstrated:

The bidder must demonstrate for each used fire pumper truck specifications, if the product offered complies with it or not, by checking the suitable box or by providing information with technical specifications or any other official document relating to the proposed equipment. It is **mandatory** that the bidder gives the information **for each specification.**

Any proposal that does not comply with this mandatory requirement will be considered non-responsive.

1.2 Financial Evaluation

Bidder must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.2.1 SACC Manual Clause

A0222T (2013-04-25), Evaluation of Price

2. Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and documentation to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

1. **Mandatory Certifications Required Precedent to Contract Award**

1.1 **Code of Conduct and Certifications - Related documentation**

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are in compliance with the provisions as stated in Section 01 Code of Conduct and Certifications - Bid of Standard Instructions 2003. The related documentation therein required will assist Canada in confirming that the certifications are true.

1.2 **Federal Contractors Program for Employment Equity - Bid Certification**

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Human Resources and Skills Development Canada \(HRSDC\) - Labour's website](#).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

2. **Additional Certifications Required with the Offer**

Offerors must submit the following duly completed certifications with their offer.

2.1 **Canadian Content Certification**

2.1.1 SACC Manual clause A3050T (2010-01-11) Canadian Content Definition

2.1.2 Canadian Content Certification

This procurement is conditionally limited to Canadian services.

Subject to the evaluation procedures contained in the bid solicitation, bidders acknowledge that only bids with a certification that the services offered are Canadian services, as defined in clause A3050T, may be considered.

Failure to provide this certification completed with the bid will result in the services offered being treated as non-Canadian services.

The Bidder certifies that:

() the services offered are Canadian services as defined in paragraph 2 of clause A3050T.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement applicable to this Contract.

2. Requirement

The Contractor must provide and deliver one (1) used fire pumper truck and training to the Field Fire & Rescue Department (FF&RD) in Field, British Columbia in accordance with the Requirement at Annex "A".

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

4. Term of Contract

4.1 Delivery Date

All the deliverables must be received on or before March 31, 2014.

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Jenny Gong
Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
1650, 635-8th Avenue, SW,
Calgary, AB, T2P 3M3

Telephone: 403-292-5768
Facsimile: 403-292-5786
E-mail address: jenny.gong@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Project Authority

The Project Authority for the Contract is: (determined upon Contract award)

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative

5.3.1 General Enquires:

Name: _____

Title: _____

Address _____

Telephone: _____

Facsimile: _____

E-mail address: _____

5.3.2 Delivery Follow-up

Name: _____

Title: _____

Telephone: _____

E-mail address: _____

5.3.3 After Sales Service

Name: _____

Title: _____

Telephone: _____

E-mail address: _____

Solicitation No. - N° de l'invitation
5P424-130566/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur
ca1130

Client Ref. No. - N° de réf. du client
PC

File No. - N° du dossier
CAL-3-36118

CCC No./N° CCC - FMS No/ N° VME

6. Payment

6.1 Basis of Payment - Firm Lot Price

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm lot price, as specified in Annex B for a cost of \$ _____ (insert the amount at contract award). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Shipping Instructions - Delivery at Destination

Goods must be consigned to the destination specified in the Contract and delivered:

- a). Delivered Duty Paid (DDP) Field Fire & Rescue Department, 206 1st Avenue, Field, BC
Incoterms 2000 for shipments from a commercial contractor.

6.3 Transportation Costs

The Contractor must ship the goods prepaid, including all delivery charges to Field Fire & Rescue Department, 206 1st Avenue, Field, BC. Prepaid transportation costs must be shown as a separate item on the invoice, supported by a certified copy of the prepaid transportation bill of lading.

6.4 Single Payment

SACC Manual clause H1000C (2008-05-12), Single Payment

6.5 SACC Manual Clauses

C2000C (2007-11-30), Taxes - Foreign-based Contractor
C2605C (2008-05-12), Canadian Customs Duties and Sales Tax - Foreign-based Contractor

7. Invoicing Instructions

7.1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

7.2 Invoices must be distributed as follows:

- a). The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

8. Certifications

8.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the

Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in British Columbia.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2013-04-25), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____ (insert date of bid).

11. SACC Manual Clauses

A9049C (2011-05-16), Vehicle Safety
B1501C (2006-06-16), Electrical Equipment
B7500C (2006-06-16), Excess Goods
D0018C (2007-11-30), Delivery and Unloading
D5328C (2007-11-30), Inspection and Acceptance
G1005C (2008-05-12), Insurance

ANNEX "A"

REQUIREMENT

1. BACKGROUND

The Field Fire & Rescue Department Society (FF&RD) provides structural fire protection services at all road accessible locations within Yoho National Park, including the Trans Canada Highway. The provision of these services has been arranged through a memorandum of understanding between the FF&RD and the Parks Canada Agency (PCA). This memorandum of understanding includes a contractual commitment for the PCA to provide the FF&RD with an adequate level of equipment to carry out the agreed upon services. The FF&RD currently responds to all structure fire and road rescue related incidents in a 1990 Simon Duplex pumper/engine. This vehicle is nearing the end of its service life is in a state of disrepair. This vehicle recently failed a pressure test during its annual pump testing and requires a number of repairs.

2. OBJECTIVE

Park Canada Agency (PCA) requires the Contractor to supply and deliver one (1) pumper/engine apparatus and provide training for two (2) to ten (10) firefighters for the Field Fire & Rescue Department in Field, British Columbia.

3. SCOPE

3.1 The Contractor must supply one Pumper/Engine Vehicle that is suitable for structure fire and auto fire applications in a variety weather conditions and in all types of terrains, including isolated mountainous terrain, within Yoho National Park while ensuring the highest possible level of safety for the members of the FF&RD. The Fire/Rescue Vehicle must pass the British Columbia Government Inspection prior to delivery, and provide proof upon delivery. The Contractor must provide training on vehicle and pump operation.

The Contractor must deliver the vehicle/equipment including the approved manuals, data summary, photographs, warranty letter(s), preventative maintenance replacement parts kit list, recommended spare parts list, Special tools list, software, and Wiring diagrams.

The delivery must be on or before March 31, 2014 to Field Fire & Rescue Department, 206 1st Avenue, Field, BC.

3.2 Operating Conditions

The vehicle, under all load conditions, **shall** operate as follows without degradation in performance, reliability and maintainability:

- 3.2.1 The fully equipped vehicle, including payload, **shall** be capable of operating on unpaved roads with severe washboard surfaces, mud, snow and ice under all extremes of weather conditions encountered in Canada.
- 3.2.2 The vehicle **shall** be capable of operating in an ambient temperature range of minus -40° C to plus +40° C (-40° F to 118°F). Normal initial cold start will be in an ambient temperature of 18°C (64° F).

3.3 Vehicle Safety Regulations

The vehicle **shall** meet the standards of the Canada Motor Vehicle Safety Act and the Regulations made there under, in effect on the date of manufacture of the vehicle. Evidence of compliance **shall** be provided at time of delivery.

3.4 Maintainability

All maintenance and repair tasks, especially routine operator maintenance, shall be easy to perform with a minimum of special tools and skills.

3.5 Warranty Duration

The bidder **shall** supply a full a 100 percent "bumper to bumper" warranty for one (1) year period, with the exception of consumable items. . Warranty coverage **shall** commence on the first day following familiarization training. Consumable items will be maintained by FF&RD. Items identified as consumables follow:

- Tires.
- Batteries.
- Hoses.
- Belts.
- Bulbs.
- Wiper blades.
- Filters.
- Oils.

3.5.1 Component Warranty

The following applies:

3.5.1.1 Component parts are identified as all parts used in the manufacturing of the apparatus which are not listed as consumables IAW Specification Item

3.5.1.2 The main apparatus assemblies; cab, chassis, frame, body and fire package plumbing are not considered as component parts, warranty detail specific to these assemblies is covered as a separate item.

3.5.1.3 Component parts that do not have an OEM two-year warranty **shall** be the responsibility of the manufacturer to repair or replace within the warranty period defined at paragraph 3.5.1.2. All costs associated with the repair and or replacement **shall** be the responsibility of the manufacturer.

3.5.1.4 FF&RD will initiate warranty procedure through contact with the manufacturer. Sole responsibility to coordinate and resolve all warranty repairs with component suppliers during the two-year warranty period is the responsibility of the manufacturer.

3.5.1.5 Provision **shall** be made by the manufacturer to transfer individual component warranties that transcend the two-year OEM warranty period to FF&FD.

3.5.2 Frame Warranty

The apparatus manufacturer *shall* provide a lifetime frame warranty, the following applies:

- 3.5.2.1 The warranty *shall* cover the removal, replacement or repair of the main frame, and cross members that fail within the warranty period due to defects in material and or workmanship including rusting conditions which lead to frame degradation that results in an inability of the frame to function as designed.

3.5.3 Cab and Body Structure Warranty

The apparatus *shall* be provided with a cab and body structural warranty as follows:

- 3.5.3.1 The warranty *shall* cover the removal, replacement or repair of all cab and body structural components that fail within one (1) year warranty period due to defects in material, workmanship or as a result of perforation with the exclusion of hardware, electrical and mechanical items attached to the cab and or body structure.

3.5.4 Plumbing Warranty

The apparatus *shall* be provided with one (1) year plumbing component warranty, the following applies:

- 3.5.4.1 The warranty *shall* cover the removal, replacement or repair of all stainless steel plumbing system components that fail within the warranty period due to defects in workmanship and or material.

3.6 INSPECTIONS, TESTS AND CERTIFICATION:

Must have a current British Columbia Government Inspection completed and passed prior to delivery to Field, British Columbia.

Pump must have passed applicable pressure tests within three months of delivery. Truck will have a current pump service test according to the manufacturer's label. (UL/ULC plate or NFPA plate current)

3.7. TRAINING

The Contractor must provide training for two (2) to ten (10) firefighters to safely operate the vehicle and pump. Approximately half (½) day of training. No certification requirement for trainer or trainees.

3.8 MANDATORY AND DESIRED REQUIREMENTS

Unless otherwise specified, the following line items are minimum technical specifications. The Contractor must meet or exceed the specifications listed below:

1	Mandatory Requirements
Model/Body	
1.1	2004 model or more modern with 4-wheel drive capability
1.2	4900 IHC or equivalent chassis.
1.3	Total GVW capacity of 32,000 lbs or greater
1.4	Air Brakes System
1.5	NFPA 1901 – Standard for Automotive Fire Apparatus - compliant
1.6	Minimum five occupant (including the operator) enclosed 4-door cab with SCBA seating for 4.
1.7	Water Tank - 1000 imperial gallon poly tank
1.8	Foam Tank – 15 imperial gallon poly tank
1.9	Emergency light bar/strobe package meeting current NFPA standards for emergency response vehicles
1.10	Maximum total length of 9.75 meters (32 feet)
1.11	Maximum total height of 3.5 meters (11 feet 6 inches)
1.12	Maximum total width of 2.74 meters (9 feet)
1.13	Ability to carry one 2-stage ladder and one roof ladder; approximate length – 14 ft.
1.14	Equipped with one Compartment capable of storing a PPV fan and a smoke ejector. Approximate compartment size; 30 inches wide, 26 inches high, 26 inches deep.
1.15	Equipped with one breathing air compartment capable of storing a minimum of 8 Scott SCBA bottles.

1.16	Equipped with one Tool Compartment capable of storing a variety of hand tools and large tool boxes
1.17	Equipped with one compartment with a roll out bed capable of storing a portable fire pump. Approximate size of the pump; 2 ft x2 ft x2 ft (8 ft ³)
1.18	Equipped with one compartment capable of storing RIT air packs and tools
1.19	Equipped with one compartment capable of storing a full set of nozzles, hose adaptors, gated wyes, and hydrant tagging tools.
1.20	Equipped with at least two large miscellaneous Storage Compartments capable of storing a large assortment of miscellaneous equipment
Engine	
1.21	Maximum mileage 30,000 km
1.22	Minimum 300 hp diesel engine
1.23	Automatic transmission
Hoses & Tanks	
1.24	Set up to deploy a minimum of (2) two 1½ " inch attack lines
1.25	15 US gallon foam tank
1.26	1000 imperial gallon poly water tank
Pump	
1.27	Minimum capacity for sustained operation of (2) two 1½ " diameter 150' attack lines at 150psi nozzle pressure
1.28	Pump must have foam system suitable for effective application of class A/B firefighting foam at 100psi nozzle pressure for 150' of attack line
1.29	Pump must have a hard suction intake port
1.30	Maximum 500 pump hours
1.31	Current pump test certification

2	DESIRED REQUIREMENTS
2.1	110v plug-in wired to the cab of the truck
2.2	A rubber one inch diameter hose booster reel, 150' with electric rewind
2.3	Air suspension
2.4	LED emergency vehicle lighting
2.5	As-built electrical drawings of the entire unit
2.6	Adjustable shelving in all compartments
2.7	Hinged doors for compartments rather than roll-up doors
2.8	Undercarriage and compartment lighting
2.9	Tires suitable for operation in a winter mountainous environment
2.10	Tow hooks
2.11	On-spot tire chains or equivalent

Solicitation No. - N° de l'invitation

5P424-130566/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

ca1130

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

PC

CAL-3-36118

ANNEX "B"**BASIS OF PAYMENT**

Item	Description	Firm Unit Price	Quantity	Total Firm Price
1	Used Fire Pumper Truck in accordance with the Requirement at Annex "A": Make: _____ Model: _____ Year: _____	\$ _____/unit	1 unit	\$ _____
2	Shipping and delivery fees	Lump sum	----	\$ _____
3	Provides training in accordance with the Requirement at Annex "A"	Lump sum	----	\$ _____
TOTAL DDP Destination in CAD Dollar				*\$ _____

*Delivered Duty Paid (DDP) **Field Fire & Rescue Department, 206 1st Avenue, Field, BC** Incoterms 2000 for shipments from a commercial contractor, and Customs duties are included and Applicable Taxes are extra.

Delivery date proposed by bidder: _____
(Must be no later than March 31, 2014)

ANNEX "C"

TABLE OF TECHNICAL COMPLIANCE

1. Note to bidder:

This annex C applies only to the request for proposal and will therefore be withdraw at contract award.

2. All specifications listed in the "Table of Technical Compliance" must be demonstrated:

The bidder must demonstrate for each used fire pumper truck specifications, if the product offered complies with it or not, by checking the suitable box or by providing information with technical specifications or any other official document relating to the proposed equipment. It is **mandatory** that the bidder gives the information **for each specification**.

3. Any proposal that does not comply with this mandatory requirement will be considered non-responsive.

1	<u>MANDATORY REQUIREMENTS</u>	MEET	EXCEED	CROSS REFERENCE TO PROPOSAL (PAGE #)
Model/Body				
1.1	2004 model or more modern with 4-wheel drive capability			
1.2	4900 IHC or equivalent chassis.			
1.3	Total GVW capacity of 32,000 lbs or greater			
1.4	Air Brakes System			
1.5	NFPA 1901 – Standard for Automotive Fire Apparatus - compliant			
1.6	Minimum five occupant (including the operator) enclosed 4-door cab with SCBA seating for 4.			
1.7	Water Tank - 1000 imperial gallon poly tank			
1.8	Foam Tank – 15 imperial gallon poly tank			
1.9	Emergency light bar/strobe package meeting current NFPA standards for emergency response vehicles			

1	<u>MANDATORY REQUIREMENTS</u>	MEET	EXCEED	CROSS REFERENCE TO PROPOSAL (PAGE #)
1.10	Maximum total length of 9.75 meters (32 feet)			
1.11	Maximum total height of 3.5 meters (11 feet 6 inches)			
1.12	Maximum total width of 2.74 meters (9 feet)			
1.13	Ability to carry one 2-stage ladder and one roof ladder; approximate length – 14 ft.			
1.14	Equipped with one Compartment capable of storing a PPV fan and a smoke ejector. Approximate compartment size; 30 inches wide, 26 inches high, 26 inches deep.			
1.15	Equipped with one breathing air compartment capable of storing a minimum of 8 Scott SCBA bottles.			
1.16	Equipped with one Tool Compartment capable of storing a variety of hand tools and large tool boxes			
1.17	Equipped with one compartment with a roll out bed capable of storing a portable fire pump. Approximate size of the pump; 2 ft x2 ft x2 ft (8 ft ³)			
1.18	Equipped with one compartment capable of storing RIT air packs and tools			
1.19	Equipped with one compartment capable of storing a full set of nozzles, hose adaptors, gated wyes, and hydrant tagging tools.			
1.20	Equipped with at least two large miscellaneous Storage Compartments capable of storing a large assortment of miscellaneous equipment			
Engine				
1.21	Maximum mileage 30,000 km			

1	<u>MANDATORY REQUIREMENTS</u>	MEET	EXCEED	CROSS REFERENCE TO PROPOSAL (PAGE #)
1.22	Minimum 300 hp diesel engine			
1.23	Automatic transmission			
Hoses & Tanks				
1.24	Set up to deploy a minimum of (2) two 1½ " inch attack lines			
1.25	15 US gallon foam tank			
1.26	1000 imperial gallon poly water tank			
Pump				
1.27	Minimum capacity for sustained operation of (2) two 1½ " diameter 150' attack lines at 150psi nozzle pressure			
1.28	Pump must have foam system suitable for effective application of class A/B firefighting foam at 100psi nozzle pressure for 150' of attack line			
1.29	Pump must have a hard suction intake port			
1.30	Maximum 500 pump hours			
1.31	Current pump test certification			

2	<u>DESIRED REQUIREMENTS</u>	MEET	CROSS REFERENCE TO PROPOSAL (PAGE #)
2.1	110v plug-in wired to the cab of the truck		
2.2	A rubber one inch diameter hose booster reel, 150' with electric rewind		
2.3	Air suspension		
2.4	LED emergency vehicle lighting		
2.5	As-built electrical drawings of the entire unit		
2.6	Adjustable shelving in all compartments		
2.7	Hinged doors for compartments rather than roll-up doors		
2.8	Undercarriage and compartment lighting		
2.9	Tires suitable for operation in a winter mountainous environment		
2.10	Tow hooks		
2.11	On-spot tire chains or equivalent		