

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving - PWGSC / Réception des soumissions -**  
**TPSGC**  
**11 Laurier St. / 11, rue Laurier**  
**Place du Portage, Phase III**  
**Core 0A1 / Noyau 0A1**  
**Gatineau, Québec K1A 0S5**  
**Bid Fax: (819) 997-9776**

**SOLICITATION AMENDMENT**  
**MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Vehicles & Industrial Products Division  
11 Laurier St./11, rue Laurier  
7A2, Place du Portage, Phase III  
Gatineau, Québec K1A 0S5

<b>Title - Sujet</b> HAND TOOLS	
<b>Solicitation No. - N° de l'invitation</b> W0105-141501/A	<b>Amendment No. - N° modif.</b> 002
<b>Client Reference No. - N° de référence du client</b> B106036	<b>Date</b> 2014-01-09
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$\$HP-404-64058	
<b>File No. - N° de dossier</b> hp404.W0105-141501	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2014-01-21</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Michele Mak	<b>Buyer Id - Id de l'acheteur</b> hp404
<b>Telephone No. - N° de téléphone</b> (819) 956-3947 ( )	<b>FAX No. - N° de FAX</b> ( ) -
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

W0105-141501/A

Amd. No. - N° de la modif.

002

Buyer ID - Id de l'acheteur

hp404

Client Ref. No. - N° de réf. du client

B106036

File No. - N° du dossier

hp404W0105-141501

CCC No./N° CCC - FMS No/ N° VME

---

Solicitation Amendment #002 is raised to amend the following items on Annex "A" :

Item 107: Delete item in it's entirety.

Item 110: Delete part number: CF62680 Colt Canada Corp

Item 110: Insert part number 09073C-1, Colt Canada Corp

Item 012: Add Part Number: GNF800-65036

Item 012: Add NSCM : Chicago - Latrobe

Item 030: Add Part Number: KPX9070-220

Item 030: Add NSCM: Knipex

All other terms and conditions remain unchanged

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
1	5120-01-517-4457	Locking Pliers, Vice Grip, Long Nose 12" overall <ul style="list-style-type: none"> <li>Gray, 127-12</li> </ul>	EA	30		
2	5110-21-887-7591	De burring tool, ONE CUTTING EDGE,F OR HOLE SIZE 0.156 TO 0.172 IN. DIA, STRAIGHT SHANK, 0.155 IN. SHANK DIA,4.000 IN. LG O/A,DEBUR HOLES BO TH SIDES IN ONE PASS <ul style="list-style-type: none"> <li>Imperial IME210F</li> </ul>	EA	30		
3	5210-21-886-9574	Plumb Bob. 8 oz. 5.25 length, <ul style="list-style-type: none"> <li>47-171 Stanley</li> <li>PBB-8 Starrett</li> </ul>	EA	30		
4	5120-00-242-3789	Sheet metal holder 3/32" PLIER OPERATED; FOR 3/32 IN. DIA HOLE; 0 TO ¼ IN. GRIP RANGE, <ul style="list-style-type: none"> <li>AT551M Snap-on</li> </ul>	EA	300		
5	5120-00-541-1808	Sheet metal holder 1/8", PLIER OPERATED; FOR 1/8 IN. DIA HOLE; 0 TO ¼ IN. GRIP RANGE, <ul style="list-style-type: none"> <li>AT552M Snap-on</li> </ul>	EA	300		
6	5120-00-242-3791	Sheet metal holder 3/16" PLIER OPERATED; FOR 3/16 IN. DIA HOLE; 0 TO ¼ IN. GRIP RANGE <ul style="list-style-type: none"> <li>AT554X Snap-on</li> </ul>	EA	300		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
7	5110-21-105-1485	Master craftsman knife set, 3-3/4" walnut handle, solid brass jaws. Includes No.9 blade (5/16" x 2-1/4" deep curve, 7/8" radius, narrow point) and No.11 blade (5/16" x 2-1/4" straight grind on slanted edge). No.9 blade available as separate item <ul style="list-style-type: none"> <li>Stanley 3596-09 3pk.</li> </ul>	EA	25		
8	5110-21-639-6032	Back Saw, 12-Inch Blade Length x 13 Points Per Inch Hard Tooth Back Saw <ul style="list-style-type: none"> <li>Stanley 15-352</li> </ul>	EA	20		
9	5210-21-903-3988	Digital Caliper, LCD, Battery Powered, 0-6"/0-150mm Range, +/- 0.0005"/0.01 mm Accuracy, 0.0005"/0.01mm Resolution, In Fitted Plastic Case <ul style="list-style-type: none"> <li>Starrett 799A-6/150</li> </ul>	EA	30		
10	5210-00-221-1991	Gauge Screw Pitch, Metric, includes locking device, 28 leaves, and 0.25-2.50mm TPI range. 60° Threads, 28 Leaves, 0.25-2.50mm TPI. <ul style="list-style-type: none"> <li>Starrett 156M</li> </ul>	EA	30		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
11	5210-00-390-5610	Protractor, Mechanist Bevel SATIN CHROME FINISH; 0-90 DEG THRU 360 DEG RANGE; HOLDS 7 OR 12 IN. BLADE; 5 MIN OR 1/12 DEG GRADUATIONS; FINE ADJUSTMENT FEATURE; WITH ACUTE ANGLE ATTACHMENT W/Case <ul style="list-style-type: none"> <li>• 359F Starrett</li> </ul>	EA	25		
12	5120-21-639-6597	Screw Extractor Set SPIRIL FLUTED DRILL STYLE FOR RH SCREWS 0.187 IN. MIN TO 1.000 IN. MAX SCREW SIZE RATING <ul style="list-style-type: none"> <li>• Grainger Part # 1U298</li> <li>• Chicago – Latrobe # GNF800-65036</li> </ul>	EA	25		
13	5110-21-851-2538	Saw 15" Blade Length x 9 Points Per Inch General Purpose SharpTooth™ <ul style="list-style-type: none"> <li>• Stanley 20-028L</li> </ul>	EA	25		
14	5120-00-221-1597	Sheet Metal Holder forceps, STEEL; 8 IN. MAX O/A LG <ul style="list-style-type: none"> <li>• AT508 Snap-On</li> </ul>	EA	25		
15	5120-21-921-0986	Dead blow hammer 3.70 lbs <ul style="list-style-type: none"> <li>• Proto J57-534</li> </ul>	EA	20		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts.  
One lot price should be inserted at item 1 of the RFP.  
Prices should not be indicated anywhere in the Annex "A"  
Alternate items are not acceptable, unless the item is obsolete.  
If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing.  
Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
16	5210-21-638-0262	4pc Combination Square Kit, 11HC Series Cast iron head with black wrinkle finish Reversible lock bolt, scriber, spirit level (except 4") Hardened steel, photo-engraved blade with 4pc Combination Square Kit, regular or satin chrome finish <ul style="list-style-type: none"> <li>Starrett 434-12-R4</li> </ul>	EA	20		
17	5110-21-880-8579	Punch Pliers type FIXED HEAD,C/O 3 FRAMES AND 10 REPLACEMENT TUBES,1 FRAME FOR TUBE SIZES 1 TO 7,1 FRAME FOR TUBE SIZE 8,1 FRAME FOR TUBE SIZES 9 AND 10, SINGLE LEVER ACTION, 1-1/2 IN. REACH 8-1/2 IN. LG O/A <ul style="list-style-type: none"> <li>Osborne No 155</li> </ul>	EA	25		
18	5120-00-731-2862	C- Clamp Vice Grip <ul style="list-style-type: none"> <li>Gray 224-14</li> </ul>	EA	25		
19	5120-21-105-1963	Jewlers Pliers Round nose 6", Vinyl coated handle <ul style="list-style-type: none"> <li>776-65C Cooper</li> </ul>	EA	25		
20	3439-01-056-0949	Cleaning Set, Welders cutting tips, 12 cleaners, size range 49 to 75 standard style <ul style="list-style-type: none"> <li>0430-0900-1 Air Liquid</li> </ul>	EA	25		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
21	3439-21-102-7194	Cleaning Set, Welders, Welders cutting tips CONIISTS OF 9 CLEANERS FOR DRILL HOLE SIZE 48 TO 30 AND 1 FILE; DESIGNED FOR USE WITH LARGE SIZE WELDING AND CUTTING TIPS <ul style="list-style-type: none"> <li>0430-0902-7 Air Liquid</li> </ul>	EA	25		
22	5120-00-540-1416	Extractor Set CONTAINS STRAIGHT FLUTE EXTRACTORS WITH TURNUT AND DRILL GUIDE FOR SCREW SIZES ¼ TO ½ IN.; 5 EXTRACTORS SIZE 1 THRU 5; 5 DRILLS AND 10 MATCHING DRILL GUIDES, PLASTIC BOX <ul style="list-style-type: none"> <li>SE100 Snap-On</li> <li>SE100 Stanley</li> </ul>	EA	25		
27	5120-21-638-0110	Mechanics Dividers 6", steel, spring joint, rect leg <ul style="list-style-type: none"> <li>83A-6 Starrett</li> </ul>	EA	25		
28	5120-00-221-1542	Scratch Awl, 3.5", wood, non rolling handle, <ul style="list-style-type: none"> <li>69-007A Stanley</li> <li>6A-SA Snap-On</li> </ul>	EA	25		
29	5120-01-108-9649	Vice Grip 6", Long Nose, wire cutting feature <ul style="list-style-type: none"> <li>286LN Stanley</li> </ul>	EA	29		

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
30	5110-21-AAS-8914	Revolving Punch Plier, High Strength Steel, Powder Coated, 5/64, 3/32, 1/8, 9/64, 5/32, 13/64, Length 8-45/64, Throat Depth 1-3/4" <ul style="list-style-type: none"> <li>• Grainger Part # 10U132</li> <li>• Knipex # KPX9070-220</li> </ul>	EA	25		
31	5110-21-849-7488	Wood Chisel, 1/4", Blade 3", steel cap <ul style="list-style-type: none"> <li>• 16-604 Stanley</li> </ul>	EA	20		
32	5201-00-221-1894	Gage, Twist Drill and Tap, Rectangular, gage range 1 – 60 <ul style="list-style-type: none"> <li>• 50675 Starrett</li> </ul>	EA	29		
33	5120-00-221-2448	Gage, Sheet and Plate Circular (wire gage) 0 – 36 <ul style="list-style-type: none"> <li>• 283 Starrett</li> </ul>	EA	29		
34	5110-00-223-7397	Glass Cutter , 8 inch normal, A77 straight nose <ul style="list-style-type: none"> <li>• Stanley 788</li> </ul>	EA	29		
35	5110-21-639-5181	Chisel, cold, regular length, hand. 3/8 inch width of cut, 5 inch minimum overall length, 1/4 inch minimum distance across flats <ul style="list-style-type: none"> <li>• Stanley/Proto 86A5/16</li> <li>• Gray Tools C2A</li> </ul>	EA	29		



ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
36	5110-21-639-5191	Chisel, cold, regular length, hand. ¾ inch width of cut, 6-1/4 inch minimum overall length, 5/8 inch minimum distance across flats <ul style="list-style-type: none"> <li>Stanley/Proto 86A 5/8</li> <li>Gray Tools C4</li> </ul>	EA	29		
37	5110-21-639-5214	Chisel, cape, hand. ¼ inch width of cut, 5 inch minimum overall length, 5/16 inch minimum distance across flats <ul style="list-style-type: none"> <li>Stanley/Proto 72-3/8</li> <li>Danaher/Armstrong 70-395</li> </ul>	EA	29		
38	5110-00-241-9152	File, hand. American pattern, half-round type, 8 inch nominal overall length heel to point, double cut on flat face and double or single cut on convex faces, smooth cut, ¾ inch nominal width, 7/32 inch nominal thickness. <ul style="list-style-type: none"> <li>Cooper/Nicholson/K&amp;F 24633</li> <li>Wood Miller HRSM08</li> <li>Cooper/Campbell/Nicholson 04960</li> </ul>	EA	29		
39	5110-21-639-4272	File, hand. American pattern, flat type, 10 inch nominal overall length heel to point, double cut faces and single cut edges, smooth cut, 1 inch nominal width, ¼ inch nominal thickness. <ul style="list-style-type: none"> <li>Cooper/Nicholson/K&amp;F 24599</li> <li>Wood Miller FSM10</li> <li>Cooper/Campbell/Nicholson 03731</li> </ul>	EA	29		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
40	5110-21-639-4357	File, hand. American pattern, three-square type, 6 inch nominal overall length heel to point, double cut, smooth cut, ½ inch nominal width. <ul style="list-style-type: none"> <li>Cooper/Nicholson/K&amp;F 24921</li> <li>Wood Miller TSQSM06</li> <li>Cooper/Campbell/Nicholson 15991</li> <li>Warrensville 18036</li> <li>Grobet 32.464</li> </ul>	EA	29		
41	5110-21-639-4387	File, hand. American pattern, round type, 8 inch nominal overall length heel to point, double or single cut, bastard cut, 3/8 inch nominal diameter. <ul style="list-style-type: none"> <li>Cooper/Nicholson/K&amp;F 24758</li> <li>Wood Miller RB08</li> <li>Cooper/Campbell/Nicholson 11904</li> </ul>	EA	29		
42	5120-00-243-2963	Hammer, machinist, ball peen, hickory handle. 1-1/2 pound (24 oz) nominal weight, 4-3/4 inch nominal head length, no. 1 or no. 2 finish, 1-3/8 inch nominal diameter of head at face, 15 inch nominal overall handle <ul style="list-style-type: none"> <li>Snap-On Tools BP24B</li> <li>Stanley/Proto 1324PD</li> <li>Gray Tools 212E</li> </ul>	EA	20		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
43	5120-00-240-6050	Bar, pinch, offset. Size no. 2, 5/8 inch nominal body diameter, 16 inch nominal overall length, one end is bevelled and offset, other end rounded and tapered, 7/8 inch minimum width of bevelled end, ¼ inch minimum point diameter and 6-1/2 inch minimum tapered length <ul style="list-style-type: none"> <li>• J.H. Williams C-82</li> <li>• Gray Tools C38</li> <li>• Armstrong 70-503</li> </ul>	EA	20		
44	5110-00-251-6481	Scraper, Carbon, Flexible. 9 In. Lg O/a, 1 In. W Blade, Composed Of 10 Flexible Blades, <ul style="list-style-type: none"> <li>• Stanley/Proto 2337</li> <li>• Gray Tools 89020</li> <li>• Snap-On Tools CS1</li> </ul>	EA	25		
45	5110-01-199-8602	File, handle, wood, metal ferrule with steel clamping mechanism, 4 ½ inch nominal overall length, 1 inch nominal handle diameter, <ul style="list-style-type: none"> <li>• General Tool 890</li> <li>• Snap-On Tools GA98A</li> </ul>	EA	25		

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
46	5210-21-108-7933	Gage, Spark Plug, 8 wire electronic, 0.020,0.025,0.028,0.030,0.032,0.034,0.035 AND 0.040 inches, folding steel specifications/standard <ul style="list-style-type: none"> <li>• FB301 Snap-On</li> <li>• FG7A Gray</li> </ul>	EA	25		
47	5210-00-229-3054	Outside Caliper 6" Spring joint, <ul style="list-style-type: none"> <li>• 179 Starrett</li> </ul>	EA	25		
48	5210-00-229-3058	Inside Caliper 6" Spring joint, <ul style="list-style-type: none"> <li>• 184-6 Starrett</li> </ul>	EA	25		
49	5210-01-335-1624	Plumb Bob, Solid brass 8 oz features replaceable, hardened steel points , with 10 in nylon cord <ul style="list-style-type: none"> <li>• Starrett PBB-8</li> </ul>	EA	25		
50	5120-21-639-3604	Carpenter Hammer 16 OZ, 22" CARPENTER'S NAILING CURVED-CLAW,. <ul style="list-style-type: none"> <li>• 101-1-2 Stanley</li> </ul>	EA	25		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
51	5120-21-887-7087	Set includes 8 Torx® Bits (T8 thru T30) in SDMC8 Storage Case All bits are 1/4" hex shank <ul style="list-style-type: none"> <li>• Snap- on SDMC8T</li> </ul>	EA	25		
52	5120-21-855-3145	Riveter, Hand, 10" Riveter Spring-loaded handle ejects rivet stem automatically Slim-nose design fits in difficult-to-reach places Right-angle riveter Long handle makes riveter easy to squeeze Uses 1/8", 3/32", 5/32" & 3/16" diameter steel & aluminum rivets <ul style="list-style-type: none"> <li>• Stanley MR33C</li> </ul>	EA	25		
53	5120-21-639-4804	File, Curved Tooth, Flexible-Style, surface 14", 12 teeth per inch. Fine cut. Use with BF775C Handle. <ul style="list-style-type: none"> <li>• Snap-On 14V12</li> </ul>	EA	25		
56	3439-01-338-4912	Soldering Iron, Gas, Ready to use in 30 seconds Sturdy metal tank holds enough gas for three hours of operation Temperature adjusts from 392°F - 932°F , Inactive hot air nozzles for low temperature heat are available Refills with butane lighter gas - WPT series tips. <ul style="list-style-type: none"> <li>• Weller WSTA3</li> </ul>	EA	25		
59	5210-00-238-3106	Wire Gage, Standard type AWG, Circular, Size, 0 TO 60 <ul style="list-style-type: none"> <li>• Starrett 281</li> </ul>	EA	40		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
60	5210-00-221-1993	Screw Pitch gage, Encased Blades, Blade Gp 2, 28 Blades, Metric, 0.5 through 11.5 mm, Blade Lock, Contains Center Gage W/ Course and Fine Notches, 60 Degree Threads <ul style="list-style-type: none"> <li>Starrett 156M</li> </ul>	EA	40		
61	5210-01-399-9199	Retaining Ring Pliers, A73 UNIVERSAL, INTERNAL OR EXTERNAL, 0.038 IN. DIA TIP, COMFORT GRIP HANDLES, <ul style="list-style-type: none"> <li>399 Stanley</li> </ul>	EA	40		
62	5120-00-293-0045	Retaining Ring Pliers A70 INTERNAL, FLAT JAWS, STRAIGHT TIPS, 0.070 IN. DIA TIP, WITH ADJUSTABLE STOP AND SPRING <ul style="list-style-type: none"> <li>Gray B107</li> </ul>	EA	40		
63	5120-20-003-2826	Retaining Ring Pliers, set of 2, COMBINATION INTERNAL/EXTERNAL; RANGE 12.0 MM TO 50.0 MM; RUBBER GRIP; HIGH CARBON HEAT TREATED STEEL <ul style="list-style-type: none"> <li>Gray B103</li> </ul>	EA	40		
64	5120-20-806-2340	Mini Round Nose Pliers Dimensions: Pliers, Miniature, Round Nose, Blue-Point, Jaw Length 1 5/32, Length <ul style="list-style-type: none"> <li>Snap-On B75CMP</li> </ul>	EA	40		

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
66	5120-21-806-2349	Jewlers Pliers w/ notch tip, 4.500 INCHES NOMINAL, CHAIN NOSE, JAWS TAPER TO SMALL NARROW ENDS W/FLAT WORKING SURFACE, <ul style="list-style-type: none"> <li>70-13 GUNTHER MELE LTD,</li> <li>4-30-71 TORONTO JEWELLERS SUPPLY CO LTD</li> </ul>	EA	40		
67	5120-00-878-6518	Pliers, Electronic, Needle Nose, Long Serrated Jaws, 6 9/16" Long Serrated Jaws , Jaw Length 2 3/16, Tip Width 1/16, Dia Length 6 9/16 <ul style="list-style-type: none"> <li>Snap-On E703GBC</li> </ul>	EA	40		
68	5120-21-872-8050	Pliers Long Nose, (needle nose) length 4 7/8" Diamond serrated jaws. Plastisol grips for added comfort <ul style="list-style-type: none"> <li>Proto J282G</li> </ul>	EA	40		
70	5120-00-230-3670	Screwdriver, Flat Tip w/ grabber Blade Length 6 in. total Length 10 in. Positive action when holding, starting, and setting slotted screws (#6 to #12) Vapor-blasted tip prevents plate chipping Nickel-chrome plating for corrosion resistance, Tough, chrome vanadium steel shank <ul style="list-style-type: none"> <li>Ideal Ind 35-406</li> </ul>	EA	40		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
71	3439-00-045-6527	Soldering Iron Holder, CAGE, 9.0 Length, Diam 2.0 <ul style="list-style-type: none"> <li>8000 cooper</li> </ul>	EA	40		
72	7920-21-900-3559	File Cleaning Brush, CARD TYPE, STEEL WIRE; BRUSH PART 5 IN. (13CM) LG, 1.500 IN. (4CM) W; WOOD BLOCK W/HANDLE; O/A LENGTH 10 IN. (25CM) <ul style="list-style-type: none"> <li>SB727 Felton Brush CO</li> </ul>	EA	40		
73	5120-00-293-2048	Screwdriver bit, width 0.375 INCHES NOMINAL, Length 1.500 INCHES MAXIMUM, FLAT TIP, RUBBER RETAINING RING INCLUDED ON BIT; MANUAL TOOL <ul style="list-style-type: none"> <li>485-6 Apex Tool Gp</li> </ul>	EA	50		
74	5110-21-639-5212	Cape Chisel, 1/8", Length 5", Shape Hex, Material Alloy Steel, Tip Beveled, <ul style="list-style-type: none"> <li>Gray C15A</li> </ul>	EA	40		
75	5120-20-A07-7617	SOLDERING TOOL, BRUSH AND SCRAPER KIT FINE STAINLESS STEEL BRUSH AND HARDENED STEEL SCRAPER FOR SOLDER AID. 8 INCHES LONG WITH PLASTIC HANDLE. <ul style="list-style-type: none"> <li>KJ Tools 195201</li> </ul>	EA	50		



ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
76	6650-01-510-4778	Magnifier, MONOCULAR, Lens 2, PIVOTED FOR SINGLE OR COMBINATION USE, CIRCULAR, FOLDING MAGNIFIER INCLUDES TWO 3X LENS; USE SINGLY OR TOGETHER FOR A COMBINED 6X EFFECT <ul style="list-style-type: none"> <li>• Snap-On YA527</li> </ul>	EA	50		
77	6650-00-490-2637	Magnifier, MONOCULAR, Folding magnifier includes two 3X lens. Use singly or together for a combined 6X effect, Plastic <ul style="list-style-type: none"> <li>• Snap On YA537</li> </ul>	EA	50		
78	5120-01-551-8373	Magnetic Pick-up Tool/Inspection Mirror Includes UPT65 Pick Up Tool and US225 Inspection Mirror in vinyl pouch, Hinged Head Magnetic Pick Up Tools. Powerful magnets are fitted into the brass sleeve on these units. Adjustable hinged heads. <ul style="list-style-type: none"> <li>• Snap-On UPTM65K</li> </ul>	EA	50		
79	5120-21-116-6102	Screwdriver 4" 1/8 tip w/ pocket clip, Plastic Handle, Blade Length 101.6 MILLIMETERS NOMINAL OR 4.000 INCHES NOMINAL, POCKET CLIP, Straight Tip <ul style="list-style-type: none"> <li>• Gray 92460</li> </ul>	EA	40		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
80	5210-00-274-2857	Thickness Gauge, Full Range with 45° Offset. Thicknesses (inches) .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, .025, .026, .027, .028, .029, .030 Length 4" x 1/2". <ul style="list-style-type: none"><li>Gray FG275A</li></ul>	EA	40		
82	3460-00-098-6696	160 Vice Clamp Toolmakers JAW 2 IN. MAX OPENING 0.719 IN. W; W/HOLE FOR FASTENING TO BENCH; P Each clamp two take-up blocks that slip on the end of the screw. The blocks are held to allow a slight swivel action, angle of the block to the shape of the work being held. <ul style="list-style-type: none"><li>Starrett 50592</li></ul>	EA	25		
84	5120-01-491-6730	Vice Block, hand, AR-15/M16 LOWER RECEIVER VISE BLOCK, <ul style="list-style-type: none"><li>702-004-015 BROWNELLS, INC</li></ul>	EA	25		
86	5120-00-108-9649	Vice Grip, Needle Nose, Overall Length 6-29/32, Jaw Hardness: 48-51, Jaw Opening: 2-5/32", Jaw Depth: 1-31/32 <ul style="list-style-type: none"><li>Ptoto J286LNXL</li></ul>	EA	25		

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
87	5120-01-301-3385	Punch Set, NYLON/BRASS DRIFT PUNCHBrass Handle 3" (7.6cm) long x 3/8" (9.5mm) diameter. Tips are 1¼" (3.2cm) long. With two 5/16" diameter tips (one Nylon, one Brass) and one Handle. 4-Way Set includes four Handles, one 5/16" Nylon Tip; plus one each, 3/16", ¼" and 5/16" diameter Brass Tips. 6-Way Set adds ¼" and 5/16" diameter, Aluminum Tips and 2 more handles to the 4-Way Set.  • 080-475-000BROWNELLS	EA	40		
88	4930-21-109-0843	Dial Scale, Recording Trigger, 0 TO 15 LBS,4 OZ GRADUATIONS,HOOK TYPE, IN-015MExtra heavy-duty steel cast iron construction, Embossed numbers and graduations, Recessed pointer for maximum protection,  • Chatillon Iron Clad Linear Scales Galore IN-015M	EA	30		
89	5120-00-789-0492	Retaining Ring Pliers Set, 2 pc inter/extCONTAINS 1 PAIR OF INTERNAL AND 1 PAIR OF EXTERNAL PLIERS; INTERCHANGEABLE TIPS; TIPS SIZE 0.038 IN. (90 DEG), 0.047 IN. TIPS SIZE 0.038 IN. (90 DEG), 0.047 IN. (STRAIGHT), 0.047 IN. (45 DEG) AND 0.070 IN. (STRAIGHT); 4 OF EA SIZE TIP; PLIERS WITH COMFORT GRIP HANDLES AND SPRING Or Equivalent Contains:  • Gray B103	EA	30		
90	5120-20-870-0556	Flare Nut Wrench, 5/8 – 1 1/16  • 28-140 Armstrong	EA	25		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
91	5120-21-269-7972	Wrench, Flare Nut, Double End, 3/4"-1" <ul style="list-style-type: none"> <li>28-145 Armstrong</li> </ul>	EA	25		
92	5120-21-808-5060	Flare Nut Wrench, 7/8 -1 1/8 ", 12Pt, <ul style="list-style-type: none"> <li>28-150 Armstrong</li> </ul>	EA	25		
93	5110-21-849-7490	Wood Chisel 1/2", 3.0 INCHES NOMINAL, Blade width 0.5 INCHES NOMINAL, STEEL CAPTANG <ul style="list-style-type: none"> <li>60 and 16-608 Stanley</li> </ul>	EA	25		
94	5120-00-725-7461	Driver Pin Punch Set, 8 pc <ul style="list-style-type: none"> <li>S565 and S565PC Starrett</li> </ul>	EA	25		
95	5120-01-491-6811	Drift Punch Set, 7pc, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4' features a square knurled grip tips are accurately centered and ground at the proper angle to give maximum service. Round Plastic Box <ul style="list-style-type: none"> <li>Starrett S264WB</li> </ul>		30		
96	5110-01-043-8410	Jewellers Pliers W/ cutter on tip 4.500 INCHES NOMINAL, COMFORT GRIP HANDLES; 29/32 IN. JAW LG; FLUSH CUTTING; THIN ANGLED NOSE. <ul style="list-style-type: none"> <li>73CG Apex tool GP</li> </ul>	EA	30		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
97	5120-21-806-2340	Jewelers Pliers 4 1/2", 4.5 INCHES NOMINAL, ROUND NOSE ROUND JAW STYLE. <ul style="list-style-type: none"> <li>212 and 4067 GUNTHER MELE LTD</li> </ul>	EA	30		
98	5120-00-198-5398	Allen Key 1/16", OVERALL STEEL, 120 L-HANDLE, 1.717 INCHES MINIMUM AND 1.906 INCHES MAXIMUM, 1.656 INCHES MINIMUM AND 1.844 INCHES MAXIMUM, BOTH ENDS 0.062 INCHES NOMINAL, BOTH ENDS EXTERNAL HEXAGON <ul style="list-style-type: none"> <li>116 and 1-16 ALLEN MFG CO</li> </ul>	EA	25		
99	5120-00-198-5401	Allen Key 3/64" OVERALL STEEL, 120 L-HANDLE, 1.611 INCHES MINIMUM AND 1.800 INCHES MAXIMUM, 1.562 INCHES MINIMUM AND 1.750 INCHES MAXIMUM, BOTH ENDS 0.050 INCHES NOMINAL, BOTH ENDS EXTERNAL HEXAGON <ul style="list-style-type: none"> <li>W1 Grey</li> <li>57-006 Apex Gp</li> </ul>	EA	25		
100	5120-01-491-6879	Gunsmith Screwdriver Set, 8pc, Foster/Bonanza <ul style="list-style-type: none"> <li>319-120-000BROWNELLS INCORPORATED</li> </ul>	EA	25		
101	5120-00-227-7356	Flat Tip Screwdriver Length 9.750 " , Blade Length 6.000 INCHES NOMINAL, Tip 0.188 INCHES NOMINAL or 3/16" STRAIGHT TIP SIDES AND STRAIGHT FLUTED HANDLE, BLADE STEEL <ul style="list-style-type: none"> <li>303 Fuller</li> <li>66-186 Stanley</li> </ul>	EA	30		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
102	5120-00-236-2127	Flat Tip Screwdriver, Length 6.750, Blade Length 3.000, Tip width 3/16 ", Straight Tip Sides, Plastic Handle, Steel Blade <ul style="list-style-type: none"> <li>66-015 Stanley</li> </ul>	EA	30		
103	5120-01-144-7852	Screwdriver Hex Key 3/32, T- Handle Plastic <ul style="list-style-type: none"> <li>Proto J46406</li> </ul>	EA	30		
104	5110-00-238-7866	Hand File 4" knife, B47 KNIFE TYPE, AMERICAN, DOUBLE CUT, SECOND CUT, SINGLE CUT, SECOND CUT <ul style="list-style-type: none"> <li>06742 Apex</li> </ul>	EA	30		
105	5120-00-277-8299	Wrench OE, 3/4 - 11/16", OVERALL STEEL, 104 DOUBLE HEAD, .000 INCHES MINIMUM AND 9.000 INCHES MAXIMUM, 15.0 DEGREES NOMINAL, FIRST END 0.688 INCHES NOMINAL, SECOND END 0.750 INCHES NOMINAL, BOTH ENDS INTERNAL OVAL, 40.0 ROCKWELL C MINIMUM AND 54.0 ROCKWELL C MAXIMUM, <ul style="list-style-type: none"> <li>26-106 Armstrong</li> <li>3035 Stanley/Proto</li> <li>V02224 Snap-On</li> </ul>	EA	25		

**ANNEX "A" – HAND TOOLS**  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
106	5110-00-293-0443	Bearing Scraper, First scraping edge Length Distance between scraping edge 0.375 ", Handle, Blade Width 1 " <ul style="list-style-type: none"> <li>89020 Gray</li> </ul>	EA	25		
108	5120-01-428-8095	Allen Key, 4mm, Wrench, Metric, L-Shape, 65.6 mm Length <ul style="list-style-type: none"> <li>Snap On AWM4D</li> </ul>	EA	25		
109	5120-21-639-5466	Drive Pin Punch, 3.5 INCHES NOMINAL, 0.250 IN. MIN DIA STOCK;STRAIGHT TYPE; ROUND; 0.094 IN DIA; 0.625 IN, POINT LENGTH, 47 1/4X3/32 <ul style="list-style-type: none"> <li>CF62680 Colt Canada Corp,</li> <li>Snap On PPC103A</li> </ul>	EA	30		
110	5120-21-896-7514	Catch Bolt Punch 3/32 Half Cut, Length 4.0 INCHES NOMINAL, STRAIGHT,ROUND TAPERED, 09073C-1 <ul style="list-style-type: none"> <li>Colt Canada Corp # 09073C-1</li> </ul>	EA	25		
111	4933-21-897-2239	Swaging Rivet Tool <ul style="list-style-type: none"> <li>CF62175 Colt Canada Corp</li> </ul>	EA	25		
112	5120-21-899-4658	Hex Key socket 1/8", 3/8 dr, <ul style="list-style-type: none"> <li>94158 Colt Canada Corp</li> </ul>	EA	25		

ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
113	5120-01-109-9982	Screwdriver Set, Jewellers 6pc set, CONTAINS CHUCK TYPE KNURLED HANDLE AND BLADES; FLAT TIP BLADES SIZE 0.025, 0.040, 0.055, 0.070, 0.080 AND 0.100 IN.; 3-3/4 IN. O/A LENGTHS; SIX HANDLES AND SIX BLADES, Plastic Pouch, <ul style="list-style-type: none"><li>• Starrett S-555Z-6</li></ul>	EA	25		
114	Part of NSN 5120-01-109-9982	Jewellers Screwdriver Blades <ul style="list-style-type: none"><li>• Starrett, Part No, PT02449AA</li></ul>	EA	50		
115	Part of NSN 5120-01-109-9982	Jewellers Screwdriver Blades <ul style="list-style-type: none"><li>• Starrett, Part No, PT02449A</li></ul>	EA	50		
116	Part of NSN 5120-01-109-9982	Jewellers Screwdriver Blades <ul style="list-style-type: none"><li>• Starrett, Part No, PT02449B</li></ul>	EA	50		
117	Part of NSN 5120-01-109-9982	Jewellers Screwdriver Blades <ul style="list-style-type: none"><li>• Starrett, Part No, PT02449C</li></ul>	EA	50		
118	Part of NSN 5120-01-109-9982	Jewellers Screwdriver Blades <ul style="list-style-type: none"><li>• Starrett, Part No, PT02449D</li></ul>	EA	50		



ANNEX "A" – HAND TOOLS  
W0105-141501/A

Revision 2

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts. One lot price should be inserted at item 1 of the RFP. Prices should not be indicated anywhere in the Annex "A" Alternate items are not acceptable, unless the item is obsolete. If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing. Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
119	Part of NSN 5120-01-109-9982	Jewellers Screwdriver Blades, <ul style="list-style-type: none"> <li>Starrett, Part No, PT02449E</li> </ul>	EA	50		
121	5120-00-230-3670	Screwdriver Flat Tip, 6.500 INCHES MINIMUM AND 8.000 INCHES MAXIMUM, 4.000 INCHES NOMINAL, HANDLE PLASTIC/FLARED TIP SIDE AND EXTERNAL SCREW GRIPPER, <ul style="list-style-type: none"> <li>Stanley 415C</li> <li>Stanley/proto 415-4</li> </ul>	EA	35		
122	5120-00-237-8172	Screwdriver Cross Tip, 6.000 INCHES NOMINAL, Handle Plastic Tip Type REED/PRINCE CROSS, Tip Dimensions 0.312 INCHES NOMINAL <ul style="list-style-type: none"> <li>Stanley 64-103</li> </ul>	EA	30		
123	5120-00-237-8173	Screwdriver Cross Tip, 4.000 INCHES NOMINAL, REED/PRINCE CROSS, HANDLE PLASTIC, Tip 0.250 INCHES NOMINAL <ul style="list-style-type: none"> <li>Stanley 62-561</li> </ul>	EA	30		
124	5110-00-239-8253	Pliers Diagonal Cutter, 6 ' <ul style="list-style-type: none"> <li>Stanley 84-003</li> </ul>	EA	30		

Items are to be packaged individually. Items will be awarded to one company. There will not be any multiple contracts.  
One lot price should be inserted at item 1 of the RFP.  
Prices should not be indicated anywhere in the Annex "A"  
Alternate items are not acceptable, unless the item is obsolete.  
If an item is obsolete, please write "obsolete" and insert an alternate part number. Descriptive literature with the item number written on it must be attached to the Annex "A" and your tender upon closing.  
Descriptive Literature will not be accepted after bid closing.

Item	NSN Number	Purchase Description	Unit of Issue	Qty	Specify PN Offered	Specify NSCM Offered
125	5120-00-240-8716	Screwdriver Cross tip, PHILLIPS CROSS, Blade 3.000 INCHES NOMINAL, HANDLE PLASTIC <ul style="list-style-type: none"> <li>Stanley 64-101</li> </ul>	EA	30		
126	5120-21-393-3393	Screwdriver Flat Tip, Flexible, Length 7 ½", Blade Length 4 ½" <ul style="list-style-type: none"> <li>Gray 211</li> </ul>	EA	30		
127	5110-21-639-4323	File Hand, 8" Double-Cut Flat Bastard Files <ul style="list-style-type: none"> <li>Stanley 22-175</li> </ul>	EA	30		
128	5120-21-847-5951	Wrench Open End, 10.0 INCHES MAXIMUM 7/16 AND ½" <ul style="list-style-type: none"> <li>Grey E1416</li> </ul>	EA	30		