

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving - PWGSC / Réception des soumissions**  
**- TPSGC**  
**11 Laurier St./11, rue Laurier**  
**Place du Portage, Phase III**  
**Core 0A1/Noyau 0A1**  
**Gatineau**  
**Québec**  
**K1A 0S5**  
**Bid Fax: (819) 997-9776**

## **SOLICITATION AMENDMENT**

## **MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Alternative Service Delivery/Autres modes de  
prestation des services  
11 Laurier/11 rue Laurier  
7C2, Place du Portage Phase III  
Gatineau  
Québec  
K1A 0S5

<b>Title - Sujet</b> GYM EQUIPMENT	
<b>Solicitation No. - N° de l'invitation</b> W3380-130006/A	<b>Amendment No. - N° modif.</b> 001
<b>Client Reference No. - N° de référence du client</b> W3380-130006	<b>Date</b> 2014-01-09
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PSD-009-24191	
<b>File No. - N° de dossier</b> 009psd.W3380-130006	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2014-02-03</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Eastern Standard Time EST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Bergeron, Bruno	<b>Buyer Id - Id de l'acheteur</b> 009psd
<b>Telephone No. - N° de téléphone</b> (450) 358-6777 (5745)	<b>FAX No. - N° de FAX</b> (450) 358-7585
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

W3380-130006/A

Client Ref. No. - N° de réf. du client

W3380-130006

Amd. No. - N° de la modif.

001

File No. - N° du dossier

009psdW3380-130006

Buyer ID - Id de l'acheteur

009psd

CCC No./N° CCC - FMS No/ N° VME

---

## **AMENDMENT #1**

This amendment is raised to correct the english version of Annex A and to release the first set of questions and answers.

1. Delete Annex A - REQUIREMENT in its entirety.

Insert:

**Annex A - REQUIREMENT (see below)**

---

**ANNEX "A"****REQUIREMENT****PURPOSE**

1. The purpose of this document is to set out the general and specific requirements related to the supply and delivery of individual sports training equipment for the Department of National Defence (DND), Land Force Quebec Area (LFQA), 2<sup>nd</sup> Support Group of the 2<sup>nd</sup> Canadian Division Sport Centre in the St-Jean Garrison. A variety of strength apparatuses is required.

**BACKGROUND**

2. In order to ensure and maintain the quality of the training provided for the 6,500 members served by 2<sup>nd</sup> Support Group, the equipment must be of commercial quality, i.e., equipment that can withstand up to 16 hours of intensive use per day, seven days a week. The clientele that will use the equipment is heterogeneous: some have severe weight problems or physical disabilities, while others are elite athletes (national and international). The equipment is used for both individual and group training, and group training is overseen by a fitness instructor. The fitness equipment will be used by individuals or groups under the supervision of a fitness trainer. A certain uniformity of equipment is therefore required in order to ensure proper synchronicity.

**REQUIREMENT**

3a. Between three hundred (300) and four hundred (400) individuals uses daily and yearly the installations and the strength training equipment provided for them. The training levels of each individuals varies greatly. The equipment must be engineered and built has to be able to withstand very high levels of training has described in the technical characteristics of article 3b below.

Although this is not a requirement, in order to facilitate on-site maintenance and repair of our equipment, each type of apparatus (item) should come from the same manufacturer.

**3b. Mandatory Technical criteria**

- i. When applicable all the equipment provided must be equipped with built-in selective plates has to avoid the manipulation of free weights .
- ii. The other mandatory criteria that must be met for each of the training equipment required are listed below:

**ITEM #1****HALF RACK**

- Includes Rack, Ramp, Racking Hooks and Safety Beams
- Polyethylene pad under the legs to protect the floor
- Must support at least 750 lbs
- Powder coat finish baked paint

Quantity: 10

**ITEM #2****ADJUSTABLE BENCH**

Adjustable bench and seat in flat or incline position to allow users to perform flat or incline bench press.

- Powder coat finish baked paint
- Leather seat double row for the back.
- Polyethylene pad under the legs to protect the floor.

Quantity: 7

**ITEM #3****PULLEY MULTIPLE PURPOSE**

Pulleys allow users to perform traditional crossover movements and a multitude of unilateral and bilateral pressing/pulling movements.

- Powder coat finish baked paint
- Weight stack 2 X 235 lbs of plates
- Width between 60 and 65 inches
- Distance between the two pulleys 52 and 55 inches
- Polyethylene pad under the legs to protect the floor.
- Features dual 5 lb add on weight system

Quantity: 1

**ITEM #4****OLYMPIC BAR**

- Chrome Olympic Bar 7' can support 1500 lbs.

Quantity :25

**ITEM #5****WEIGHT LIFTING PLATE 10 PDS**

- Rubber plate
- Between 17,5 and 18 inches diameter
- 1 inch thick

Quantity :35

**ITEM #6****IRON OLYMPIC PLATES 2.5 PDS**

Quantity : 24

**ITEM #7****IRON OLYMPIC PLATES 5 PDS**

Quantity : 30

**ITEM #8****IRON OLYMPIC PLATES 10 PDS**

Quantity : 40

**ITEM #9****IRON OLYMPIC PLATES 25 PDS**

Quantity : 20

**ACCESSORIES****ITEM #10****REVOLVING SOLID PRO-STYLE LAT-BAR**

- Curved
- Handles must allow neutral grip
- Between 40-44 inches

Quantity : 2

**ITEM #11****FIXED TUBULAR PRESS DOWN**

- Must be triangular

Quantity :2

**ITEM #12****PULLEY HANDLES (METAL)**

- The handle must be covered with rubber

Quantity :2

**ITEM #13****LOCK JAW COLLARS (PAIR) FOR OLYMPIC BAR**

Quantity :25 pairs

**ITEM #14****PRESS DOWN ROPE**

- With rubber ends

Quantity :2

**ITEM #15****REVOLVING SOLID MULTI PURPOSE BAR**

- The difference between the two handles is about 12 inches

Quantity: 2

---

## **QUESTIONS AND ANSWERS**

### **Question #1**

In regard to item 1 of your request for proposal, you are requesting a half rack with ramp , what is the ramp ?

#### *Answer #1*

An example of ramps is displayed in the image below.



### **Question #2**

In regard to item 1, we normally put rubber mats to protect the floor is this acceptable ?

#### *Answer #2*

No, the requirement call for polyethylene pads under the legs.

### **Question #3**

What is heated colour ?

#### *Answer #3*

This should have read baked paint. White will be the preferred colour.

**Question #4**

Could you confirm if this is the type of rack you are looking for ?

**Answer #4**

This represents a full rack, the requirement calls for a half rack. Please see the picture in answer #1 for a generic representation of a half rack.

**Question #5**

In regard to item 2 is requesting a polyethylene pad to protect the floor ?

**Answer #5**

Yes, polyethylene pads under the legs are required to protect the floor.

---

Question #6

In regard to item 3 can you confirm that this is the type of equipment you are looking for ?



Answer #6

Yes this is the type of equipment that we are looking for, if it meets the mandatory requirements presented in the request for proposal.