

NOTE: BOTTOM RUNG TO BE BELOW LNT (MIN. 1500mm)

ELEVATION



NOTE: LOCATE IN CENTER OF PANELS

SECTION

TYPICAL LADDER DETAIL 1 2 3

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



NOTE: GEOTEXTILE TO BE INSTALLED MIN 600mm OVERLAP AT PILE LOCATION

GEOTEXTILE FASTENING DETAIL 2 2 3

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



TYPICAL MOORING CLEAT DETAIL 3 2 3

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



PLAN



SECTION

TYPICAL TIE–ROD CONNECTION BOX DETAIL 4 2 3

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



*SEE NOTE 10

PANEL DETAIL 6 2 3

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm



TYPICAL TIMBER CURB DETAIL 5 3 3

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



TYPICAL DROP PANEL REINFORCING SECTION C 3 3

SCALE : 1:20

0mm 500mm 1000mm 1500mm 2000mm 2500mm



TYPICAL TOP–OF–WALL DETAIL 7 3 3

SCALE: 1:5

0mm 100mm 200mm 300mm 400mm 500mm



TYPICAL DROP PANEL SUPPORT DETAIL 8 2 3

SCALE : 1:10

0mm 100 200 300 400 500 600 700 800 900 1000mm

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

revisions		date
0	ISSUED FOR TENDER	DEC. 2014

project / projet

WHARF 407
RECONSTRUCTION
REDHEAD SCH
KINGS COUNTY
PRINCE EDWARD ISLAND

drawing / dessin

MISCELLANEOUS DETAILS AND SECTIONS

designed	M. WALSH / conçu
date	NOV..2013
drawn	R.L. SMELTZER / dessiné
date	NOV. 2013
approved / approuvé	
date	2014-01-06
Tender / Soumission	
PWGSC Project Manager / Administrateur de projets TPSGC	
project number / no. du projet	R.064506.001
drawing no. / no. du dessin	Sht. 3 of 5

PWGSC B1 (2004)

E-DRM/GDD-E: 468681 Version 1