



Royal Canadian Mounted Police
Gendarmerie royale du Canada

**RETOURNER LES
 SOUMISSIONS A:
 RETURN BIDS TO:
 Bid Receiving/Réception des
 sousmissions**

Procurement & Contracting Services
 c/o Commissionaires, F Division
 6101 Dewdney Ave
 Regina, SK S4P 3K7

Fax No. - N° de FAX:
 (306) 780-3466

**SOLICITATION AMENDMENT
 MODIFICATION DE
 L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les memes.

Comments – Commentaries

**Vendor/Firm Name and Address
 Raison sociale et adresse du
 fournisseur/de l'entrepreneur**

**Telephone No.
 no de téléphone:**

Title-Sujet: Construct, Deliver and Install Columbaria, Regina, SK					
Solicitation No. - No. de l'invitation M5000-4-0403/A	Date 24 January 2014				
Amendment No.-No modif 004					
Client Reference No. - No. De Référence du Client PW-13-00552937					
GETS Reference No.-No de Référence du SEAG N/A					
Solicitation Closes - L'invitation prend fin at 2:00 p.m. Central Standard Time on 31 January 2014					
F.O.B. - F.A.B. Destination					
Address Enquiries to: - Adresser toutes questions à: Teresa Hengen					
Telephone No. - No de telephone: 306-780-8179	Fax No. - N° de FAX: 306-780-3466				
Destination of Goods - Destinations des biens: Royal Canadian Mounted Police-Depot Division 5600 11th Ave Regina, SK S4P 3J7					
Delivery Required - Livraison exigée: See Herein	Delivery Offered - Livraison propose: See Herein				
Name and title of person authorized to sign on behalf of Vendor/Firm - Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur					
<table style="width:100%; border:none;"> <tr> <td style="border:none; width:50%; text-align:center;">_____</td> <td style="border:none; width:50%; text-align:center;">_____</td> </tr> <tr> <td style="border:none; text-align:center;">Name</td> <td style="border:none; text-align:center;">Title</td> </tr> </table>		_____	_____	Name	Title
_____	_____				
Name	Title				



This amendment is raised to change the following:

Delete:

Solicitation Closes - L'invitation prend fin
at 2:00 p.m. Central Standard Time
on 29 January 2014

Insert:

Solicitation Closes - L'invitation prend fin
at 2:00 p.m. Central Standard Time
on 31 January 2014

Delete:

Annex A
Statement of Requirement

To construct, deliver and install two (2) columbaria to the Royal Canadian Mounted Police Academy, Depot Division, located in Regina, Saskatchewan, in accordance with the requirement specifications, terms and conditions detailed herein and must match or closely resemble the existing columbaria on site as pictured in Appendix B. The existing columbaria are constructed out of grey granite (Stanstead Grey) and black granite (Absolute Black).

The columbaria must have the following specifications:

1. Base, cap, lintel and end walls to be honed gray granite to match or closely resemble material used in existing units;
2. Columbaria base to be honed gray granite, 1525mm (5') long, 910mm (36") wide and 100 mm (4") thick;
3. Columbaria cap and lintel to be honed gray granite, 1525 mm (5') long, 910 mm (36") wide and 75 mm (3") thick;
4. Columbaria end walls to be honed gray granite, 760 mm (30") square and 75 mm (3") thick;
5. Niche shutters to be polished black granite (no sandblasting on niche shutters). Suitable for engraving, 300 mm square (12"X12") and 25 mm (1") thick;
6. Columbaria cap and lintel to overhang 50 mm (2") beyond face of niches;
7. Each unit must contain thirty-two (32) niches;
8. Each niche to have an opening of 250 mm (10") square and 300 mm (12") deep to accommodate two urns;
9. Ends of columbaria units to include one sandblasted decorative floral motif on each of the top



Royal Canadian Mounted Police
Gendarmerie royale du Canada

Government
of Canada

Gouvernement
du Canada

Solicitation No. / No de l'invitation:
M5000-4-0403/A

Amendment No. - No modif.: 004

and bottom sections of each end wall. Motifs to be 650 mm (26") high x 150 mm (6") wide and be finished with black lithochrome paint. Style of motif to match or resemble existing, refer to Appendix B;

10. Each unit must be double sided and free standing;
11. End vases are not required that are shown in Appendix B.

New columbaria units are to be placed fully assembled or assembled in place on concrete foundations. Concrete foundations will be constructed by the RCMP to fit the approved length, width and approximate weights of units. RCMP will remove snow on any roads within the RCMP grounds necessary for contractor to gain access to the site, snow removal of the actual site is the responsibility of the contractor.



Insert:

Annex A
Statement of Requirement

To construct, deliver and install two (2) columbaria to the Royal Canadian Mounted Police Academy, Depot Division, located in Regina, Saskatchewan, in accordance with the requirement specifications, terms and conditions detailed herein and must match or closely resemble the existing columbaria on site as pictured in Appendix B. The existing columbaria are constructed out of grey granite (Stanstead Grey) and black granite (Absolute Black).

The columbaria must have the following specifications:

1. Cap, Lintel, and end walls to be honed gray granite to match or closely resemble material used in existing units. Base to be 160mm thick rock pitch finish;
2. Columbaria base to be rock pitch finish 1760mm long by 910mm wide, and 160mm thick;
3. Columbaria cap and lintel to be honed gray granite, 1760 mm long, 910 mm wide and 85 mm thick;
4. Columbaria end walls to be honed gray granite, 775 mm and 800 mm tall and 75 mm thick;
5. Niche shutters to be polished black granite (no sandblasting on niche shutters). Suitable for engraving, 335 mm square and a minimum of 25 mm thick, fastened to columbarium with tamper proof screws with 35mm bronze decorative washer located on four (4) corners;
6. Columbaria cap and lintel to overhang 50 mm (2") beyond face of niches;
7. Each unit must contain thirty-two (32) niches;
8. Each niche to have a minimum opening of 300 mm (12") square and 300 mm (12") deep to accommodate two urns;
9. Ends of columbaria units to include one sandblasted decorative floral motif on each of the top and bottom sections of each end wall. Motifs to be 736 mm high x 254 mm wide and be finished with black lithochrome paint. Style of motif to match or resemble existing, refer to Appendix B;
10. Each unit must be double sided and free standing;
11. End vases are not required that are shown in Appendix B.
12. Columbaria to be all granite construction.

New columbaria units are to be placed fully assembled or assembled in place on concrete foundations. Concrete foundations will be constructed by the RCMP to fit the approved length, width and approximate weights of units. RCMP will remove snow on any roads within the RCMP grounds necessary for contractor to gain access to the site, snow removal of the actual site is the responsibility of the contractor.



Delete:

Annex D
Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include one (1) copy of descriptive literature and detailed pictures or drawings of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications. The following information must be submitted with bid:

- a. Outside dimensions of columbaria unit (length, width, depth and height) in mm;
- b. Interior dimensions of niches in mm
- c. Dimensions of components in mm;
 - a. Base
 - b. Cap
 - c. Intermediate coping and
 - d. Niche shutters;
- d. Name of proposed granite materials;
- e. Place of origin of all stone components;
- f. Graphic of the proposed decorative floral motif;
- g. Means of attachment and removal of all niche shutters;
- h. Proposed method of installation;
- i. Total weight of unit.

The information requested in g, h, i are for information purposes only and will not be evaluated.

Where weight, dimensions or other characteristics are shown as approximate, minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-complaint and will be given no further consideration.

The existing columbaria are constructed out of grey granite (Stanstead Grey) and black granite (Absolute Black).



Royal Canadian Mounted Police
Gendarmerie royale du Canada

Government of Canada / Gouvernement du Canada

Solicitation No. / No de l'invitation:
 M5000-4-0403/A
Amendment No. - No modif.: 004

The columbaria must have the following specifications:

Specifications	Compliance	
	Yes	No
1. Base, cap, lintel and end walls to be honed gray granite to match or closely resemble material used in existing units;		
2. Columbaria base to be honed gray granite, approximately 1525mm (5') long, 910mm (36") wide and 100 mm (4") thick;		
3. Columbaria cap and lintel to be honed gray granite, approximately 1525 mm (5') long, 910 mm (36") wide and 77 mm (3") thick;		
4. Columbaria end walls to be honed gray granite, approximately 760 mm (30") square and 75 mm (3") thick;		
5. Niche shutters to be polished black granite (no sandblasting on niche shutters). Suitable for engraving, approximately 300 mm square (12"X12") and 25 mm (1") thick;		
6. Columbaria cap and lintel to overhang approximately 50 mm (2") beyond face of niches;		
7. Each unit must contain thirty-two (32) niches;		
8. Each niche to have an opening of approximately 250 mm (10") square and 300 mm (12") deep to accommodate two urns;		
9. Ends of columbaria units to include one sandblasted decorative floral motif on each of the top and bottom sections of each end wall. Motifs to be approximately 650 mm (26") high x 150 mm (6") wide and be finished with black lithochrome paint. Style of motif to match or resemble existing, refer to Appendix B;		
10. Each unit must be double-sided and free standing.		
11. List two (2) cemeteries where your company has installed similar units.	1) Name: _____ _____ Address: _____	



**Royal Canadian Mounted Police
Gendarmerie royale du Canada**

Government
of Canada

Gouvernement
du Canada

Solicitation No. / No de l'invitation:
M5000-4-0403/A
Amendment No. - No modif.: 004

	Telephone: _____
	2) Name: _____ _____
	Address: _____ _____ _____ _____
	Telephone: _____



Insert:

Annex D
Mandatory Technical Criteria

Bidders are required to indicate whether or not they comply with the mandatory specifications. Bidders must include one (1) copy of descriptive literature and detailed pictures or drawings of the items offered in sufficient detail to clearly indicate compliance with each of the individual requirements in the specifications. The following information must be submitted with bid:

- a. Outside dimensions of columbaria unit (length, width, depth and height) in mm;
- b. Interior dimensions of niches in mm
- c. Dimensions of components in mm;
 - a. Base
 - b. Cap
 - c. Intermediate coping and
 - d. Niche shutters;
- d. Name of proposed granite materials;
- e. Place of origin of all stone components;
- f. Graphic of the proposed decorative floral motif;
- g. Means of attachment and removal of all niche shutters;
- h. Proposed method of installation;
- i. Total weight of unit.

The information requested in g, h, i are for information purposes only and will not be evaluated.

Where weight, dimensions or other characteristics are shown as approximate, minimum or maximum, the bidder must indicate the manufacturer's figures.

The Royal Canadian Mounted Police is under no obligation to seek clarification of the bid(s) or the supporting technical documentation provided.

Failure to meet any of the following specifications will render your proposal non-complaint and will be given no further consideration.

The existing columbaria are constructed out of grey granite (Stanstead Grey) and black granite (Absolute Black).



Royal Canadian Mounted Police
Gendarmerie royale du Canada

Government of Canada / Gouvernement du Canada

Solicitation No. / No de l'invitation:
 M5000-4-0403/A
Amendment No. - No modif.: 004

The columbaria must have the following specifications:

Specifications	Compliance	
	Yes	No
1. Cap, Lintel, and end walls to be honed gray granite to match or closely resemble material used in existing units. Base to be 160mm thick rock pitch finish;		
2. Columbaria base to be rock pitch finish 1760mm long by 910mm wide, and 160mm thick		
3. Columbaria cap and lintel to be honed gray granite, approximately 1760 mm long, 910 mm wide and 85 mm thick;		
4. Columbaria end walls to be honed gray granite, approximately 775 mm (30") wide x 800 mm tall x 75 mm thick;		
5. Niche shutters to be polished black granite (no sandblasting on niche shutters). Suitable for engraving, approximately 335 mm square and a minimum of 25 mm thick, fastened to columbaria with tamper proof screws with 35 mm bronze decorative washer located on four (4) corners. See Niche Shutter Pictures Amend003 pictures;		
6. Columbaria cap and lintel to overhang approximately 50 mm (2") beyond face of niches;		
7. Each unit must contain thirty-two (32) niches;		
8. Each niche to have a minimum opening of approximately 300 mm (12") square and 300 mm (12") deep to accommodate two urns;		
9. Ends of columbaria units to include one sandblasted decorative floral motif on each of the top and bottom sections of each end wall. Motifs to be approximately 736 mm high x 254 mm wide and be finished with black lithochrome paint. Style of motif to match or resemble existing, refer to Appendix B;		
10. Each unit must be double-sided and free standing.		
11. Columbaria to be all granite construction.		
12. List two (2) cemeteries where your company has installed similar units.	1) Name: _____	



**Royal Canadian Mounted Police
Gendarmerie royale du Canada**

Government
of Canada

Gouvernement
du Canada

Solicitation No. / No de l'invitation:
M5000-4-0403/A
Amendment No. - No modif.: 004

	Address:

	Telephone:

	2) Name:

Address:	

Telephone:	
