

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada  
1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
B3J 1T3  
Bid Fax: (902) 496-5016

**SOLICITATION AMENDMENT**  
**MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution  
Acquisitions  
1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
B3J 3C9

Title - Sujet TAILORING & ALTERATION SERVICES	
Solicitation No. - N° de l'invitation W010X-14A016/A	Amendment No. - N° modif. 001
Client Reference No. - N° de référence du client W010X-14-A016	Date 2014-02-05
GETS Reference No. - N° de référence de SEAG PW-\$HAL-309-9204	
File No. - N° de dossier HAL-3-71205 (309)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-03-12	
Time Zone Fuseau horaire Atlantic Daylight Saving Time ADT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: MacNeil, Blaine A.	Buyer Id - Id de l'acheteur hal309
Telephone No. - N° de téléphone (902) 496-5180 ( )	FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

W010X-14A016/A

Amd. No. - N° de la modif.

001

Buyer ID - Id de l'acheteur

hal309

Client Ref. No. - N° de réf. du client

W010X-14-A016

File No. - N° du dossier

HAL-3-71205

CCC No./N° CCC - FMS No/ N° VME

---

### Amendment #1

The English Basis of Payment is attached.

All other terms and conditions remain unchanged.

**BASIS OF PAYMENT**

- Prices provided are firm for the periods indicated;
- Firm unit prices include all labour, materials, tools, equipment, transportation (including pick-up and delivery) and supervision necessary to provide tailoring and garment services;
- GST is not included in the unit prices but shall be added as a separate line item to any invoice issued against the Contract;

1.0 Coat, Jacket or Tunic Service Dress, Combat Dress, Environmental Jacket, Dress Naval, Firefighter Jacket, Driver Jacket, Concert Jacket (No 2 Mess Standard) (Male or Female).	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
1.1 Shorten or Lengthen Sleeves - If the sleeves are shortened, the sleeve lining shall be raised accordingly, and the bottom of the lining properly felled with a minimum of 8 stitches per inch (3 stitches per cm). Hand felling polyester or polyester cotton size "C" or "D" shall be used. In the lengthening, the bottom of the lining may have to be pieced depending on the extra length required. The material is to be of exact match.	1200						
1.2 Take In or Let Out Sides - After the seams have been let out or taken in, all loose ends of thread shall be removed, the old seam creases pressed off and the seams pressed open.	700						
1.3 Enlarge Coat Armholes (Deepen or Reduce Back)- The sleeve lining shall be opened, the armholes enlarged and the lining felled in the specified manner and using thread as specified in item 29-a above.	700						
1.4 Replace Lining CF Tunic Male (Navy; Air Force; Army) - Replace Lining of CF Tunic Male (Navy; Air Force; Army). Replace or increase as needed.	12						

<b>1.5 Replace Lining of CF Tunic Female</b> (Navy; Air Force; Army) - Replace Lining of CF Tunic female (Navy; Air Force; Army). Replace or increase as needed.	12								
<b>1.6 Bust or Seat, Take In or Let Out Sides -</b> After the seams have been let out or taken in, all loose ends of thread shall be removed; the old seam creases pressed off and the seams pressed open.	600								
<b>1.7 Fabricate Band Concert Jacket</b> – Color and lapel design may be locally adjusted to suit the element, individual unit or Regimental tradition.	5								

<b>2.0 Trousers, Slacks, (male and female) Service Dress, Garrison, Combat, CFAV, DND Driver, DND Fire Fighter and Maternity Trousers.</b>	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
<b>2.1 Shorten or Lengthen</b> - Rip bottom leg, shorten or lengthen as needed and blind fell by hand or machine. If lengthened, old creases are to be pressed out. Garment to be free of loose threads.	800						
<b>2.2 Seat Seam</b> - Clean all loose threads and press open. If the waist was let out, the old seam creases are to be pressed out.	330						
<b>2.3 Waist</b> – Take in or let out as required. Rip the seat seam, clean all loose threads, and press open. If the waist was let out, the old seam creases shall be properly pressed out.	400						

2.4 <b>Breech or Crotch</b> - Reduce or increase as needed.	150						
2.5 <b>Lining of Trousers/Slacks</b> - Put lining in trousers or slacks.	12						
2.6 <b>Fabricate Band Concert Dress Pants or Palazzo Pants</b> – Female Musicians are authorized palazzo pants or skirts or a combination of both depending on the instrument played, the total quantity not to exceed two (2)	10						

3.0 <b>Shirt (male and female); Service Dress, Garrison, Food Handlers/Cooks and Maternity</b>	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
<b>3.1 Shoulder Loops and Shoulder Flags –</b> Make for shirt as required.	10						
<b>3.2 Sew Canada Shoulder Flash -</b>	10						
<b>3.3 Sew Name Tags.</b>	6500						

3.4 Sew Trade Badge	6500						
---------------------	------	--	--	--	--	--	--

4.0 Skirt: Service Dress, Nurse and Utility Smock, Dental Maternity Jumper and Female Concert Dress Skirt	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
4.1 Let Out or Take In - The waist and the hips shall be let out by opening the waistband and letting out the side seams. The old creases shall be properly pressed out, all loose threads removed and the side seams pressed open. Should the skirt be reduced, the same steps as letting out are to apply.	50						
4.2 Lengthen or Shorten - Rip felling of bottom hem and lengthen or shorten the amount needed. The bottom creases shall be properly pressed out, the hem turned and blind-stitch felled by hand or by machine.	100						
4.3 Lower Waistband.	10						
4.4 Fabricate Band Concert Skirt – Female Musicians are authorized palazzo pants or skirts or a combination of both depending on the instrument played; the total quantity not to exceed two (2)	4						

5.0 Flying Suits, Flying Jackets and Coveralls	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
5.1 <b>Small Zippers</b> - Repair or replace. (Zippers provided by contractor). Replacement zippers shall be the same length, gauge and tape colour as the previously used zipper and sewn in the same manner as previous.	10						
5.2 <b>Large Zippers</b> - Repair or replace. (Zippers provided by contractor). Replacement zippers shall be the same length, gauge and tape colour as the previously used zipper and sewn in the same manner as previous.	10						

6.0 Fire Retardant Fly Suit/Fly Jacket - All the badges and name tapes must be sewn on the Hook & Eye Tape (Velcro) using Nomex fire retardant thread.	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
6.1 <b>Name Tapes</b> - Sew or replace. All badges and insignia shall be sewn using appropriately coloured thread. a. sew on both Velcro- hook and eye.	500						
b. sew on hook side only	400						

6.2 <b>Qualification/Trade Badges</b> - Sew or replace. All badges and insignia shall be sewn using appropriately coloured thread. a. sew on both Velcro- hook and eye.	500									
	b. sew on hook side only.	900								
6.3 <b>Specialty Badges</b> - Sew or replace. All badges and insignia shall be sewn using appropriately coloured thread. a. sew on both Velcro- hook and eye.	300									
	b. sew on hook side only	300								
6.4 <b>Re-Hem Fly Suits</b>	10									

7.0 <b>Blue Fly Suits, Blue Fly Jacket</b> - All badges and the name tape shall be sewn on as requested.	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
7.1 <b>Nametape</b> - Sew or replace. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	10						



Annex B to File W010X-14A016  
Date 17 July 2013

7.2 <b>Qualification/Trade Badge</b> - Sew or replace. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	50								
7.3 <b>Specialty Badges</b> - Sew or replace. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	50								
7.4 <b>Name Tape Without Velcro</b> - Sew or replace. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	50								
7.5 <b>Trade Badges Without Velcro</b> - Sew or replace. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	150								
7.6 Replace the Collar, Fly Jacket	10								

8.0 <b>Insignia, Badges, Buttons Braid, Slip-Ons and Ribbons</b> - All badges and insignia shall be hand or machine sewn using appropriately coloured thread. Garments with lining must be hand sewn. Garments unlined must be machine sewn.	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
8.1 <b>Button-Hole (Insignia Button)</b> - Should a buttonhole be found to be too small to accommodate its proper size button, the buttonhole shall be re-worked through the use of a button-holer attachment, and properly finished	10						

ensuring all loose threads are removed.									
8.2 <b>NCM Rank Insignia</b> - Sew on or replace, 2 per garment. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	2000								
8.3 <b>Trade Badges</b> - Sew on or replace on lapel, 2 per garment. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	700								
8.4 <b>Trade, Qualification and Specialty Badges</b> - Sew on or replace single, 1 per garment. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	300								
8.5 <b>Canada Badges</b> - Sew on or replace, 2 per garment. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	1000								
8.6 <b>Canada Flag Badges</b> - Sew on or replace, 1 per garment. All badges, nametapes and insignia shall be sewn using appropriately coloured thread. This includes Velcro name tapes to be sewn.	1000								
8.7 <b>Hat Badges (Insignia Beret)</b> - Sew on or replace hat badge. All badges, nametapes and insignia shall be sewn using appropriately coloured thread.	3000								
8.8 <b>Slip-Ons (Insignia Rank Braid)</b> - Sew on "Rank" braid on service dress slip-ons and close slip-ons.	6000								

8.9 Slip-Ons (Insignia Canada Rank) - Sew "CANADA" and "RANK" insignia onto combat slip and, as directed, close slip-on.	6000								
8.10 Slip-Ons (Insignia Miscellaneous) - Sew miscellaneous insignia onto slip-ons as directed. Close slip-ons.	1200								
8.11 Slip-Ons (Insignia General Officer) - "GENERAL OFFICER", loom embroidered or combat slip-on.	5								
8.12 Close Blank Slip-Ons (Insignia Slip-On)	12000								
8.13 Sew on/ Replace (Gold Officer Rank Braid) - Onto sleeves, coat, jacket, service dress. Back sleeves seam shall be ripped open, rank braid sewn at 2 inches from bottom of sleeves, machine sewn with stitch not appearing through lining of garment. Back seam shall be tacked all around and lining re-sewn by hand and machine.	1500								
8.14 Construct Mount - Disassemble undressed ribbons. Mount rosette, maple leaf crosses, numbers or emblem on ribbon, as directed (DND supplied).	2500								
8.15 Remove NCM Rank Insignia - All the loose cut end of thread shall be removed.	1000								

8.17 Remove Officer Rank Insignia - All the loose cut end of thread shall be removed.	1000									
9.0 NCD Jackets, Combat Jackets, Combat Shirts, Combat Pants, Maternity Jacket and Pants, Armor Military Police, Undress Ribbon, Shoulder Board, Aiguillettes.	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)			
9.1 Replace Lining (NCD Jacket)	5									
9.2 Make Shoulder Board for General Officer/Medical Officer - To be made by hand.	20									
9.3 Make Shoulder Board's Loops on CF Tunic - To be made by hand.	10									
9.4 Replace the Snap, NCD Jacket	5									
9.5 Make Trousers into Shorts	5									

9.6 <b>Make Button Loops for Parka for CB Jackets and CB Pants</b>	10								
9.7 <b>Altering Shoulders of a Tunic</b> - Requires the opening of the lining, taking off the sleeves to enable decreasing of material at shoulders. The seams that run down the front to pocket of the tunic and the side seams in the back of the tunic may have to be decreased depending on how small the tunic is needed to be made at the shoulders. Sleeves are reattached (which, if necessary, have been decreased in size also), sewing closed all seams and sewing lining closed.	10								
9.8 <b>Sewing on Insignia</b> - Bowler band, officer braid, and reattaching band to the bowler.	100								
9.9 <b>Make Any Undress Ribbon, Canadian Military Decoration</b>	2500								
9.10 <b>Re-Do Combat Jackets, Size 50</b> - Increase size from standard to oversize as needed.	10								
9.11 <b>Re-Do Combat Shirts, Size 50</b> - Increase size from standard to oversize as needed.	10								
9.12 <b>Re-Do Combat Pants, Size 50</b> - Increase size from standard to oversize as needed.	10								

9.13 <b>Re-Do Maternity Jacket/Pants Size 50</b> - Increase size from standard to oversize as needed.	50								
9.14 <b>Maternity Tunic (long or short)</b> - Altering the maternity tunic (lengthen or shorten).	50								
9.15 <b>Make Epaulettes for Body Armour, Military Police.</b>	5								
9.16 <b>Military Police Pants</b> - Altering (shorten or lengthen) of Military Police pants.	400								

10.0 <b>Cut Away, Double Pattern, Tunic, CF Band Member</b>	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
10.1 <b>CF Navy Band (Male/Female)</b>	100						
10.2 <b>CF Army Band (Male/Female)</b>	40						

10.3 CF Air Force Band (Male/Female)	5						
10.4 Epaulettes – Manufacture and sew onto Coveralls	25						

	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
11.0 Altering of Firefighter Coveralls - Removal of waistband buckles from current placement and to be placed at waist above the hip pockets upper edge.							
11.1 Altering of Firefighters Coveralls - Hemming up of the coverall leg length, which requires the removal of both zippers and existing material panels, and front material bindings, then replacement of these parts at the required length.	5						
11.2 Replacement of Velcro - To NCD Jacket (sleeve cuffs or shoulders), Firefighter Coveralls, Submariner Coveralls, and MP Vests. This requires the removal of old Velcro (barbs and hooks) and replacing with new Velcro (supplied by tailor).	200						
11.3 Altering Coveralls - Firefighter, Submariner, and Boarding Party coveralls by replacing elastic at the back of the waist. Requires that seams at the back of the waist and double seam down the body at waist (about six inches opening) be ripped out, and for elastic (supplied by the Tailor) to be replaced, and for the seams at the back of the waist and double	25						

<b>seams down body to be sewn closed.</b>									
<b>11.4 Repair Seam</b> - Firefighter Coveralls, Submariner Coveralls, Gabardine and Tunic. Requires either opening up wider double seams or opening up lining and outer shell to have seam re-sewn.	500								
<b>11.5 Replace Zipper</b> - Parka. Requires opening up seams down front of parka, opening up seam along bottom of parka, and parka to be turned inside out, to rip out the broken zipper, to sew in place the new zipper, to turn parka back right side out and to sew closed all seams.	5								

<b>12.0 Tunics, Gabardines, Jackets, Trousers.</b>	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
<b>12.1 Altering of Collar Roll – Tunics/Gabardines/Jackets.</b> This occurs when item fits improperly in neck/shoulders with certain body sizes. Requires removal of the collar, the lining being opened and material being cut to proper measurement. The collar is then reattached and lining closed.	300						
<b>12.2 Altering of the Gabardine - Lengthen or shorten body, sleeves and lower or raise belt loops (Army).</b>	20						



12.3 <b>Altering Tunic Length</b> - Required shortening or lengthening, may require false hem (material added) to the body of Tunics, opening and closing of the lining.	50							
12.4 <b>Altering Trousers</b> - The thigh/hip area of trousers. Requires opening the breech/crotch, cutting and fitting material insert into the thigh area, and sewing closed all seams.	100							

13.0 <b>Replace Zipper</b> – sleeping bags.	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
<b>13.1 Replace Zipper</b> – sleeping bags.	10						

14.0 CADPAT Lightweight Shirts and Pants, ICE (Improved Clothing Ensemble) Intermediate Jacket and Pants, Extreme Cold Weather Parka and Overalls, Wet Weather Jackets.	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)
<b>14.1 Replace Zipper- Wet weather jackets.</b>	10						

14.2 Replace Draw String- Lightweight pants.	10								
15.0 Non-routine Measuring Requirements - In addition to and separate from routine measuring for alterations listed in the Statement of Work, more complete measurement services may be required on occasion. Measurements for sizing of uniforms are normally performed by DND equipment, which requires occasional maintenance and repairs. During periods when measuring equipment is unavailable due to maintenance or repair, the Contractor shall be available to perform these non-routine measurements at the following price:	Estimated Yearly Quantity	Firm Unit Price Routine Requirements	Firm Unit Price Priority Requirements	Firm Unit Price Routine Requirements (Option Year 1)	Firm Unit Price Priority Requirements (Option Year 1)	Firm Unit Price Routine Requirements (Option Year 2)	Firm Unit Price Priority Requirements (Option Year 2)		
15.1 Complete measurements for sizing of uniform.	600								