

**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet SPARE PARTS FOR STOCK REPLENISHMENT	
Solicitation No. - N° de l'invitation W8486-140800/A	Date 2014-02-11
Client Reference No. - N° de référence du client W8486-140800	
GETS Reference No. - N° de référence de SEAG PW-\$\$HN-313-64650	
File No. - N° de dossier hn313.W8486-140800	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-03-24	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Kelly, Ruth	Buyer Id - Id de l'acheteur hn313
Telephone No. - N° de téléphone (819) 956-3588 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Specified Herein Précisé dans les présentes	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Electrical & Electronics Products Division
11 Laurier St./11, rue Laurier
7B3, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



Destination Code - Code destinataire	Destination Address - Adresse de la destination	Invoice Code - Code bur.-comptable	Invoice Address - Adresse de facturation
W248A	DEPARTMENT OF NATIONAL DEFENCE BLDG 236 EAST END 195 AVE&82ND ST EDMONTON Alberta T5J4J5 Canada	W248A	DEPARTMENT OF NATIONAL DEFENCE BLDG 236 EAST END 195 AVE&82ND ST ATTN: INVOICE SECTION EDMONTON Alberta T5J4J5 Canada
WB941	DEPARTMENT OF NATIONAL DEFENCE CFSD MONTREAL 6363 RUE NOTRE DAME ST E. MONTREAL Quebec H1N2E9 Canada	W1941	DEPARTMENT OF NATIONAL DEFENCE C.P. 4000 SUCC K ATTN: INVOICE SECTION MONTREAL Quebec H1N3R9 Canada



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Offered Liv. offerte
1	NSN - NNO: 1290-99-965-7074 SCALE. COMPRISES OF SPIGOT, SCALE AND RIVET; 3 HOLES. NSCM P/N AND MANUFACTURER U1515 0S91623 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	100	Each	\$	XXXXXXXXXXXX		See Herein



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	NSN - NNO: 1290-99-965-7074 SCALE. COMPRISES OF SPIGOT, SCALE A ND RIVET; 3 HOLES. NSCM P/N AND MANUFACTURER U1515 0S91623 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
3	NSN - NNO: 1290-99-961-8537 SCALE, PROTRACTOR CIRCULAR; C/W PLATE, CAP, SPRING & PLUGER. NSCM P/N AND MANUFACTURER K2155 0S9883SA Blundell Harling Ltd. Great Britian ===== U1515 0S9883SA DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	40	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
4	NSN - NNO: 1290-99-961-8537 SCALE, PROTRACTOR CIRCULAR; C/W PLATE, CAP, SPRING & PLUGER. NSCM P/N AND MANUFACTURER K2155 0S9883SA Blundell Harling Ltd. Great Britian ===== U1515 0S9883SA DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	15	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
5	NSN - NNO: 1290-99-961-8541 ARM, PROTRACTOR, C/W 1 SCALE, 1 SP IGOT & 3 RIVETS. NSCM P/N AND MANUFACTURER U1515 OS80833 DGS&E TIG IRC Great Britian ===== K2155 OS80833 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	50	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
6	NSN - NNO: 1290-99-961-8541 ARM, PROTRACTOR, C/W 1 SCALE, 1 SP IGOT & 3 RIVETS. NSCM P/N AND MANUFACTURER U1515 0S80833 DGS&E TIG IRC Great Britian ===== K2155 0S80833 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
7	NSN - NNO: 1290-99-961-8540 ARM, PROTRACTOR NSCM P/N AND MANUFACTURER U1515 0S80832 DGS&E TIG IRC Great Britian ===== K2155 0S80832 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	50	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
8	NSN - NNO: 1290-99-961-8540 ARM, PROTRACTOR NSCM P/N AND MANUFACTURER U1515 0S80832 DGS&E TIG IRC Great Britian ===== K2155 0S80832 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
9	NSN - NNO: 1290-99-961-8539 ARM, PROTRACTOR. NSCM P/N AND MANUFACTURER K2155 0S80831 Blundell Harling Ltd. Great Britian ===== U1515 0S80831 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	100	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
10	NSN - NNO: 1290-99-961-8539 ARM, PROTRACTOR NSCM P/N AND MANUFACTURER K2155 0S80831 Blundell Harling Ltd. Great Britian ===== U1515 0S80831 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	25	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
11	NSN - NNO: 6150-21-906-5759 CABLE ASSEMBLY, POWER, ELECTRICAL SPECIAL FEATURES: U/O D11000 EDM ONLY; TERMINATED FIRST END WITH CONNECTOR STRAIGHT MS3116F8-3S OTHER END CONNECTOR STRAIGHT LEMO FGA0B305CLAD52Z. NSCM P/N AND MANUFACTURER S3890 1522784 Leica Geosystems Ag Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
12	NSN - NNO: 6150-21-906-5759 CABLE ASSEMBLY, POWER, ELECTRICAL SPECIAL FEATURES: U/O D11000 EDM ONLY; TERMINATED FIRST END WITH CONNECTOR STRAIGHT MS3116F8-3S OTHER END CONNECTOR STRAIGHT LEMO FGA0B305CLAD52Z. NSCM P/N AND MANUFACTURER S3890 1522784 Leica Geosystems Ag Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX	See Herein		

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
13	NSN - NNO: 6675-22-123-1572 DRIVE, HORIZONTAL NSCM P/N AND MANUFACTURER S3890 452857 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	5	Each	\$		XXXXXXXXXXXX	See Herein	
14	NSN - NNO: 6675-22-123-1572 DRIVE, HORIZONTAL NSCM P/N AND MANUFACTURER S3890 452857 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	2	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
15	NSN - NNO: 5210-21-910-0470 LEVEL, CEMENTED NSCM P/N AND MANUFACTURER S3890 370 449 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	15	Each	\$		XXXXXXXXXXXX	See Herein	
16	NSN - NNO: 5210-21-910-0470 LEVEL, CEMENTED NSCM P/N AND MANUFACTURER S3890 370 449 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
17	NSN - NNO: 6675-22-123-1573 DRIVE, VERTICAL NSCM P/N AND MANUFACTURER S3890 459997 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	5	Each	\$		XXXXXXXXXXXX	See Herein	
18	NSN - NNO: 6675-22-123-1573 DRIVE, VERTICAL NSCM P/N AND MANUFACTURER S3890 459997 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	2	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
19	NSN - NNO: 5305-12-157-9196 SCREW, CAP, SOCKET HEAD FILLISTER HEAD, 11.0 MM NOM DIA, 2.0MM NOM H; DRILLED HOLES DRIVE; BRASS, CHROMIUM SURF; S4X0.70-6G ISO; 6.0 MM NOM THD LG; 6.50 MM NOM FASTENER LG. NSCM P/N AND MANUFACTURER S3890 122786 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	10	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
20	NSN - NNO: 5305-12-157-9196 SCREW, CAP, SOCKET HEAD FILLISTER HEAD, 11.0 MM NOM DIA, 2.0MM NOM H; DRILLED HOLES DRIVE; BRASS, CHROMIUM SURF; S4X0.70-6G ISO; 6.0 MM NOM THD LG; 6.50 MM NOM FASTENER LG. NSCM P/N AND MANUFACTURER S3890 122786 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
21	NSN - NNO: 5340-12-320-6948 COVER, ACCESS BODY RADIUS: 128,5 MILLIMETERS NOMINAL; SECURING DEVICE TYPE: SPECIAL; SPECIAL FEATURES: HOEHE 23,0 MILLIMETER; MATERIAL: PLASTIC. NSCM P/N AND MANUFACTURER S3890 430952 Leica Geosystems AG Switerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
22	NSN - NNO: 5340-11-232-0694 COVER, ACCESS BODY RADIUS: 128,5 MILLIMETERS NOMINAL; SECURING DEVICE TYPE: SPECIAL; SPECIAL FEATURES: HOEHE 23,0 MILLIMETER; MATERIAL: PLASTIC. NSCM P/N AND MANUFACTURER S3890 430952 Leica Geosystems AG Switerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	40	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
23	NSN - NNO: 6135-12-308-9723 BATTERY, NONRECHARGEABLE VOLTAGE IN VOLTS: 8,4 VOLT BIS 12,0 VOLT; SHAPE: RECTANGULAR W/DIAGONAL CORNERS AND RECTANGULAR W/ROUNDED CORNERS; TERMINAL QUANTITY: 2; TERMINAL TYPE: VERSENKTEFLACHKONTAKTE/KONTAKTFEDE RN, KORROSIONSBESTAENDIG; OVERALL WIDTH: 65.0 MILLIMETERS NOMINAL; OVERALL LENGTH: 78.5 MILLIMETERS NOMINAL; OVERALL HEIGHT: 33.0 MILLIMETERS NOMINAL; SPECIFICATION/STANDARD DATA: D9477-VG96915T153 GOVERNMENT STANDARD; END ITEM IDENTIFICATION: 5820-12-193-3336 FUNKGERAETESATZ SEM52 S, TRAGBAR; UNPACKAGED UNIT WEIGHT: 360.0 GRAMS. NSCM P/N AND MANUFACTURER C0303 49405 Friemann & Wolf Batterietechnik GMB Germany ===== D1901 54.1038.018.02IV EADS Deutschland GMBH-Verteidigung Germany ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	200	Each	\$	XXXXXXXXXXXX	See Herein		

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte	
24	NSN - NNO: 6135-12-308-9723 BATTERY, NONRECHARGEABLE VOLTAGE IN VOLTS: 8,4 VOLT BIS 12,0 VOLT; SHAPE: RECTANGULAR W/DIAGONAL CORNERS AND RECTANGULAR W/ROUNDED CORNERS; TERMINAL QUANTITY: 2; TERMINAL TYPE: VERSENKTEFLACHKONTAKTE/KONTAKTFEDE RN, KORROSIONSBESTAENDIG; OVERALL WIDTH: 65.0 MILLIMETERS NOMINAL; OVERALL LENGTH: 78.5 MILLIMETERS NOMINAL; OVERALL HEIGHT: 33.0 MILLIMETERS NOMINAL; SPECIFICATION/STANDARD DATA: D9477-VG96915T153 GOVERNMENT STANDARD; END ITEM IDENTIFICATION: 5820-12-193-3336 FUNKGERAETESATZ SEM52 S, TRAGBAR; UNPACKAGED UNIT WEIGHT: 360.0 GRAMS. NSCM P/N AND MANUFACTURER C0303 49405 Friemann & Wolf Batterietechnik GMB Germany ===== D1901 54.1038.018.02IV EADS Deutschland GMBH-Verteidigung Germany ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	100	Each	\$		XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
25	NSN - NNO: 5935-01-543-5679 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 1.090 INCHES MINIMUM AND 1.102 INCHES MAXIMUM; OVERALL WIDTH: 1.660 INCHES MAXIMUM; BODY LENGTH: 0.809 INCHES MAXIMUM; BODY HEIGHT: 0.809 INCHES MAXIMUM; OVERALL DIAMETER: 1.660 INCHES MAXIMUM; MATERIAL: STEEL, CORROSION RESISTING; SURFACE TREATMENT: PASSIVATED; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; THREAD SERIES DESIGNATOR: SPECIAL ACME; NOMINAL THREAD SIZE: 1.000 INCHES; THREAD CLASS: 2B; THREAD DIRECTION: RIGHT-HAND; NOMINAL THREAD LENGTH: 0.954(...). NSCM P/N AND MANUFACTURER 81349 MIL-DTL-38999/51 or D38999/51K-15N Military Specifications US ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
26	NSN - NNO: 5935-01-543-5679 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 1.090 INCHES MINIMUM AND 1.102 INCHES MAXIMUM; OVERALL WIDTH: 1.660 INCHES MAXIMUM; BODY LENGTH: 0.809 INCHES MAXIMUM; BODY HEIGHT: 0.809 INCHES MAXIMUM; OVERALL DIAMETER: 1.660 INCHES MAXIMUM; MATERIAL: STEEL, CORROSION RESISTING; SURFACE TREATMENT: PASSIVATED; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; THREAD SERIES DESIGNATOR: SPECIAL ACME; NOMINAL THREAD SIZE: 1.000 INCHES; THREAD CLASS: 2B; THREAD DIRECTION: RIGHT-HAND; NOMINAL THREAD LENGTH: 0.954(...). NSCM P/N AND MANUFACTURER 81349 MIL-DTL-38999/51 or D38999/51K-15N Military Specifications US ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	
27	NSN - NNO: 5935-99-593-9000 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P608-19-1-ZB-IC4-19 Polamco Ltd. Great Britian =====	WB941	W1941	25	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
27	or equivalent ===== NSCM offered: _____ P/N Offered: _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
28	NSN - NNO: 5935-99-593-9000 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P608-19-1-ZB-LC4-19 Polamco Ltd. Great Britian ===== or equivalent ===== NSCM offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
29	NSN - NNO: 5935-99-170-5566 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 17.50 MILLIMETERS NOMINAL; OVERALL DIAMETER: 28.00 MILLIMETERS NOMINAL; MATERIAL: ALUMINUM ALLOY; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; NOMINAL THREAD SIZE: 0.875 INCHES; FURNISHED ITEMS: LANYARD. NSCM P/N AND MANUFACTURER U5792 100P160-13-1-ZB-TC4-13 Polamco Ltd. Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
30	NSN - NNO: 5935-99-170-5566 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 17.50 MILLIMETERS NOMINAL; OVERALL DIAMETER: 28.00 MILLIMETERS NOMINAL; MATERIAL: ALUMINUM ALLOY; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; NOMINAL THREAD SIZE: 0.875 INCHES; FURNISHED ITEMS: LANYARD. NSCM P/N AND MANUFACTURER U5792 100P160-13-1-ZB-TC4-13 Polamco Ltd. Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
31	NSN - NNO: 5935-99-226-1212 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P160-11-1ZB-R12-CF Polamco Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Offered Liv. offerte
32	NSN - NNO: 5935-99-226-1212 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P160-11-1ZB-R12-CF Polamco Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
33	NSN - NNO: 5935-99-593-8999 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: SECURED TO CABLE ASSY W/LANYARD AND CRIMP. NSCM P/N AND MANUFACTURER U5792 100P609-19-1-ZB-R12-CF Polamco Ltd. Great British ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
34	NSN - NNO: 5935-99-593-8999 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: SECURED TO CABLE ASSY W/LANYARD AND CRIMP. NSCM P/N AND MANUFACTURER U5792 100P609-19-1-ZB-R12-CF Polamco Ltd. Great British ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
35	<p>NSN - NNO: 5305-99-277-2140 SCREW, CAP, SOCKET HEAD THREAD SERIES DESIGNATOR: ISO M; NOMINAL THREAD DIAMETER: 5.00 MILLIMETERS; THREAD PITCH IN MILLIMETERS: 0.80; THREAD CLASS: 6G; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 16.00 MILLIMETERS NOMINAL; FASTENER LENGTH: 16.00 MILLIMETERS NOMINAL AND 15.65 MILLIMETERS MINIMUM AND 16.35 MILLIMETERS MAXIMUM; MATERIAL: STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: ISO 3506-1 A4-80 INTERNATIONAL STD/SPEC SINGLE MATERIAL RESPONSE; HEAD STYLE: C48 FLAT FILLISTER; HEAD DIAMETER: 8.28 MILLIMETERS MINIMUM AND 8.72 MILLIMETERS MAXIMUM; HEAD HEIGHT: 4.82 MILLIMETERS MINIMUM AND 5.00 MILLIMETERS MAXIMUM; INTERNAL DRIVE STYLE: D5 HEXAGON; WIDTH ACROSS FLATS: 4.020 MILLIMETERS MINIMUM AND 4.095 MILLIMETERS MAXIMUM; END ITEM IDENTIFICATION: LINAPS M777 INSTALLATION. NSCM P/N AND MANUFACTURER U6682 G0020048 Selex ES Ltd. Great Britain ===== or equivalent ===== NSCM Offered: _____</p>	WB941	W1941	100	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
35	P/N Offered: _____								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
36	<p>NSN - NNO: 5305-99-277-2140 SCREW, CAP, SOCKET HEAD THREAD SERIES DESIGNATOR: ISO M; NOMINAL THREAD DIAMETER: 5.00 MILLIMETERS; THREAD PITCH IN MILLIMETERS: 0.80; THREAD CLASS: 6G; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 16.00 MILLIMETERS NOMINAL; FASTENER LENGTH: 16.00 MILLIMETERS NOMINAL AND 15.65 MILLIMETERS MINIMUM AND 16.35 MILLIMETERS MAXIMUM; MATERIAL: STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: ISO 3506-1 A4-80 INTERNATIONAL STD/SPEC SINGLE MATERIAL RESPONSE; HEAD STYLE: C48 FLAT FILLISTER; HEAD DIAMETER: 8.28 MILLIMETERS MINIMUM AND 8.72 MILLIMETERS MAXIMUM; HEAD HEIGHT: 4.82 MILLIMETERS MINIMUM AND 5.00 MILLIMETERS MAXIMUM; INTERNAL DRIVE STYLE: D5 HEXAGON; WIDTH ACROSS FLATS: 4.020 MILLIMETERS MINIMUM AND 4.095 MILLIMETERS MAXIMUM; END ITEM IDENTIFICATION: LINAPS M777 INSTALLATION. NSCM P/N AND MANUFACTURER U6682 G0020048 Selex ES Ltd. Great Britain ===== or equivalent ===== NSCM Offered: _____</p>	W248A	W248A	50	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
36	P/N Offered: _____								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
37	NSN - NNO: 4920-01-470-3582 CABLE ASSEMBLY, INTERFACE DEVICE, ELECTRIC NSCM P/N AND MANUFACTURER 7Z946 636920 Vectronix Inc. Ashburn, VA ===== 35643 636920 Leica Geosystems Inc. Norcross, GA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	10	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
38	NSN - NNO: 4920-01-470-3582 CABLE ASSEMBLY, INTERFACE DEVICE, EL ECTRIC NSCM P/N AND MANUFACTURER 7Z946 636920 Vectronix Inc. Ashburn, VA ===== 35643 636920 Leica Geosystems Inc. Norcross, GA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
39	NSN - NNO: 5310-99-941-9136 WASHER, KEY MATERIAL: STEEL; MATERIAL DOCUMENT AND CLASSIFICATION: DTD171 NATIONAL SPEC SINGLE MATERIAL RESPONSE; EXTERNAL KEY QUANTITY: 3; HOLE DIAMETER: 0.255 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; OUTSIDE DIAMETER: 0.440 INCHES MINIMUM AND 0.450 INCHES MAXIMUM; EXTERNAL PRESENT KEY LENGTH: 0.100 INCHES MINIMUM AND 0.110 INCHES MAXIMUM; EXTERNAL TAPERED KEY WIDTH: 0.250 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; EXTERNAL PRESENT KEY WIDTH: 0.110 INCHES MINIMUM AND 0.115 INCHES MAXIMUM; DISTANCE FROM CENTERLINE TO INSIDE OF PRESENT KEY: 0.265 INCHES MINIMUM AND 0.275 INCHES MAXIMUM; OVERALL DISTANCE INCLUDING KEYS: 0.652 INCHES NOMINAL; SPLIT KEY LENGTH: 0.130 INCHES NOMINAL; MATERIAL THICKNESS: 0.032 INCHES NOMINAL; ANGLE BETWEEN EXTERNAL KEYS: 60.0 DEGREES NOMINAL; EXTERNAL PRESENT KEY ANGLE: 15.0 DEGREES NOMINAL. NSCM P/N AND MANUFACTURER K1488 7760-4201 British Aerospace PLC Naval Great Britian ===== K1360 XB7106 Powerfield Specialist Engines Great Britian =====	WB941	W1941	200	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
39	or equivalent ===== NSCM Offered: _____ P/N Offered: _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
40	NSN - NNO: 5310-99-941-9136 WASHER, KEY MATERIAL: STEEL; MATERIAL DOCUMENT AND CLASSIFICATION: DTD171 NATIONAL SPEC SINGLE MATERIAL RESPONSE; EXTERNAL KEY QUANTITY: 3; HOLE DIAMETER: 0.255 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; OUTSIDE DIAMETER: 0.440 INCHES MINIMUM AND 0.450 INCHES MAXIMUM; EXTERNAL PRESENT KEY LENGTH: 0.100 INCHES MINIMUM AND 0.110 INCHES MAXIMUM; EXTERNAL TAPERED KEY WIDTH: 0.250 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; EXTERNAL PRESENT KEY WIDTH: 0.110 INCHES MINIMUM AND 0.115 INCHES MAXIMUM; DISTANCE FROM CENTERLINE TO INSIDE OF PRESENT KEY: 0.265 INCHES MINIMUM AND 0.275 INCHES MAXIMUM; OVERALL DISTANCE INCLUDING KEYS: 0.652 INCHES NOMINAL; SPLIT KEY LENGTH: 0.130 INCHES NOMINAL; MATERIAL THICKNESS: 0.032 INCHES NOMINAL; ANGLE BETWEEN EXTERNAL KEYS: 60.0 DEGREES NOMINAL; EXTERNAL PRESENT KEY ANGLE: 15.0 DEGREES NOMINAL. NSCM P/N AND MANUFACTURER K1488 7760-4201 British Aerospace PLC Naval Great Britian ===== K1360 XB7106 Powerfield Specialist Engines Great Britian =====	W248A	W248A	50	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
40	or equivalent ===== NSCM Offered: _____ P/N Offered: _____							

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
42	NSN - NNO: 5935-14-479-3745 BACKSHELL, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 17.CODE DIAMETRE ENTREE:H.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148-28-17A7H Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
43	NSN - NNO: 6135-01-499-6293 BATTERY, NONRECHARGEABLE BATTERY ELECTROLYTE: LITHIUM; COMMERCIAL BATTERY SIZE DESIGNATION: C; VOLTAGE IN VOLTS: 3.600; SHAPE: CYLINDRICAL; APPROXIMATE SHELF LIFE: 10.0 YEARS; TERMINAL QUANTITY: 1; OVERALL WIDTH: 1.031 INCHES MAXIMUM; OVERALL LENGTH: 1.970 INCHES MAXIMUM; SPECIAL FEATURES: 230MA MAXIMUM CONTINUOUS CURRENT; 400MA MAXIMUM PULSE CURRENT CAPABILITY; MINUS 55 TO PLUS 85 DEGREES CELSIUS OPERATING TEMPERATURE RANGE; 1.78 OUNCE WEIGHT; U.L. COMPONENT RECOGNITION MH12193; END ITEM IDENTIFICATION: COLLIMATOR, INFINITY AIMING, M1A1. NSCM P/N AND MANUFACTURER 4J947 TL-5920/S Saft Federal Systems Inc. Lake Success, NY ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	1000	Each	\$	XXXXXXXXXXXX	See Herein		

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
44	NSN - NNO: 6135-01-499-6293 BATTERY, NONRECHARGEABLE BATTERY ELECTROLYTE: LITHIUM; COMMERCIAL BATTERY SIZE DESIGNATION: C; VOLTAGE IN VOLTS: 3.600; SHAPE: CYLINDRICAL; APPROXIMATE SHELF LIFE: 10.0 YEARS; TERMINAL QUANTITY: 1; OVERALL WIDTH: 1.031 INCHES MAXIMUM; OVERALL LENGTH: 1.970 INCHES MAXIMUM; SPECIAL FEATURES: 230MA MAXIMUM CONTINUOUS CURRENT; 400MA MAXIMUM PULSE CURRENT CAPABILITY; MINUS 55 TO PLUS 85 DEGREES CELSIUS OPERATING TEMPERATURE RANGE; 1.78 OUNCE WEIGHT; U.L. COMPONENT RECOGNITION MH12193; END ITEM IDENTIFICATION: COLLIMATOR, INFINITY AIMING, M1A1. NSCM P/N AND MANUFACTURER 4J947 TL-5920/S Saft Federal Systems Inc. Lake Success, NY ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	500	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
45	NSN - NNO: 6850-99-813-1681 DESICCANT, ACTIVATED DESICCANT REFILL, 1 KG POUCH, METAL FOIL BAG, 4 X 8 ACTIVATED ALUMINA DESICCANT, FOR DEHYDRATOR, DUAL VOLTAGE, NEPS 1000, ADVANTAGE "P". ACTIVE INGREDIENT:ALUMINA MOISTURE INDICATOR IMPREGNATION:NOT INCLUDED IMMEDIATE CONTAINER TYPE:BAG QUANTITY WITHIN EACH IMMEDIATE CONTAINER:32 IMMEDIATE CONTAINER QUANTITY:1 QUANTITY WITHIN EACH UNIT PACKAGE:8.0 CARTRIDGES SPECIAL FEATURES:492 LG 233MM W DIMS,REFILL FOR NEPS 1000 (DVCDND). NSCM P/N AND MANUFACTURER K3649 BL/E1100/0495 Brownell Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
46	NSN - NNO: 6850-99-813-1681 DESSICANT, ACTIVATED DESSICANT REFILL, 1 KG POUCH, METAL FOIL BAG, 4 X 8 ACTIVATED ALUMINA DESSICANT, FOR DEHYDRATOR, DUAL VOLTAGE, NEPS 1000, ADVANTAGE "P". ACTIVE INGREDIENT:ALUMINA MOISTURE INDICATOR IMPREGNATION:NOT INCLUDED IMMEDIATE CONTAINER TYPE:BAG QUANTITY WITHIN EACH IMMEDIATE CONTAINER:32 IMMEDIATE CONTAINER QUANTITY:1 QUANTITY WITHIN EACH UNIT PACKAGE:8.0 CARTRIDGES SPECIAL FEATURES:492 LG 233MM W DIMS,REFILL FOR NEPS 1000 (DVCDND). NSCM P/N AND MANUFACTURER K3649 BL/E1100/0495 Brownell Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
48	NSN - NNO: 5305-00-450-5725 THUMBSCREW THREAD SERIES DESIGNATOR: UNS; NOMINAL THREAD DIAMETER: 0.250 INCHES; THREAD QUANTITY PER INCH: 40; THREAD CLASS: 2A; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 0.875 INCHES NOMINAL; FASTENER LENGTH: 1.188 INCHES NOMINAL; MATERIAL: OVERALL STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: OVERALL ASTM A582 ASSN STD SINGLE MATERIAL RESPONSE; HEAD STYLE: C66 KNURLED NO. 1; HEAD DIAMETER: 1.000 INCHES NOMINAL; HEAD HEIGHT: 0.312 INCHES NOMINAL; POINT STYLE: F19 FLAT; END ITEM IDENTIFICATION: COLLIMATOR. NSCM P/N AND MANUFACTURER 19200 8644315 US ARMY ARDEC RDECOM Picatinny Arsenal, NJ ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	15	Each	\$		XXXXXXXXXXXX	See Herein	
49	NSN - NNO: 6675-01-025-5899 STRAP, CARRYING NSCM P/N AND MANUFACTURER S3890 315-010 Leico Geosystems AG Switzerland ===== 78039 315010 Leico Inc.	WB941	W1941	40	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
49	Libertyville, IL ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____								

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
50	NSN - NNO: 6675-01-025-5899 STRAP, CARRYING NSCM P/N AND MANUFACTURER S3890 315-010 Leico Geosystems AG Switzerland ===== 78039 315010 Leico Inc. Libertyville, IL ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
51	NSN - NNO: 6675-12-323-5646 CONTAINER ACCESSORIES NSCM P/N AND MANUFACTURER S3890 536275 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$		XXXXXXXXXXXX	See Herein	
52	NSN - NNO: 6675-12-323-5646 CONTAINER ACCESSORIES NSCM P/N AND MANUFACTURER S3890 536275 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	10	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
53	NSN - NNO: 5935-01-590-7778 COVER, ELECTRICAL CONNECTOR MATERIAL: METAL; END ITEM IDENTIFICATION: DCDT CABLE ASSEMBLY - M777 HOWITZER FIRE CONTROL COMPONENT; PART NAME ASSIGNED BY CONTROLLING AGENCY: PROTECTIVE CAP - CRIMP FERRULE. NSCM P/N AND MANUFACTURER 06090 100P608-19-1ZB-R12-CF Tyco Electronics Corporation Menlo Park, CA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	30	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
56	NSN - NNO: 5970-99-667-6086 INSULATION SLEEVING, ELECTRICAL, SPECIAL PURPOSE. MATERIAL: ELASTOMER; RELIABILITY INDICATOR: NOT ESTABLISHED; SPECIAL FEATURES: RD SHAPE /FLUTED O/D, 40MM ID REDUCES TO 25MM, 12-18 SHELL SIZE. NSCM P/N AND MANUFACTURER K1010 200W652-20-0 TE Connectivity Limited Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	10	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
57	NSN - NNO: 5935-14-478-3701 BACKSHELL, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 09.CODE DIAMETRE ENTREE:B.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148 -28 -09A7B Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
58	NSN - NNO: 5935-14-478-3701 BACKSHELL, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 09.CODE DIAMETRE ENTREE:B.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148-28-09A7B Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	50	Each	\$	XXXXXXXXXXXX		See Herein	

TABLE OF CONTENTS

PART 1 - GENERAL INFORMATION

1. Security Requirement
2. Requirement
3. Debriefings

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Mandatory Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. Defence Contract
12. SACC Manual Clauses
13. SACC Manual Clauses (Delivery)

PART 1 - GENERAL INFORMATION

1. Security Requirement

There is no security requirement associated with the requirement.

2. Requirement

The contractor must provide the goods, in the quantities stated at pages 3 to 60.

2.1 Delivery Requirement

Delivery is requested to be completed by June 30, 2014.

3. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual

(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of 2003, Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days
Insert: ninety (90) calendar days

1.1 SACC Manual Clauses

SACC Reference	Section	Date
A9130T	Controlled Goods Program - Items 001 to 010 inclusive	2011-05-16
B1000T	Condition of Material	2007-11-30

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than five (5) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

Solicitation No. - N° de l'invitation

W8486-140800/A

Amd. No. - N° de la modif.

File No. - N° du dossier

hn313W8486-140800

Buyer ID - Id de l'acheteur

hn313

CCC No./N° CCC - FMS No/ N° VME

W8486-140800

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

- Section I: Technical Bid (1 hard copies)
- Section II: Financial Bid (1 hard copies)
- Section III: Certifications (1 hard copies)
- Section IV: Additional Information (1 hard copies)

If there is a discrepancy between the wording of the soft copy and the hard copy, the wording of the hard copy will have priority over the wording of the soft copy.

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process Policy on Green Procurement

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders are encouraged to:

- 1) use paper containing fibre certified as originating from a sustainably-managed forest and/or containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

1.1 Equivalent Products

- 1. Products that are equivalent in form, fit, function and quality to the item(s) specified in the bid solicitation will be considered where the Bidder:
 - (a) designates the brand name, model and/or part number of the substitute product;
 - (b) states that the substitute product is fully interchangeable with the item specified;

-
- (c) **provides complete specifications and descriptive literature for each substitute product with the bid;**
- (d) provides compliance statements that include technical specifics showing the substitute product meets all mandatory performance criteria that are specified in the bid solicitation; and
- (e) clearly identifies those areas in the specifications and descriptive literature that support the substitute product's compliance with any mandatory performance criteria.
2. Products offered as equivalent in form, fit, function and quality will not be considered if:
- (a) the bid fails to provide all the information requested to allow the Contracting Authority to fully evaluate the equivalency of each substitute product; or
- (b) the substitute product fails to meet or exceed the mandatory performance criteria specified in the bid solicitation for that item.
3. In conducting its evaluation of the bids, Canada may, but will have no obligation to, request bidders offering a substitute product to demonstrate, at the sole cost of bidders, that the substitute product is equivalent to the item specified in the bid solicitation.

1.2 Substitute Products - Samples (DND)

If the Bidder offers a substitute product, Canada reserves the right to request a sample from the Bidder in order to determine its equivalency in form, fit, function, quality and performance to the item specified in the bid solicitation.

The Bidder must, upon request from the Contracting Authority, provide a sample to the Technical Authority, transportation charges prepaid, and without charge to Canada, within twenty-one (21) calendar days from the date of request. The sample submitted by the Bidder will remain the property of Canada and will not be considered as part of the deliverables in any resulting contract. If the sample does not meet the requirements of the bid solicitation or the Bidder fails to comply with the request of the Contracting Authority, the bid will be declared non-responsive.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.1 Pricing - Multi-Item Bid Solicitation

Bidders do not have to quote a price for every item in the bid solicitation in order to be evaluated. Bidders may withdraw one or more items after bid closing but prior to contract award by advising in writing the Contracting Authority.

1.2 Exchange Rate Fluctuation

The requirement does not offer exchange rate fluctuation risk mitigation. Requests for exchange rate fluctuation risk mitigation will not be considered. All bids including such provision will render the bid non-responsive.

Solicitation No. - N° de l'invitation

W8486-140800/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hn313

Client Ref. No. - N° de réf. du client

W8486-140800

File No. - N° du dossier

hn313W8486-140800

CCC No./N° CCC - FMS No/ N° VME

Section III: Certifications

1.1 Certifications

Bidders must submit the certifications required under Part 5.

Section IV: Additional Information

1.1 Additional Information

1.1.1 Delivery Offered

Offered delivery is indicated at the item description herein.

1.1.2 Contractor Representatives

Name and telephone number of the person responsible for :

General enquiries

Name:

Telephone:

Facsimile:

E-mail:

Delivery follow-up

Name:

Telephone:

Facsimile:

E-mail:

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

Evaluation Criteria

All bids must be completed in full and provide all of the information requested in the bid solicitation to enable full and complete evaluation.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

The following Mandatory requirements must be submitted with the bid for evaluation

Technical compliance (description of items 001 to 058 from pages 3 to 60 herein);
Bids must be submitted for all destinations per NSN.

1.2 Financial Evaluation

The following **Mandatory** factors will be taken into consideration in the evaluation of each bid:

Compliance with Pricing Basis;

The Bid price will be determined by processing items 001 to 058 at pages 3 to 60 as follows:

- a. Sum of items with identical NSN's total price (unit price x qty.) (group basis).

1.2.1 Pricing Basis

The bidder must quote firm unit prices in Canadian dollars, DDP Delivered Duty Paid (destination), Applicable Taxes extra, as applicable. Freight charges to destination and all applicable Custom duties and Excise taxes must be included, as applicable.

2. Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price on an identical NSN basis will be recommended for award of a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and documentation to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

1. Mandatory Certifications Required Precedent to Contract Award

1.1 Code of Conduct and Certifications - Related documentation

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are in compliance with the provisions as stated in Section 01 Code of Conduct and Certifications - Bid of Standard Instructions 2003. The related documentation therein required will assist Canada in confirming that the certifications are true.

1.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from Human Resources and Skills Development Canada (HRSDC) - Labour's website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement associated with the requirement.

2. Requirement

The contractor must provide the goods and in the quantities stated at pages ____ to ____.

2.1 SACC Manual Clauses

SACC Reference	Section	Date
B1501C	Electrical Equipment	2006-06-16
B4019C	United States Military Specifications and Standards - Items 025 and 026	2007-11-30
B7500C	Excess Goods	2006-06-16

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the Standard Acquisition Clauses and Conditions Manual (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2013-04-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

3.2 SACC Manual Clauses

SACC Reference	Section	Date
A9131C	Controlled Goods Program	2008-12-12
B4060C	Controlled Goods	2008-05-12
C2800C	Priority Rating	2013-01-28
C2801C	Priority Rating - Canadian Contractors	2011-05-16

4. Term of Contract

4.1 Delivery Date

All the deliverables must be received on or before _____ (Delivery as offered and as accepted will be inserted at contract award).

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Ruth Kelly
Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
Logistics, Electrical, Fuel and Transportation Directorate
"HN" Division
7B3, Place du Portage, Phase III
11 Laurier Street
Gatineau, QC, K1A 0S5

Telephone: (819) 956-3588
Facsimile: (819) 953-4944
E-mail address: ruth.kelly@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Contractor's Representative

Name and telephone number of the person responsible for:

General Enquiries

Name: will be inserted at contract
Telephone: will be inserted at contract
Facsimile: will be inserted at contract
E-mail: will be inserted at contract

Delivery Follow-up

Name: will be inserted at contract
Telephone: will be inserted at contract
Facsimile: will be inserted at contract
E-mail: will be inserted at contract

6. Payment

6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit prices, as specified in the contract. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Limitation of Price

SACC Manual clause C6000C (2011-05-16) Limitation of Price

6.3 Multiple Payments

SACC Manual clause H1001C (2008-05-12) Multiple Payments

6.4 SACC Manual Clauses

SACC Reference	Section	Date
G1005C	Insurance	2008-05-12

7. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

2. Invoices must be distributed as follows:

- (a) one (1) copy must be forwarded to the consignee.
- (b) The original and one (1) copy must be forwarded to the following address for certification and payment.

National Defence Headquarters
 MGen George R. Pearkes Building
 101 Colonel By Drive
 Ottawa, ON
 K1A 0K2
 Attention: DLP 4-2-1.

- (c) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

Department of Public Works and Government Services
 "HN" Division
 7B3 Place du Portage, Phase III
 11 Laurier Street
 Gatineau, QC
 K1A 0S5
 Attention: Ruth Kelly

8. Certifications

8.1 Compliance

Compliance with the certifications and related documentation provided by the Contractor in its bid is a condition of the Contract and subject to verification by Canada during the term of the Contract. If the Contractor does not comply with any certification, provide the related documentation or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

8.2 Federal Contractors Program for Employment Equity - Default by the Contractor

The Contractor understands and agrees that, when an Agreement to Implement Employment Equity (AIEE) exists between the Contractor and HRSDC-Labour, the AIEE must remain valid during the entire period of the Contract. If the AIEE becomes invalid, the name of the Contractor will be added to the "FCP Limited Eligibility to Bid" list. The imposition of such a sanction by HRSDC will constitute the Contractor in default as per the terms of the Contract.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Ontario.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) 2010A (2013-04-25) General Conditions - Goods (Medium Complexity);
- (c) Requirement;
- (d) the Contractor's bid dated _____ (*insert date of bid*) (*If the bid was clarified or amended, insert at the time of contract award: " , as clarified on _____ " or " , as amended on _____ " and insert date(s) of clarification(s) or amendment(s)*)

11. Defence Contract

SACC Manual clause A9006C (2012-07-16) Defence Contract

12. SACC Manual Clauses

SACC Reference	Section	Date
D5545C	ISO 9001:2008 - Quality Management Systems - Requirements (Quality Assurance Code C)	2010-08-16

12.1 NATO Commercial and Government Entity Code (NCAGE) Traceability

Material supplied for the items specified in this contract is subject to investigation by Canada. Material which can neither be demonstrated by the contractor as having originated directly from the NCAGE specified for the item in this contract, nor as supplied with the specific written permission of this specified NCAGE, are subject to the following action by Canada.

Canada may either:

- (a) terminate the contract for default with respect to that item, return the item to the Contractor at the Contractor's risk and expense, and demand and receive from the Contractor (who shall forthwith so pay) all procurement and other costs incurred by Canada, including any increased costs required for the purpose of expediting production; or
- (b) retain the item, and demand and receive from the Contractor (who shall forthwith so pay) the difference between the Contractor's costs relating to the item, as determined by Canada, and the costs which, in Canada's opinion, the Contractor would have incurred had it obtained and supplied an item which did not differ in any way from that specifically required under the contract.

13. SACC Manual Clauses (Delivery)

SACC Reference	Section	Date
D2000C	Marking	2007-11-30
D2001C	Labelling	2007-11-30
D6010C	Palletization	2007-11-30
D3010C	Dangerous Goods/Hazardous Products - For Items 23 & 24 and 43 & 44	2012-07-16
D9002C	Incomplete Assemblies	2007-11-30

13.1 Shipping Instructions - Delivery at Destination

Goods must be consigned to the destination specified in the Contract and delivered:

- (a) Delivered Duty Paid (DDP) (Montreal, Quebec and Edmonton, Alberta) Incoterms 2000 for shipments from a commercial contractor.

13.2 Preparation for Delivery

The Contractor must prepare item numbers 001 - 058 for delivery in accordance with the latest issue of the Canadian Forces Packaging Specification D-LM-008-036/SF-000, DND Minimum Requirements for Manufacturer's Standard Pack.

The Contractor must package item numbers 001 - 058 in quantities of 1 by package.

13.3 Preparation for Delivery - Items 001 - 004, 031 - 036, 039, 040, 045 and 046

Option 1

Preservation and packaging must be to level _____ and packing must be to level _____ in accordance with Canadian Forces Packaging Specification _____ .

Option 2

Preservation and packaging must be to level _____ and packing must be to level _____ in accordance with United States Department of Defense Military Specification _____ .

Option 3

Preservation, packaging and packing must be manufacturer's Trade Export Packaging or such packaging of a higher grade as recommended by the British Ministry.

13.4 Shipping - Scheduling

The Contractor must deliver the goods to Canadian Forces (CF) Supply Depots by appointment only. The Contractor or its carrier must arrange delivery appointments by contacting the Depot Traffic Section at the appropriate location shown below. The consignee may refuse shipments when prior arrangements have not been made.

- (a) 7 CF Supply Depot Lancaster Park
Edmonton, Alta
Telephone: 780-973-4011, ext. 4524
- (b) 25 CF Supply Depot Montreal
Montreal, Qué.
Telephone: 1-866-935-8673 (toll free), or
514-252-2777, ext. 2363 / 4673 / 4282