

**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**

**Bid Receiving - PWGSC / Réception des
soumissions - TPSGC**
11 Laurier St. / 11, rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5
Bid Fax: (819) 997-9776

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet SPARE PARTS FOR STOCK REPLENISHMENT	
Solicitation No. - N° de l'invitation W8486-140800/A	Date 2014-02-11
Client Reference No. - N° de référence du client W8486-140800	
GETS Reference No. - N° de référence de SEAG PW-\$\$HN-313-64650	
File No. - N° de dossier hn313.W8486-140800	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-03-24	
Time Zone Fuseau horaire Eastern Daylight Saving Time EDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Kelly, Ruth	Buyer Id - Id de l'acheteur hn313
Telephone No. - N° de téléphone (819) 956-3588 ()	FAX No. - N° de FAX () -
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Specified Herein Précisé dans les présentes	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Electrical & Electronics Products Division
11 Laurier St./11, rue Laurier
7B3, Place du Portage, Phase III
Gatineau, Québec K1A 0S5

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date



Destination Code - Code destinataire	Destination Address - Adresse de la destination	Invoice Code - Code bur.-comptable	Invoice Address - Adresse de facturation
W248A	DEPARTMENT OF NATIONAL DEFENCE BLDG 236 EAST END 195 AVE&82ND ST EDMONTON Alberta T5J4J5 Canada	W248A	DEPARTMENT OF NATIONAL DEFENCE BLDG 236 EAST END 195 AVE&82ND ST ATTN: INVOICE SECTION EDMONTON Alberta T5J4J5 Canada
WB941	DEPARTMENT OF NATIONAL DEFENCE CFSD MONTREAL 6363 RUE NOTRE DAME ST E. MONTREAL Quebec H1N2E9 Canada	W1941	DEPARTMENT OF NATIONAL DEFENCE C.P. 4000 SUCC K ATTN: INVOICE SECTION MONTREAL Quebec H1N3R9 Canada



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Offered Liv. offerte
1	NSN - NNO: 1290-99-965-7074 SCALE. COMPRISES OF SPIGOT, SCALE AND RIVET; 3 HOLES. NSCM P/N AND MANUFACTURER U1515 0S91623 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	100	Each	\$	XXXXXXXXXXXX		See Herein



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
2	NSN - NNO: 1290-99-965-7074 SCALE. COMPRISES OF SPIGOT, SCALE A ND RIVET; 3 HOLES. NSCM P/N AND MANUFACTURER U1515 0S91623 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
3	NSN - NNO: 1290-99-961-8537 SCALE, PROTRACTOR CIRCULAR; C/W PLATE, CAP, SPRING & PLUGER. NSCM P/N AND MANUFACTURER K2155 0S9883SA Blundell Harling Ltd. Great Britian ===== U1515 0S9883SA DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	40	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
4	NSN - NNO: 1290-99-961-8537 SCALE, PROTRACTOR CIRCULAR; C/W PLATE, CAP, SPRING & PLUGER. NSCM P/N AND MANUFACTURER K2155 0S9883SA Blundell Harling Ltd. Great Britian ===== U1515 0S9883SA DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	15	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
5	NSN - NNO: 1290-99-961-8541 ARM, PROTRACTOR, C/W 1 SCALE, 1 SP IGOT & 3 RIVETS. NSCM P/N AND MANUFACTURER U1515 OS80833 DGS&E TIG IRC Great Britian ===== K2155 OS80833 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	50	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
6	NSN - NNO: 1290-99-961-8541 ARM, PROTRACTOR, C/W 1 SCALE, 1 SP IGOT & 3 RIVETS. NSCM P/N AND MANUFACTURER U1515 0S80833 DGS&E TIG IRC Great Britian ===== K2155 0S80833 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
7	NSN - NNO: 1290-99-961-8540 ARM, PROTRACTOR NSCM P/N AND MANUFACTURER U1515 0S80832 DGS&E TIG IRC Great Britian ===== K2155 0S80832 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	50	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
8	NSN - NNO: 1290-99-961-8540 ARM, PROTRACTOR NSCM P/N AND MANUFACTURER U1515 0S80832 DGS&E TIG IRC Great Britian ===== K2155 0S80832 Blundell Harling Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
9	NSN - NNO: 1290-99-961-8539 ARM, PROTRACTOR. NSCM P/N AND MANUFACTURER K2155 0S80831 Blundell Harling Ltd. Great Britian ===== U1515 0S80831 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	100	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
10	NSN - NNO: 1290-99-961-8539 ARM, PROTRACTOR NSCM P/N AND MANUFACTURER K2155 0S80831 Blundell Harling Ltd. Great Britian ===== U1515 0S80831 DGS&E TIG IRC Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	25	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
11	NSN - NNO: 6150-21-906-5759 CABLE ASSEMBLY, POWER, ELECTRICAL SPECIAL FEATURES: U/O D11000 EDM ONLY; TERMINATED FIRST END WITH CONNECTOR STRAIGHT MS3116F8-3S OTHER END CONNECTOR STRAIGHT LEMO FGA0B305CLAD52Z. NSCM P/N AND MANUFACTURER S3890 1522784 Leica Geosystems Ag Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$	XXXXXXXXXXXX	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
12	NSN - NNO: 6150-21-906-5759 CABLE ASSEMBLY, POWER, ELECTRICAL SPECIAL FEATURES: U/O D11000 EDM ONLY; TERMINATED FIRST END WITH CONNECTOR STRAIGHT MS3116F8-3S OTHER END CONNECTOR STRAIGHT LEMO FGA0B305CLAD52Z. NSCM P/N AND MANUFACTURER S3890 1522784 Leica Geosystems Ag Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
13	NSN - NNO: 6675-22-123-1572 DRIVE, HORIZONTAL NSCM P/N AND MANUFACTURER S3890 452857 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	5	Each	\$		XXXXXXXXXXXX	See Herein	
14	NSN - NNO: 6675-22-123-1572 DRIVE, HORIZONTAL NSCM P/N AND MANUFACTURER S3890 452857 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	2	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
15	NSN - NNO: 5210-21-910-0470 LEVEL, CEMENTED NSCM P/N AND MANUFACTURER S3890 370 449 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	15	Each	\$		XXXXXXXXXXXX	See Herein	
16	NSN - NNO: 5210-21-910-0470 LEVEL, CEMENTED NSCM P/N AND MANUFACTURER S3890 370 449 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
17	NSN - NNO: 6675-22-123-1573 DRIVE, VERTICAL NSCM P/N AND MANUFACTURER S3890 459997 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	5	Each	\$		XXXXXXXXXXXX	See Herein	
18	NSN - NNO: 6675-22-123-1573 DRIVE, VERTICAL NSCM P/N AND MANUFACTURER S3890 459997 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	2	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
19	NSN - NNO: 5305-12-157-9196 SCREW, CAP, SOCKET HEAD FILLISTER HEAD, 11.0 MM NOM DIA, 2.0MM NOM H; DRILLED HOLES DRIVE; BRASS, CHROMIUM SURF; S4X0.70-6G ISO; 6.0 MM NOM THD LG; 6.50 MM NOM FASTENER LG. NSCM P/N AND MANUFACTURER S3890 122786 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	10	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
20	NSN - NNO: 5305-12-157-9196 SCREW, CAP, SOCKET HEAD FILLISTER HEAD, 11.0 MM NOM DIA, 2.0MM NOM H; DRILLED HOLES DRIVE; BRASS, CHROMIUM SURF; S4X0.70-6G ISO; 6.0 MM NOM THD LG; 6.50 MM NOM FASTENER LG. NSCM P/N AND MANUFACTURER S3890 122786 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
21	NSN - NNO: 5340-12-320-6948 COVER, ACCESS BODY RADIUS: 128,5 MILLIMETERS NOMINAL; SECURING DEVICE TYPE: SPECIAL; SPECIAL FEATURES: HOEHE 23,0 MILLIMETER; MATERIAL: PLASTIC. NSCM P/N AND MANUFACTURER S3890 430952 Leica Geosystems AG Switerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
22	NSN - NNO: 5340-11-232-0694 COVER, ACCESS BODY RADIUS: 128,5 MILLIMETERS NOMINAL; SECURING DEVICE TYPE: SPECIAL; SPECIAL FEATURES: HOEHE 23,0 MILLIMETER; MATERIAL: PLASTIC. NSCM P/N AND MANUFACTURER S3890 430952 Leica Geosystems AG Switerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	40	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte	
23	<p>NSN - NNO: 6135-12-308-9723 BATTERY, NONRECHARGEABLE VOLTAGE IN VOLTS: 8,4 VOLT BIS 12,0 VOLT; SHAPE: RECTANGULAR W/DIAGONAL CORNERS AND RECTANGULAR W/ROUNDED CORNERS; TERMINAL QUANTITY: 2; TERMINAL TYPE: VERSENKTEFLACHKONTAKTE/KONTAKTFEDE RN, KORROSIONSBESTAENDIG; OVERALL WIDTH: 65.0 MILLIMETERS NOMINAL; OVERALL LENGTH: 78.5 MILLIMETERS NOMINAL; OVERALL HEIGHT: 33.0 MILLIMETERS NOMINAL; SPECIFICATION/STANDARD DATA: D9477-VG96915T153 GOVERNMENT STANDARD; END ITEM IDENTIFICATION: 5820-12-193-3336 FUNKGERAETESATZ SEM52 S, TRAGBAR; UNPACKAGED UNIT WEIGHT: 360.0 GRAMS. NSCM P/N AND MANUFACTURER C0303 49405 Friemann & Wolf Batterietechnik GMB Germany ===== D1901 54.1038.018.02IV EADS Deutschland GMBH-Verteidigung Germany ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____</p>	WB941	W1941	200	Each	\$		XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte	
24	<p>NSN - NNO: 6135-12-308-9723 BATTERY, NONRECHARGEABLE VOLTAGE IN VOLTS: 8,4 VOLT BIS 12,0 VOLT; SHAPE: RECTANGULAR W/DIAGONAL CORNERS AND RECTANGULAR W/ROUNDED CORNERS; TERMINAL QUANTITY: 2; TERMINAL TYPE: VERSENKTEFLACHKONTAKTE/KONTAKTFEDE RN, KORROSIONSBESTAENDIG; OVERALL WIDTH: 65.0 MILLIMETERS NOMINAL; OVERALL LENGTH: 78.5 MILLIMETERS NOMINAL; OVERALL HEIGHT: 33.0 MILLIMETERS NOMINAL; SPECIFICATION/STANDARD DATA: D9477-VG96915T153 GOVERNMENT STANDARD; END ITEM IDENTIFICATION: 5820-12-193-3336 FUNKGERAETESATZ SEM52 S, TRAGBAR; UNPACKAGED UNIT WEIGHT: 360.0 GRAMS. NSCM P/N AND MANUFACTURER C0303 49405 Friemann & Wolf Batterietechnik GMB Germany ===== D1901 54.1038.018.02IV EADS Deutschland GMBH-Verteidigung Germany ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____</p>	W248A	W248A	100	Each	\$		XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
25	NSN - NNO: 5935-01-543-5679 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 1.090 INCHES MINIMUM AND 1.102 INCHES MAXIMUM; OVERALL WIDTH: 1.660 INCHES MAXIMUM; BODY LENGTH: 0.809 INCHES MAXIMUM; BODY HEIGHT: 0.809 INCHES MAXIMUM; OVERALL DIAMETER: 1.660 INCHES MAXIMUM; MATERIAL: STEEL, CORROSION RESISTING; SURFACE TREATMENT: PASSIVATED; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; THREAD SERIES DESIGNATOR: SPECIAL ACME; NOMINAL THREAD SIZE: 1.000 INCHES; THREAD CLASS: 2B; THREAD DIRECTION: RIGHT-HAND; NOMINAL THREAD LENGTH: 0.954(...). NSCM P/N AND MANUFACTURER 81349 MIL-DTL-38999/51 or D38999/51K-15N Military Specifications US ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
26	NSN - NNO: 5935-01-543-5679 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 1.090 INCHES MINIMUM AND 1.102 INCHES MAXIMUM; OVERALL WIDTH: 1.660 INCHES MAXIMUM; BODY LENGTH: 0.809 INCHES MAXIMUM; BODY HEIGHT: 0.809 INCHES MAXIMUM; OVERALL DIAMETER: 1.660 INCHES MAXIMUM; MATERIAL: STEEL, CORROSION RESISTING; SURFACE TREATMENT: PASSIVATED; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; THREAD SERIES DESIGNATOR: SPECIAL ACME; NOMINAL THREAD SIZE: 1.000 INCHES; THREAD CLASS: 2B; THREAD DIRECTION: RIGHT-HAND; NOMINAL THREAD LENGTH: 0.954(...). NSCM P/N AND MANUFACTURER 81349 MIL-DTL-38999/51 or D38999/51K-15N Military Specifications US ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	
27	NSN - NNO: 5935-99-593-9000 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P608-19-1-ZB-IC4-19 Polamco Ltd. Great Britian =====	WB941	W1941	25	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
27	or equivalent ===== NSCM offered: _____ P/N Offered: _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
28	NSN - NNO: 5935-99-593-9000 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P608-19-1-ZB-LC4-19 Polamco Ltd. Great Britian ===== or equivalent ===== NSCM offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
29	NSN - NNO: 5935-99-170-5566 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 17.50 MILLIMETERS NOMINAL; OVERALL DIAMETER: 28.00 MILLIMETERS NOMINAL; MATERIAL: ALUMINUM ALLOY; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; NOMINAL THREAD SIZE: 0.875 INCHES; FURNISHED ITEMS: LANYARD. NSCM P/N AND MANUFACTURER U5792 100P160-13-1-ZB-TC4-13 Polamco Ltd. Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
30	NSN - NNO: 5935-99-170-5566 COVER, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 1A INTERNAL THREAD W/CHAIN OR ROPE; OVERALL LENGTH: 17.50 MILLIMETERS NOMINAL; OVERALL DIAMETER: 28.00 MILLIMETERS NOMINAL; MATERIAL: ALUMINUM ALLOY; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; NOMINAL THREAD SIZE: 0.875 INCHES; FURNISHED ITEMS: LANYARD. NSCM P/N AND MANUFACTURER U5792 100P160-13-1-ZB-TC4-13 Polamco Ltd. Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
31	NSN - NNO: 5935-99-226-1212 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P160-11-1ZB-R12-CF Polamco Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
32	NSN - NNO: 5935-99-226-1212 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: FOR DATA CABLE ASSEMBLY 3854-86773. NSCM P/N AND MANUFACTURER U5792 100P160-11-1ZB-R12-CF Polamco Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
33	NSN - NNO: 5935-99-593-8999 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: SECURED TO CABLE ASSY W/LANYARD AND CRIMP. NSCM P/N AND MANUFACTURER U5792 100P609-19-1-ZB-R12-CF Polamco Ltd. Great British ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
34	NSN - NNO: 5935-99-593-8999 COVER, ELECTRICAL CONNECTOR SPECIAL FEATURES: SECURED TO CABLE ASSY W/LANYARD AND CRIMP. NSCM P/N AND MANUFACTURER U5792 100P609-19-1-ZB-R12-CF Polamco Ltd. Great British ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
35	<p>NSN - NNO: 5305-99-277-2140 SCREW, CAP, SOCKET HEAD THREAD SERIES DESIGNATOR: ISO M; NOMINAL THREAD DIAMETER: 5.00 MILLIMETERS; THREAD PITCH IN MILLIMETERS: 0.80; THREAD CLASS: 6G; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 16.00 MILLIMETERS NOMINAL; FASTENER LENGTH: 16.00 MILLIMETERS NOMINAL AND 15.65 MILLIMETERS MINIMUM AND 16.35 MILLIMETERS MAXIMUM; MATERIAL: STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: ISO 3506-1 A4-80 INTERNATIONAL STD/SPEC SINGLE MATERIAL RESPONSE; HEAD STYLE: C48 FLAT FILLISTER; HEAD DIAMETER: 8.28 MILLIMETERS MINIMUM AND 8.72 MILLIMETERS MAXIMUM; HEAD HEIGHT: 4.82 MILLIMETERS MINIMUM AND 5.00 MILLIMETERS MAXIMUM; INTERNAL DRIVE STYLE: D5 HEXAGON; WIDTH ACROSS FLATS: 4.020 MILLIMETERS MINIMUM AND 4.095 MILLIMETERS MAXIMUM; END ITEM IDENTIFICATION: LINAPS M777 INSTALLATION. NSCM P/N AND MANUFACTURER U6682 G0020048 Selex ES Ltd. Great Britain =====</p> <p>or equivalent =====</p> <p>NSCM Offered: _____</p>	WB941	W1941	100	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
35	P/N Offered: _____								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
36	<p>NSN - NNO: 5305-99-277-2140 SCREW, CAP, SOCKET HEAD THREAD SERIES DESIGNATOR: ISO M; NOMINAL THREAD DIAMETER: 5.00 MILLIMETERS; THREAD PITCH IN MILLIMETERS: 0.80; THREAD CLASS: 6G; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 16.00 MILLIMETERS NOMINAL; FASTENER LENGTH: 16.00 MILLIMETERS NOMINAL AND 15.65 MILLIMETERS MINIMUM AND 16.35 MILLIMETERS MAXIMUM; MATERIAL: STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: ISO 3506-1 A4-80 INTERNATIONAL STD/SPEC SINGLE MATERIAL RESPONSE; HEAD STYLE: C48 FLAT FILLISTER; HEAD DIAMETER: 8.28 MILLIMETERS MINIMUM AND 8.72 MILLIMETERS MAXIMUM; HEAD HEIGHT: 4.82 MILLIMETERS MINIMUM AND 5.00 MILLIMETERS MAXIMUM; INTERNAL DRIVE STYLE: D5 HEXAGON; WIDTH ACROSS FLATS: 4.020 MILLIMETERS MINIMUM AND 4.095 MILLIMETERS MAXIMUM; END ITEM IDENTIFICATION: LINAPS M777 INSTALLATION. NSCM P/N AND MANUFACTURER U6682 G0020048 Selex ES Ltd. Great Britain =====</p> <p>or equivalent =====</p> <p>NSCM Offered: _____</p>	W248A	W248A	50	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
36	P/N Offered: _____								



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
37	NSN - NNO: 4920-01-470-3582 CABLE ASSEMBLY, INTERFACE DEVICE, ELECTRIC NSCM P/N AND MANUFACTURER 7Z946 636920 Vectronix Inc. Ashburn, VA ===== 35643 636920 Leica Geosystems Inc. Norcross, GA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	10	Each	\$		XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
38	NSN - NNO: 4920-01-470-3582 CABLE ASSEMBLY, INTERFACE DEVICE, EL ECTRIC NSCM P/N AND MANUFACTURER 7Z946 636920 Vectronix Inc. Ashburn, VA ===== 35643 636920 Leica Geosystems Inc. Norcross, GA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX	XXXXXXXXXXXX	See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
39	NSN - NNO: 5310-99-941-9136 WASHER, KEY MATERIAL: STEEL; MATERIAL DOCUMENT AND CLASSIFICATION: DTD171 NATIONAL SPEC SINGLE MATERIAL RESPONSE; EXTERNAL KEY QUANTITY: 3; HOLE DIAMETER: 0.255 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; OUTSIDE DIAMETER: 0.440 INCHES MINIMUM AND 0.450 INCHES MAXIMUM; EXTERNAL PRESENT KEY LENGTH: 0.100 INCHES MINIMUM AND 0.110 INCHES MAXIMUM; EXTERNAL TAPERED KEY WIDTH: 0.250 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; EXTERNAL PRESENT KEY WIDTH: 0.110 INCHES MINIMUM AND 0.115 INCHES MAXIMUM; DISTANCE FROM CENTERLINE TO INSIDE OF PRESENT KEY: 0.265 INCHES MINIMUM AND 0.275 INCHES MAXIMUM; OVERALL DISTANCE INCLUDING KEYS: 0.652 INCHES NOMINAL; SPLIT KEY LENGTH: 0.130 INCHES NOMINAL; MATERIAL THICKNESS: 0.032 INCHES NOMINAL; ANGLE BETWEEN EXTERNAL KEYS: 60.0 DEGREES NOMINAL; EXTERNAL PRESENT KEY ANGLE: 15.0 DEGREES NOMINAL. NSCM P/N AND MANUFACTURER K1488 7760-4201 British Aerospace PLC Naval Great Britian ===== K1360 XB7106 Powerfield Specialist Engines Great Britian =====	WB941	W1941	200	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
39	or equivalent ===== NSCM Offered: _____ P/N Offered: _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
40	NSN - NNO: 5310-99-941-9136 WASHER, KEY MATERIAL: STEEL; MATERIAL DOCUMENT AND CLASSIFICATION: DTD171 NATIONAL SPEC SINGLE MATERIAL RESPONSE; EXTERNAL KEY QUANTITY: 3; HOLE DIAMETER: 0.255 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; OUTSIDE DIAMETER: 0.440 INCHES MINIMUM AND 0.450 INCHES MAXIMUM; EXTERNAL PRESENT KEY LENGTH: 0.100 INCHES MINIMUM AND 0.110 INCHES MAXIMUM; EXTERNAL TAPERED KEY WIDTH: 0.250 INCHES MINIMUM AND 0.260 INCHES MAXIMUM; EXTERNAL PRESENT KEY WIDTH: 0.110 INCHES MINIMUM AND 0.115 INCHES MAXIMUM; DISTANCE FROM CENTERLINE TO INSIDE OF PRESENT KEY: 0.265 INCHES MINIMUM AND 0.275 INCHES MAXIMUM; OVERALL DISTANCE INCLUDING KEYS: 0.652 INCHES NOMINAL; SPLIT KEY LENGTH: 0.130 INCHES NOMINAL; MATERIAL THICKNESS: 0.032 INCHES NOMINAL; ANGLE BETWEEN EXTERNAL KEYS: 60.0 DEGREES NOMINAL; EXTERNAL PRESENT KEY ANGLE: 15.0 DEGREES NOMINAL. NSCM P/N AND MANUFACTURER K1488 7760-4201 British Aerospace PLC Naval Great Britian ===== K1360 XB7106 Powerfield Specialist Engines Great Britian =====	W248A	W248A	50	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
40	or equivalent ===== NSCM Offered: _____ P/N Offered: _____							



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
41	NSN - NNO: 5935-14-479-3745 BACKSHELL, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 17.CODE DIAMETRE ENTREE:H.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148 -28 -17A7H Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	40	Each	\$	XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
42	NSN - NNO: 5935-14-479-3745 BACKSHELL, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 17.CODE DIAMETRE ENTREE:H.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148-28-17A7H Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
43	NSN - NNO: 6135-01-499-6293 BATTERY, NONRECHARGEABLE BATTERY ELECTROLYTE: LITHIUM; COMMERCIAL BATTERY SIZE DESIGNATION: C; VOLTAGE IN VOLTS: 3.600; SHAPE: CYLINDRICAL; APPROXIMATE SHELF LIFE: 10.0 YEARS; TERMINAL QUANTITY: 1; OVERALL WIDTH: 1.031 INCHES MAXIMUM; OVERALL LENGTH: 1.970 INCHES MAXIMUM; SPECIAL FEATURES: 230MA MAXIMUM CONTINUOUS CURRENT; 400MA MAXIMUM PULSE CURRENT CAPABILITY; MINUS 55 TO PLUS 85 DEGREES CELSIUS OPERATING TEMPERATURE RANGE; 1.78 OUNCE WEIGHT; U.L. COMPONENT RECOGNITION MH12193; END ITEM IDENTIFICATION: COLLIMATOR, INFINITY AIMING, M1A1. NSCM P/N AND MANUFACTURER 4J947 TL-5920/S Saft Federal Systems Inc. Lake Success, NY ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	1000	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
44	NSN - NNO: 6135-01-499-6293 BATTERY, NONRECHARGEABLE BATTERY ELECTROLYTE: LITHIUM; COMMERCIAL BATTERY SIZE DESIGNATION: C; VOLTAGE IN VOLTS: 3.600; SHAPE: CYLINDRICAL; APPROXIMATE SHELF LIFE: 10.0 YEARS; TERMINAL QUANTITY: 1; OVERALL WIDTH: 1.031 INCHES MAXIMUM; OVERALL LENGTH: 1.970 INCHES MAXIMUM; SPECIAL FEATURES: 230MA MAXIMUM CONTINUOUS CURRENT; 400MA MAXIMUM PULSE CURRENT CAPABILITY; MINUS 55 TO PLUS 85 DEGREES CELSIUS OPERATING TEMPERATURE RANGE; 1.78 OUNCE WEIGHT; U.L. COMPONENT RECOGNITION MH12193; END ITEM IDENTIFICATION: COLLIMATOR, INFINITY AIMING, M1A1. NSCM P/N AND MANUFACTURER 4J947 TL-5920/S Saft Federal Systems Inc. Lake Success, NY ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	500	Each	\$	XXXXXXXXXXXX	See Herein		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
45	<p>NSN - NNO: 6850-99-813-1681 DESICCANT, ACTIVATED DESICCANT REFILL, 1 KG POUCH, METAL FOIL BAG, 4 X 8 ACTIVATED ALUMINA DESICCANT, FOR DEHYDRATOR, DUAL VOLTAGE, NEPS 1000, ADVANTAGE "P". ACTIVE INGREDIENT:ALUMINA MOISTURE INDICATOR IMPREGNATION:NOT INCLUDED IMMEDIATE CONTAINER TYPE:BAG QUANTITY WITHIN EACH IMMEDIATE CONTAINER:32 IMMEDIATE CONTAINER QUANTITY:1 QUANTITY WITHIN EACH UNIT PACKAGE:8.0 CARTRIDGES SPECIAL FEATURES:492 LG 233MM W DIMS,REFILL FOR NEPS 1000 (DVCDND). NSCM P/N AND MANUFACTURER K3649 BL/E1100/0495 Brownell Ltd. Great Britian =====</p> <p>or equivalent =====</p> <p>NSCM Offered: _____ P/N Offered: _____</p>	WB941	W1941	20	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
46	NSN - NNO: 6850-99-813-1681 DESSICANT, ACTIVATED DESSICANT REFILL, 1 KG POUCH, METAL FOIL BAG, 4 X 8 ACTIVATED ALUMINA DESSICANT, FOR DEHYDRATOR, DUAL VOLTAGE, NEPS 1000, ADVANTAGE "P". ACTIVE INGREDIENT:ALUMINA MOISTURE INDICATOR IMPREGNATION:NOT INCLUDED IMMEDIATE CONTAINER TYPE:BAG QUANTITY WITHIN EACH IMMEDIATE CONTAINER:32 IMMEDIATE CONTAINER QUANTITY:1 QUANTITY WITHIN EACH UNIT PACKAGE:8.0 CARTRIDGES SPECIAL FEATURES:492 LG 233MM W DIMS,REFILL FOR NEPS 1000 (DVCDND). NSCM P/N AND MANUFACTURER K3649 BL/E1100/0495 Brownell Ltd. Great Britian ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
47	NSN - NNO: 5305-00-450-5725 THUMBSCREW THREAD SERIES DESIGNATOR: UNS; NOMINAL THREAD DIAMETER: 0.250 INCHES; THREAD QUANTITY PER INCH: 40; THREAD CLASS: 2A; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 0.875 INCHES NOMINAL; FASTENER LENGTH: 1.188 INCHES NOMINAL; MATERIAL: OVERALL STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: OVERALL ASTM A582 ASSN STD SINGLE MATERIAL RESPONSE; HEAD STYLE: C66 KNURLED NO. 1; HEAD DIAMETER: 1.000 INCHES NOMINAL; HEAD HEIGHT: 0.312 INCHES NOMINAL; POINT STYLE: F19 FLAT; END ITEM IDENTIFICATION: COLLIMATOR. NSCM P/N AND MANUFACTURER 19200 8644315 US ARMY ARDEC RDECOM Picatinny Arsenal, NJ ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	30	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
48	NSN - NNO: 5305-00-450-5725 THUMBSCREW THREAD SERIES DESIGNATOR: UNS; NOMINAL THREAD DIAMETER: 0.250 INCHES; THREAD QUANTITY PER INCH: 40; THREAD CLASS: 2A; THREAD DIRECTION: RIGHT-HAND; THREAD LENGTH: 0.875 INCHES NOMINAL; FASTENER LENGTH: 1.188 INCHES NOMINAL; MATERIAL: OVERALL STEEL CORROSION RESISTING; MATERIAL DOCUMENT AND CLASSIFICATION: OVERALL ASTM A582 ASSN STD SINGLE MATERIAL RESPONSE; HEAD STYLE: C66 KNURLED NO. 1; HEAD DIAMETER: 1.000 INCHES NOMINAL; HEAD HEIGHT: 0.312 INCHES NOMINAL; POINT STYLE: F19 FLAT; END ITEM IDENTIFICATION: COLLIMATOR. NSCM P/N AND MANUFACTURER 19200 8644315 US ARMY ARDEC RDECOM Picatinny Arsenal, NJ ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	15	Each	\$		XXXXXXXXXXXX	See Herein	
49	NSN - NNO: 6675-01-025-5899 STRAP, CARRYING NSCM P/N AND MANUFACTURER S3890 315-010 Leico Geosystems AG Switzerland ===== 78039 315010 Leico Inc.	WB941	W1941	40	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
49	Libertyville, IL ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____								

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
50	NSN - NNO: 6675-01-025-5899 STRAP, CARRYING NSCM P/N AND MANUFACTURER S3890 315-010 Leico Geosystems AG Switzerland ===== 78039 315010 Leico Inc. Libertyville, IL ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	20	Each	\$	XXXXXXXXXXXX		See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
51	NSN - NNO: 6675-12-323-5646 CONTAINER ACCESSORIES NSCM P/N AND MANUFACTURER S3890 536275 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$		XXXXXXXXXXXX	See Herein	
52	NSN - NNO: 6675-12-323-5646 CONTAINER ACCESSORIES NSCM P/N AND MANUFACTURER S3890 536275 Leica Geosystems AG Switzerland ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	10	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
53	NSN - NNO: 5935-01-590-7778 COVER, ELECTRICAL CONNECTOR MATERIAL: METAL; END ITEM IDENTIFICATION: DCDT CABLE ASSEMBLY - M777 HOWITZER FIRE CONTROL COMPONENT; PART NAME ASSIGNED BY CONTROLLING AGENCY: PROTECTIVE CAP - CRIMP FERRULE. NSCM P/N AND MANUFACTURER 06090 100P608-19-1ZB-R12-CF Tyco Electronics Corporation Menlo Park, CA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	30	Each	\$	XXXXXXXXXXXX	See Herein		

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
54	NSN - NNO: 5935-01-590-7778 COVER, ELECTRICAL CONNECTOR MATERIAL: METAL; END ITEM IDENTIFICATION: DCDT CABLE ASSEMBLY - M777 HOWITZER FIRE CONTROL COMPONENT; PART NAME ASSIGNED BY CONTROLLING AGENCY: PROTECTIVE CAP - CRIMP FERRULE. NSCM P/N AND MANUFACTURER 06090 100P608-19-1ZB-R12-CF Tyco Electronics Corporation Menlo Park, CA ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	5	Each	\$	XXXXXXXXXXXX	See Herein		



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Del. Offered Liv. offerte
55	NSN - NNO: 5970-99-667-6086 INSULATION SLEEVING, ELECTRICAL, S PECIAL PURPOSE. MATERIAL: ELASTOMER; RELIABILITY INDICATOR: NOT ESTABLISHED; SPECIAL FEATURES: RD SHAPE /FLUTED O/D, 40MM ID REDUCES TO 25MM, 12-18 SHELL SIZE. NSCM P/N AND MANUFACTURER K1010 200W652-20-0 TE Connectivity Limited Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	25	Each	\$	XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
56	NSN - NNO: 5970-99-667-6086 INSULATION SLEEVING, ELECTRICAL, SPECIAL PURPOSE. MATERIAL: ELASTOMER; RELIABILITY INDICATOR: NOT ESTABLISHED; SPECIAL FEATURES: RD SHAPE /FLUTED O/D, 40MM ID REDUCES TO 25MM, 12-18 SHELL SIZE. NSCM P/N AND MANUFACTURER K1010 200W652-20-0 TE Connectivity Limited Great Britain ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	10	Each	\$		XXXXXXXXXXXX	See Herein	

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
57	NSN - NNO: 5935-14-478-3701 BACKSHELL, ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 09.CODE DIAMETRE ENTREE:B.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148 -28 -09A7B Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	WB941	W1941	20	Each	\$	XXXXXXXXXXXX		See Herein	



Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Destination	Unit Price/Prix unitaire FOB/FAM	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
58	NSN - NNO: 5935-14-478-3701 BACKSHELL,ELECTRICAL CONNECTOR STYLE DESIGNATOR: 8C STRAIGHT SHAPE SOLID TYPE; MATERIAL: ALUMINUM ALLOY; SURFACE TREATMENT: CADMIE VERT OLLIVE; MOUNTING FACILITY TYPE AND QUANTITY: 1 THREADED COUPLING; CABLE OPENING QUANTITY: 1; SPECIAL FEATURES: ARTICLES QUALIFIES PAR LE BUREAU ETUDE ELECTRIQUE DE DASSAULT AVIATION; SUPPLEMENTARY FEATURES: POUR BOITIER TAILLE 09.CODE DIAMETRE ENTREE:B.ACCESSOIRE LIVRE AVEC LE RACCORD. NSCM P/N AND MANUFACTURER F6117 01C0A54148-28-09A7B Dassault Aviation France ===== or equivalent ===== NSCM Offered: _____ P/N Offered: _____	W248A	W248A	50	Each	\$	XXXXXXXXXXXX		See Herein	

TABLE DES MATIÈRES

PARTIE 1 - RENSEIGNEMENTS GÉNÉRAUX

1. Exigences relatives à la sécurité
2. Besoin
3. Compte rendu

PARTIE 2 - INSTRUCTIONS À L'INTENTION DES SOUMISSIONNAIRES

1. Instructions, clauses et conditions uniformisées
2. Présentation des soumissions
3. Demandes de renseignements en période de soumission
4. Lois applicables

PARTIE 3 - INSTRUCTIONS POUR LA PRÉPARATION DES SOUMISSIONS

1. Instructions pour la préparation des soumissions

PARTIE 4 - PROCÉDURES D'ÉVALUATION ET MÉTHODE DE SÉLECTION

1. Procédures d'évaluation
2. Méthode de sélection

PARTIE 5 - ATTESTATIONS

1. Attestations obligatoires préalables à l'attribution du contrat

PARTIE 6 - CLAUSES DU CONTRAT SUBSÉQUENT

1. Exigences relatives à la sécurité
2. Besoin
3. Clauses et conditions uniformisées
4. Durée du contrat
5. Responsables
6. Paiement
7. Instructions relative à la facturation
8. Attestations
9. Lois applicables
10. Ordre de priorité des documents
11. Contrat de défense
12. Clause du guide des CCUA
13. Clause du guide des CCUA (livraison)

Solicitation No. - N° de l'invitation

W8486-140800/A

Amd. No. - N° de la modif.

File No. - N° du dossier

hn313W8486-140800

Buyer ID - Id de l'acheteur

hn313

CCC No./N° CCC - FMS No/ N° VME

PARTIE 1 - RENSEIGNEMENTS GÉNÉRAUX

1. Exigences relatives à la sécurité

Ce besoin ne comporte aucune exigence relative à la sécurité.

2. Besoin

L'entrepreneur doit fournir les biens. dans les quantités indiquées aux pages 3 à 60.

2.1 Exigences de la livraison

La livraison est demandée au plus tard le 30 juin 2014.

3. Compte rendu

Les soumissionnaires peuvent demander un compte rendu des résultats du processus de demande de soumissions. Les soumissionnaires devraient en faire la demande à l'autorité contractante dans les 15 jours ouvrables, suivant la réception des résultats du processus de demande de soumissions. Le compte rendu peut être fourni par écrit, par téléphone ou en personne.

PARTIE 2 - INSTRUCTIONS À L'INTENTION DES SOUMISSIONNAIRES

1. Instructions, clauses et conditions uniformisées

Toutes les instructions, clauses et conditions identifiées dans la demande de soumissions par un numéro, une date et un titre sont reproduites dans le Guide des clauses et conditions uniformisées d'achat (<https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisee-s-d-achat>) publié par Travaux publics et Services gouvernementaux Canada.

Les soumissionnaires qui présentent une soumission s'engagent à respecter les instructions, les clauses et les conditions de la demande de soumissions, et acceptent les clauses et les conditions du contrat subséquent.

Le document 2003 (2013-06-01) Instructions uniformisées - biens ou services - besoins concurrentiels, est incorporé par renvoi dans la demande de soumissions et en fait partie intégrante.

Le paragraphe 5.4 du document 2003, Instructions uniformisées - biens ou services - besoins concurrentiels, est modifié comme suit :

Supprimer : soixante (60) jours
Insérer : quatre-vingt-dix (90) jours

1.1 Clauses du Guide des CCUA

Références de CCUA	Section	Date
A9130T	Programme des marchandises contrôlées - Articles 001 - 010	2011-05-16
B1000T	Condition du matériel	2007-11-30

2. Présentation des soumissions

Les soumissions doivent être présentées uniquement au Module de réception des soumissions de Travaux publics et Services gouvernementaux Canada (TPSGC) au plus tard à la date, à l'heure et à l'endroit indiqués à la page 1 de la demande de soumissions.

3. Demandes de renseignements - en période de soumission

Toutes les demandes de renseignements doivent être présentées par écrit à l'autorité contractante au moins cinq (5) jours civils avant la date de clôture des soumissions. Pour ce qui est des demandes de renseignements reçues après ce délai, il est possible qu'on ne puisse pas y répondre.

Les soumissionnaires devraient citer le plus fidèlement possible le numéro de l'article de la demande de soumissions auquel se rapporte la question et prendre soin d'énoncer chaque question de manière suffisamment détaillée pour que le Canada puisse y répondre avec exactitude. Les demandes de renseignements techniques qui ont un caractère exclusif doivent porter clairement la mention « exclusif » vis-à-vis de chaque article pertinent. Les éléments portant la mention « exclusif » feront l'objet d'une discrétion absolue, sauf dans les cas où le Canada considère que la demande de

Solicitation No. - N° de l'invitation

W8486-140800/A

Amd. No. - N° de la modif.

File No. - N° du dossier

hn313W8486-140800

Buyer ID - Id de l'acheteur

hn313

CCC No./N° CCC - FMS No/ N° VME

W8486-140800

renseignements n'a pas un caractère exclusif. Dans ce cas, le Canada peut réviser les questions ou peut demander au soumissionnaire de le faire, afin d'en éliminer le caractère exclusif, et permettre la transmission des réponses à tous les soumissionnaires. Le Canada peut ne pas répondre aux demandes de renseignements dont la formulation ne permettrait pas de les diffuser à tous les soumissionnaires.

4. Lois applicables

Tout contrat subséquent sera interprété et régi selon les lois en vigueur en Ontario, et les relations entre les parties seront déterminées par ces lois.

À leur discrétion, les soumissionnaires peuvent indiquer les lois applicables d'une province ou d'un territoire canadien de leur choix, sans que la validité de leur soumission ne soit mise en question, en supprimant le nom de la province ou du territoire canadien précisé et en insérant le nom de la province ou du territoire canadien de leur choix. Si aucun changement n'est indiqué, cela signifie que les soumissionnaires acceptent les lois applicables indiquées.

PARTIE 3 - INSTRUCTIONS POUR LA PRÉPARATION DES SOUMISSIONS

1. Instructions pour la préparation des soumissions

Le Canada demande que les soumissionnaires fournissent leur soumission en sections distinctes, comme suit :

Section I : Soumission technique (1 copies papier)

Section I : Soumission financière (1 copies papier)

Section II : Attestations (1 copies papier)

Section III : Informations additionnelles (1 copies papier)

En cas d'incompatibilité entre le libellé de la copie électronique et de la copie papier, le libellé de la copie papier l'emportera sur celui de la copie électronique.

Les prix doivent figurer dans la soumission financière seulement. Aucun prix ne doit être indiqué dans une autre section de la soumission.

Le Canada demande que les soumissionnaires suivent les instructions de présentation décrites ci-après pour préparer leur soumission.

- a) utiliser du papier de 8,5 po x 11 po (216 mm x 279 mm);
- b) utiliser un système de numérotation correspondant à celui de la demande de soumissions.

En avril 2006, le Canada a approuvé une politique exigeant que les agences et ministères fédéraux prennent les mesures nécessaires pour incorporer les facteurs environnementaux dans le processus d'approvisionnement Politique achats écologiques

(<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-fra.html>).

Pour aider le Canada à atteindre ses objectifs, les soumissionnaires devraient :

- 1) utiliser du papier de 8,5 po x 11 po (216 mm x 279 mm) contenant des fibres certifiées provenant d'un aménagement forestier durable et/ou contenant au moins 30 % de matières recyclées; et
- 2) utiliser un format qui respecte l'environnement : impression noir et blanc, recto-verso/à double face, broché ou agrafé, sans reliure Cerlox, reliure à attaches ni reliure à anneaux.

Section I : Soumission technique

1.1 Produits équivalents

1. Les produits dont la forme, l'ajustage, la fonction et la qualité sont équivalents aux articles spécifiés dans la demande de soumissions seront pris en considération si le soumissionnaire :

- a) indique la marque, le modèle et/ou le numéro de pièce du produit de remplacement;

-
- b) déclare que le produit de remplacement est entièrement interchangeable avec l'article indiqué;
- c) fournit les caractéristiques complètes et les imprimés descriptifs pour chaque produit de remplacement avec la soumission;**
- d) présente une déclaration de conformité comprenant des caractéristiques techniques qui montrent que le produit de remplacement répond à tous les critères de rendement obligatoires précises dans la demande de soumissions, et;
- e) indique clairement les parties des caractéristiques et des imprimés descriptifs qui confirment que le produit de remplacement est conforme aux critères de rendement obligatoires.
2. Les produits offerts comme équivalents sur les plans de la forme, de l'ajustage, de la fonction et de la qualité ne seront pas pris en considération si :
- a) la soumission ne fournit pas toute l'information requise pour permettre à l'autorité contractante de pleinement évaluer l'équivalence de chaque produit de remplacement, ou;
- b) le produit de remplacement ne répond pas aux critères de rendement obligatoires précisés dans la demande de soumissions visant l'article en question ou ne les dépasse pas.
3. Lorsque le Canada évalue une soumission, il peut, sans toutefois y être obligé, demander aux soumissionnaires qui offrent un produit de remplacement de démontrer, à leurs propres frais, que le produit de remplacement est équivalent à l'article indiqué dans la demande de soumissions.

1.2 Produits de remplacement - échantillons (MDN)

Si le soumissionnaire offre un produit de remplacement, le Canada se réserve le droit de demander un échantillon au soumissionnaire afin de déterminer si le produit est équivalent à l'article décrit dans la demande de soumissions sur le plan de la forme, de l'ajustage, de la fonction, de la qualité et du rendement.

Le soumissionnaire doit, à la demande de l'autorité contractante, fournir un échantillon au responsable technique, frais de transport payés d'avance et sans frais pour le Canada, dans les vingt et un (21) jours civils après la date de la demande. L'échantillon fourni par le soumissionnaire demeurera la propriété du Canada et ne sera pas considéré comme faisant partie des biens livrables dans tout contrat subséquent. Si l'échantillon ne satisfait pas aux exigences stipulées dans la demande de soumissions ou si le soumissionnaire ne respecte pas la demande de l'autorité contractante, la soumission sera jugée non recevable.

Section II : Soumission financière

Les soumissionnaires doivent présenter leur soumission financière en conformité avec la base de paiement. Le montant total des taxes applicables doit être indiqué séparément.

1.1 Prix – Invitations à soumissionner comportant plusieurs articles

Les soumissionnaires ne sont pas tenus de proposer un prix pour chaque article de l'invitation à soumissionner pour que leur soumission soit évaluée. De plus, ils peuvent retirer un ou plusieurs articles de leur soumission après la date de clôture des soumissions, mais avant l'attribution du contrat, en présentant une demande par écrit à l'autorité contractante.

1.2 Fluctuation du taux de change

Le besoin ne prévoit pas offrir d'atténuer les risques liés à la fluctuation du taux de change. Aucune demande d'atténuation des risques liés à la fluctuation du taux de change ne sera prise en considération. Toute soumission incluant une telle disposition sera déclarée non recevable.

Section III : Attestations

1.1 Attestations

Les soumissionnaires doivent présenter les attestations exigées à la Partie 5.

Section IV : Informations additionnelles

1.1 Informations additionnelles

1.1.1 Livraison offerte

La livraison offerte est indiquée à la description de chaque article énuméré.

1.1.2 Représentants de l'entrepreneur

Nom et numéro de téléphone de la personne avec qui communiquer :

Renseignements généraux

Nom :

Téléphone :

Télécopieur :

Courriel :

Suivi de la livraison :

Nom :

Téléphone :

Télécopieur :

Courriel :

PARTIE 4 - PROCÉDURES D'ÉVALUATION ET MÉTHODE DE SÉLECTION

1. Procédures d'évaluation

- a) Les soumissions reçues seront évaluées par rapport à l'ensemble des exigences de la demande de soumissions, incluant les critères d'évaluation techniques et financiers.
- b) Une équipe d'évaluation composée de représentants du Canada évaluera les soumissions.

Critères d'évaluation

Toutes les soumissions doivent être complétées en détail et fournir toutes informations requises dans la demande de soumissions pour assurer une évaluation complète.

1.1 Évaluation technique

1.1.1 Critères techniques obligatoires

Les exigences obligatoires suivantes seront prises en considération aux fins de l'évaluation de chaque soumission :

Conformité aux exigences techniques (description des articles 001 à 058 des pages 3 à 60 ci-incluse);
Les soumissions présentées doivent regrouper toutes les destinations par NNO.

1.2 Évaluation financière

Les **exigences obligatoires** suivantes seront prises en considération lors de l'évaluation des soumissions :

Conformité à la base d'établissement de prix;

Le prix total de la soumission sera déterminé en traitant les articles 001 à 058 des pages 3 à 60 de la manière suivante :

- a. La somme des articles ayant des prix totaux NNO identiques (prix unitaire x quantité).
(un groupe d'articles)

1.2.1 Base de prix

Le soumissionnaire doit fournir des prix unitaires fermes, en dollars canadiens, rendu droits acquittés (destination), les taxes applicables en sus, selon le cas. Les frais de transport à destination doivent être inclus ainsi que les droits de douane et la taxe d'accise applicables.

2. Base de la sélection

La soumission doit respecter les exigences de la demande de soumissions et satisfaire à tous les critères d'évaluation technique obligatoires pour être déclarée recevable. La recommandation pour l'attribution d'un contrat se fera en fonction de la soumission recevable la plus basse par NNO identique.

PARTIE 5 - ATTESTATIONS

Les soumissionnaires doivent fournir les attestations et la documentation exigées pour qu'un contrat leur soit attribué.

Les attestations que les soumissionnaires remettent au Canada, peuvent faire l'objet d'une vérification à tout moment par le Canada. Le Canada déclarera une soumission non recevable, ou à un manquement de la part de l'entrepreneur, s'il est établi qu'une attestation du soumissionnaire est fausse, que ce soit pendant la période d'évaluation des soumissions ou pendant la durée du contrat.

L'autorité contractante aura le droit de demander des renseignements supplémentaires pour vérifier les attestations du soumissionnaire. À défaut de répondre à cette demande, la soumission sera également déclarée non recevable ou sera considéré comme un manquement au contrat.

1. Attestations obligatoires préalables à l'attribution du contrat

1.1 Code de conduite et attestations - documentation connexe

En présentant une soumission, le soumissionnaire atteste que le soumissionnaire et ses affiliés respectent les dispositions stipulées à l'article 01 Code de conduite et attestations - soumission des instructions uniformisées 2003. La documentation connexe requise à cet égard, assistera le Canada à confirmer que les attestations sont véridiques.

1.2 Programme de contrats fédéraux pour l'équité en matière d'emploi - Attestation de soumission

En présentant une soumission, le soumissionnaire atteste que le soumissionnaire, et tout membre de la coentreprise si le soumissionnaire est une coentreprise, n'est pas nommé dans la liste des « soumissionnaires admissibilité limitée » (http://www.travail.gc.ca/fra/normes_equite/eq/emp/pcf/liste/inelig.shtml) du Programme de contrats fédéraux (PCF) pour l'équité en matière d'emploi disponible sur le site Web de Ressources humaines et Développement des compétences Canada (RHDC) - Travail.

Le Canada aura le droit de déclarer une soumission non recevable si le soumissionnaire, ou tout membre de la coentreprise si le soumissionnaire est une coentreprise, figure dans la liste des « soumissionnaires admissibilité limitée » du PCF au moment de l'attribution du contrat.

PARTIE 6 - CLAUSES DU CONTRAT SUBSÉQUENT

1. Exigences relatives à la sécurité

Ce besoin ne comporte aucune exigence relative à la sécurité.

2. Besoin

L'entrepreneur doit fournir les biens, dans les quantités indiquées aux pages ____.

2.1 Clauses du Guide des CCUA

Références de CCUA	Section	Date
B1501C	Appareillage électrique	2006-06-16
B4019C	Spécifications et normes militaires des États-Unis - Articles 025 et 026	2007-11-30
B7500C	Marchandises excédentaires	2006-06-16

3. Clauses et conditions uniformisées

Toutes les clauses et conditions identifiées dans le contrat par un numéro, une date et un titre, sont reproduites dans le guide des Clauses et conditions uniformisées d'achat (<https://achatsetventes.gc.ca/politiques-et-lignes-directrices/guide-des-clauses-et-conditions-uniformisee-s-d-achat>) publié par Travaux publics et Services gouvernementaux Canada.

3.1 Conditions générales

2010A (2013-04-25), Conditions générales - biens (complexité moyenne) s'appliquent au contrat et en font partie intégrante.

3.2 Clauses du Guide des CCUA

Références de CCUA	Section	Date
A9131C	Programme des marchandises contrôlées	2008-12-12
B4060C	Marchandises contrôlées	2008-05-12
C2800C	Cote de priorité	2013-01-28
C2801C	Cote de priorité – Entrepreneur canadien	2011-05-16

4. Durée du contrat

4.1 Date de livraison

Tous les biens livrables doivent être reçus au plus tard le _____ (Les modalités de livraison telles qu'offertes et acceptées seront indiquées lors de l'octroi du contrat).

5. Responsables

5.1 Autorité contractante

L'autorité contractante pour le contrat est :

Ruth Kelly
Spécialiste en approvisionnements
Travaux publics et Services gouvernementaux Canada
Direction générale des approvisionnements
Direction du transport et des produits logistiques, électriques et pétroliers
Division HN
7B3, Place du Portage, Phase III
11 rue Laurier
Gatineau (Québec) K1A 0S5

Téléphone : (819) 956-3588
Télécopieur : (819) 953-4944
Courriel : ruth.kelly@tpsgc-pwgsc.gc.ca

L'autorité contractante est responsable de la gestion du contrat, et toute modification doit être autorisée, par écrit par l'autorité contractante. L'entrepreneur ne doit pas effectuer de travaux dépassant la portée du contrat ou des travaux qui n'y sont pas prévus suite à des demandes ou des instructions verbales ou écrites de toute personne autre que l'autorité contractante.

5.2 Représentant de l'entrepreneur

Nom et numéro de téléphone de la personne avec qui communiquer :

Renseignements généraux :

Nom : compléter à l'adjudication du contrat
Téléphone : compléter à l'adjudication du contrat
Télécopieur : compléter à l'adjudication du contrat
Courriel : compléter à l'adjudication du contrat

Suivi de la livraison :

Nom : compléter à l'adjudication du contrat
Téléphone : compléter à l'adjudication du contrat
Télécopieur : compléter à l'adjudication du contrat
Courriel : compléter à l'adjudication du contrat

6. Paiement

6.1 Base de paiement

Sous réserve de l'exécution satisfaisante pour l'entrepreneur de toutes ses obligations en vertu du présent contrat, l'entrepreneur se verra verser le prix unitaire ferme précisé dans le contrat. Les droits de douane sont inclus et les taxes applicables sont en sus.

Le Canada ne paiera pas l'entrepreneur pour tout changement à la conception, toute modification ou interprétation des travaux, à moins que ces changements à la conception, ces modifications ou ces interprétations n'aient été approuvés par écrit par l'autorité contractante avant d'être intégrés aux travaux.

6.2 Limite de prix

Clause du guide des CCUA C6000C (2011-05-16), Limite de prix

6.3 Paiements multiples

Clause du guide des CCUA H1001C (2008-05-12) Paiements multiples

6.4 Clauses du Guide des CCUA

Références de CCUA	Section	Date
G1005C	Exigences en matière d'assurance	2008-05-12

7. Instructions relatives à la facturation

1. L'entrepreneur doit soumettre ses factures conformément à l'article intitulé « Présentation des factures » des conditions générales. Les factures ne doivent pas être soumises avant que tous les travaux identifiés sur la facture soient complétés.

2. Les factures doivent être distribuées comme suit :

- a) Un (1) exemplaire doit être envoyé au consignataire.
- b) L'original et un (1) exemplaire doivent être envoyés à l'adresse suivante pour attestation et paiement.

Quartier général de la Défense nationale
 Immeuble Mgén George R. Pearkes
 101, Promenade du Colonel By
 Ottawa, ON
 K1A 0K2
 Au soin de :DLP 4-2-1.

c) Un (1) exemplaire doit être envoyé à l'autorité contractante identifiée sous l'article intitulé « Responsables » du contrat.

Travaux publics et services gouvernementaux Canada
Division « HN »
7B3 Place du Portage, Phase III
11 rue Laurier
Gatineau, QC
K1A 0S5
Au soin de : Ruth Kelly.

8. Attestations

8.1 Conformité

Le respect des attestations et documentation connexe fournies par l'entrepreneur avec sa soumission est une condition du contrat et pourra faire l'objet d'une vérification par le Canada pendant la durée du contrat. En cas de manquement à toute déclaration de la part de l'entrepreneur, à fournir la documentation connexe ou encore si on constate que les attestations qu'il a fournies avec sa soumission comprennent de fausses déclarations, faites sciemment ou non, le Canada aura le droit de résilier le contrat pour manquement conformément aux dispositions du contrat en la matière.

8.2 Programme de contrats fédéraux pour l'équité en matière d'emploi - Manquement de la part de l'entrepreneur

Lorsque qu'un Accord pour la mise en oeuvre de l'équité en matière d'emploi a été conclu avec RHDC - Travail, l'entrepreneur reconnaît et s'engage, à ce que cet accord demeure valide pendant toute la durée du contrat. Si l'Accord pour la mise en oeuvre de l'équité en matière d'emploi devient invalide, le nom de l'entrepreneur sera ajouté à la liste des « soumissionnaires admissibilité limitée » du PCF. L'imposition d'une telle sanction par Ressources humaines et Développement des compétences Canada fera en sorte que l'entrepreneur sera considéré non conforme aux modalités du contrat.

9. Lois applicables

Le contrat doit être interprété et régi selon les lois en vigueur Ontario, et les relations entre les parties seront déterminées par ces lois.

10. Ordre de priorité des documents

En cas d'incompatibilité entre les textes énumérés dans la liste, c'est le libellé du document qui apparaît en premier sur la liste qui l'emporte sur celui de tout autre document qui figure plus bas sur ladite liste.

- a) les articles de la convention;
- b) 2010A (2013-04-25) Conditions générales - biens (complexité moyenne);
- c) Besoin;
- d) la soumission de l'entrepreneur en date du _____ (*inscrire la date de la soumission*) (*si la soumission a été clarifiée ou modifiée, insérer au moment de l'attribution du contrat : « clarifiée le _____ » ou « , modifiée le _____ » et inscrire la ou les dates des clarifications ou modifications*).

11. Contrat de défense

Clause du guide des CCUA A9006C (2012-07-16), Contrat de défense

12. Clauses du guide des CCUA

Références de CCUA	Section	Date
D5545C	ISO 9001:2008 Systèmes de management de la qualité - Exigences (code de l'assurance de la qualité C)	2010-08-16

12.1 Possibilité de retracer les codes OTAN des fabricants (COF)

Tout matériau fourni pour les articles décrits dans le présent contrat résultant fera l'objet d'une vérification par le Canada. Si l'entrepreneur n'est pas en mesure de démontrer que le matériau peut être directement identifié par le code COF utilisé pour désigner l'article dans le contrat, ni qu'il a été fourni avec la permission écrite expresse de la source d'approvisionnement autorisée pour ce code, le Canada pourra prendre les mesures décrites.

Le Canada pourra :

- a) résilier le marché pour défaut d'exécution relativement à l'article visé, retourner l'article à l'entrepreneur, à ses frais et risques, et exiger et recevoir de l'entrepreneur (qui versera le montant exigé sans délai) le remboursement de tous les coûts de rachat et autres frais engagés par le Canada, notamment tous les coûts supplémentaires engagés pour faire avancer la production plus rapidement; ou
- b) garder l'article et exiger et recevoir de l'entrepreneur (qui versera le montant exigé sans délai) un montant correspondant à la différence entre les frais engagés par l'entrepreneur relativement à cet article, établis par le Canada, et les coûts auxquels, de l'avis du Canada, l'entrepreneur aurait eu à faire face s'il avait obtenu et fourni un article identique à celui qui avait été demandé aux termes du marché.

13. Clauses du Guide des CCUA (livraison)

Références de CCUA	Section	Date
D2000C	Marquage	2007-11-30
D2001C	Étiquetage	2007-11-30
D6010C	Palettisation	2007-11-30
D3010C	Marchandises dangereuses/produits dangereux - Articles 023, 024, 043 et 044.	2012-07-16
D9002C	Ensembles incomplets	2007-11-30

13.1 Instructions d'expédition - livraison à destination

Les biens doivent être expédiés au point de destination précisé dans le contrat et livrés :

- a) rendu droits acquittés (DDP) (Montréal, Québec et Edmonton, Alberta) selon les Incoterms 2000 pour les expéditions en provenance d'un entrepreneur commercial.

13.2 Préparation de la livraison

L'entrepreneur doit préparer les articles numéros 001 - 058 pour la livraison conformément à la dernière version de la spécification relative à l'emballage des Forces canadiennes D-LM-008-036/SF-000, Exigences du MDN en matière d'emballage commercial du fabricant.

L'entrepreneur doit emballer les articles numéros 001 - 058 à raison de 1 unités par paquet.

13.3 Livraison, inspection et acceptation - Articles 001 - 004, 031 - 036, 039, 040, 045 et 046

Option 1

La préservation et le conditionnement doivent être de la catégorie _____ et l'emballage de la catégorie _____ conformes aux spécifications relatives à l'emballage dans les Forces canadiennes _____ .

Option 2

La préservation et le conditionnement doivent être de la catégorie _____ et l'emballage de la catégorie _____ conformes à la spécification militaire du département de la Défense des États-Unis.

Option 3

La préservation, le conditionnement et l'emballage se feront conformément aux modes de conditionnement d'exportation du fabricant ou aux modes de conditionnement de qualité supérieure préconisés par le ministère britannique.

Solicitation No. - N° de l'invitation

W8486-140800/A

Amd. No. - N° de la modif.

File No. - N° du dossier

hn313W8486-140800

Buyer ID - Id de l'acheteur

hn313

CCC No./N° CCC - FMS No/ N° VME

Client Ref. No. - N° de réf. du client

W8486-140800

13.4 Expédition – Programmation

L'entrepreneur doit livrer les biens aux dépôts d'approvisionnement des Forces canadiennes (FC) sur rendez-vous seulement. L'entrepreneur ou son transporteur doit prendre les rendez-vous pour la livraison en communiquant avec la Section du trafic des dépôts à l'endroit pertinent indiqué ci-après. Le destinataire peut refuser des livraisons lorsque des dispositions n'ont pas été prises au préalable.

- a) 7 Dépôt d'approvisionnement des FC, Parc Lancaster
Edmonton (Alberta)
Téléphone : 780-973-4011, poste 4524

- b) 25 Dépôt d'approvisionnement des FC, Montréal
Montréal (Québec)
Téléphone : 1-866-935-8673 (sans frais), ou
514-252-2777, poste 2363 / 4673 / 4282