

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving - PWGSC / Réception des soumissions
- TPSGC
11 Laurier St./11 rue Laurier
Place du Portage, Phase III
Core 0A1 / Noyau 0A1
Gatineau, Québec K1A 0S5

SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires
THIS DOCUMENT CONTAINS A SECURITY
REQUIREMENT /
CE DOCUMENT CONTIENT UNE EXIGENCE
EN MATIÈRE DE SÉCURITÉ.

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Construction Services Division/Division des services de
construction
11 Laurier St./11 Rue Laurier
3C2, Place du Portage
Phase III
Gatineau, Québec K1A 0S5

Title - Sujet Macdonald-Cartier Br. Rehab.	
Solicitation No. - N° de l'invitation EP731-141814/A	Amendment No. - N° modif. 010
Client Reference No. - N° de référence du client 20141814	Date 2014-02-12
GETS Reference No. - N° de référence de SEAG PW-\$\$\$FG-345-64316	
File No. - N° de dossier fg345.EP731-141814	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-02-14	Time Zone Fuseau horaire Eastern Standard Time EST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Nealon, Shawn	Buyer Id - Id de l'acheteur fg345
Telephone No. - N° de téléphone (819) 956-3391 ()	FAX No. - N° de FAX (819) 956-8335
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: Pont Macdonald-Cartier Bridge, Ottawa, Ontario / Gatineau, Quebec	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

EP731-141814/A

Amd. No. - N° de la modif.

010

Buyer ID - Id de l'acheteur

fg345

Client Ref. No. - N° de réf. du client

20141814

File No. - N° du dossier

fg345EP731-141814

CCC No./N° CCC - FMS No/ N° VME

THIS AMENDMENT IS RAISED TO:

DELETE IN ITS ENTIRETY THE BID AND ACCEPTANCE FORM (BA) AND REPLACE WITH THE ATTACHED REVISED BID AND ACCEPTANCE FORM (BA).

Attached

BID AND ACCEPTANCE FORM (BA)**BA01 IDENTIFICATION**

Macdonald-Cartier Bridge Rehabilitation.
Macdonald-Cartier Bridge, Ottawa, Ontario / Gatineau, Quebec
Project # R.0050666.506

BA02 BUSINESS NAME AND ADDRESS OF BIDDER

Name: _____

Address: _____

Telephone: _____ Fax: _____ PBN: _____

BA03 THE OFFER

The Bidder offers to Canada to perform and complete the Work for the above named project in accordance with the Bid Documents for the **TOTAL BID AMOUNT INDICATED IN APPENDIX 1**.

BA04 BID VALIDITY PERIOD

The bid shall not be withdrawn for a period of one hundred and twenty (120) days following the date of solicitation closing.

BA05 ACCEPTANCE AND CONTRACT

Upon acceptance of the Contractor's offer by Canada, a binding Contract shall be formed between Canada and the Contractor. The documents forming the Contract shall be the contract documents identified in Contract Documents (CD).

BA06 CONSTRUCTION TIME

The Contractor shall perform and complete the Work within one hundred and four (104) weeks from the date of notification of acceptance of the offer.

BA07 BID SECURITY

The Bidder is enclosing bid security with its bid in accordance with GI08 - Bid Security Requirements of R2710T - General Instructions to Bidders.

BA08 SIGNATURE

Name and title of person authorized to sign on behalf of Bidder (Type or print)

Signature

Date

APPENDIX 1 - COMBINED PRICE FORM (1 page)

- 1) The prices per unit shall govern in establishing the Total Extended Amount. Any arithmetical errors in this Appendix will be corrected by Canada.
- 2) Canada may reject the bid if any of the prices submitted do not reasonably reflect the cost of performing the part of the work to which that price applies.

LUMP SUM

The Lump Sum Amount designates Work to which a Lump Sum Arrangement applies.

- (a) Work included in the Lump Sum Amount represents all work not included in the unit price table.

LUMP SUM AMOUNT (LSA) Excluding applicable tax(s)	
---	--

UNIT PRICE TABLE

The Unit Price Table designates Work to which a Unit Price Arrangement applies.

- (a) Work included in each item is as described in the referenced specification section.
- (b) The Price per Unit shall not include any amounts for Work that is not included in that unit price item.

Item	Specification Reference	Class of Labour, Plant, or Material	Unit of Measurement	Estimated Quantity (EQ)	Price per Unit applicable tax(s) extra (PU)	Extended amount (EQ x PU) applicable tax(s) extra
TRAFFIC MANAGEMENT						
1	01 35 00.06	Portable Variable Message Signs	unit.month	18		
2	01 35 00.06, 01 56 00	Temporary Concrete Barrier	m	2300		
3	01 35 00.06, 01 56 00	Temporary Concrete Barrier Relocation	m	8500		
STRUCTURAL						
4	01 54 00	Access to Work – Pier Concrete Repairs	ea	4		
5	02 41 16	Full Depth Concrete Removal – Main Span Deck	m2	5080		
6	02 41 16	Full Depth Concrete Removal – Approach Span Superstructure and Approach Slabs	m3	189		
7	02 41 16	Full Depth Concrete Removal - Substructure	m3	95		
8	02 41 16	Steel Median Barrier and Exterior Railing Removal	m	1979		
9	02 41 16, 05 12 33, 05 65 20	Structural Steel Removals	bay	70		
10	02 41 16, 05 12 33, 05 65 20	Rocker Bearing Removal	ea	12		
11	02 41 16, 05 12 33	Fingerplate Expansion Joint Removal	m	60.2		
12	02 41 16	Concrete Block Wall Removal	m2	95		
13	02 41 16	Asphalt Pavement and Waterproofing Removal from Structure	m2	15809		
14	02 41 16	Partial Depth Concrete Removals - Abutments	m3	19		
15	02 41 16	Partial Depth Concrete Removals – Piers	m3	70		
16	02 41 16	Partial Depth Concrete Removals – Top of Deck	m3	150		

17	02 41 16	Partial Depth Concrete Removals – Deck Soffit, Girder Ends and Diaphragms	m3	40		
18	02 41 16	Full Depth Concrete Removals – Deck Repairs	m3	50		
19	03 20 00	Reinforcing Steel	t	145		
20	03 20 00	Galvanized Reinforcing Steel	t	260		
21	03 20 00	Galvanized Mechanical Couplers	ea	1100		
22	03 30 00, 03 10 00, 03 30 60	Concrete in Substructure	m3	121		
23	03 30 00, 03 10 00, 03 30 60	Concrete in Approach Slabs	m2	166		
24	03 30 00, 03 10 00, 03 30 51, 03 30 60	Concrete in Approach Span Superstructure	m2	408		
25	03 30 00, 03 10 00, 03 30 51, 03 30 60	Concrete in Deck – Main Spans	m2	7545		
26	03 30 00, 03 10 00, 03 30 60	Concrete in Parapet Walls	m	1331		
27	03 30 00	Concrete Sealer	m2	6655		
28	03 30 00	Dowels into Concrete	ea	2500		
29	03 30 10, 03 10 00, 03 30 00, 03 30 60	Concrete Patches, Formed Surface – Abutments	m3	15		
30	03 30 10, 03 10 00, 03 30 00, 03 30 60	Concrete Patches, Formed Surface – Piers	m3	70		
31	03 30 10, 03 10 00, 03 30 00, 03 30 60	Concrete Patches, Formed Surface – Deck Soffit	m3	90		
32	03 30 10, 03 10 00, 03 30 00, 03 30 60	Concrete Patches, Unformed Surface – Deck	m3	150		
33	03 30 10, 03 10 00, 03 30 00, 03 30 60	Concrete Refacing	m3	17		
34	03 49 00, 03 20 00	Precast Concrete Median Barrier on Bridge	m	665		
35	03 37 26	Pier 2 Void - Concrete Repair	m3	2		
36	04 03 53, 04 05 22, 07 62 00, 07 92 00	Modification of the Stone Facing	panel	52		
37	04 03 53	Anchors Between Stones	ea	16		
38	04 03 53	Dovetail Anchors with Dowels	ea	34		
39	04 03 53	Anchors with Angle and Dowels	ea	10		
40	04 22 00	Concrete Unit Masonry	m2	95		
41	05 12 33	Structural Steel (Fabrication, Delivery and Erection)	bay	70		

42	05 12 33	Shear Connectors	ea	236		
43	05 50 00, 05 12 33, 09 97 19	Exterior Steel Railing	m	1369		
44	05 50 00, 05 12 33, 09 97 19	Parapet Wall Railing	m	1325		
45	05 50 00, 05 12 33, 09 97 19	Overhead Sign Supports	ea	3		
46	05 50 00	Reinstate Existing Signs	ea	3		
47	05 50 00, 05 12 33, 09 97 19	Deck Drains	ea	80		
48	05 50 10	Removal of Catwalks	m2	25		
49	05 50 10	New Catwalks	m2	25		
50	31 62 26.19	Screw Piles	ea	11		
51	05 50 10	Modification of guardrail on Manhole #8	m	2		
52	05 50 10	Steel Frame in Gatineau Abutment Opening	kg	850		
53	05 65 00	Jacking and Removal of Existing Approach Span Bearings	ea.abutment	4		
54	05 65 00	New Elastomeric Laminated Bearings	ea	90		
55	05 65 00	New Seismic Elastomeric Laminated Bearings	ea	8		
56	05 65 10, 03 30 00, 05 12 33, 09 97 19	Seismic Isolation Bearings	ea	12		
57	05 65 20, 05 12 33	Jacking for Main Span Superstructure Bearing Replacement	ea	12		
58	07 55 56.14	Bridge Deck Waterproofing	m2	18165		
59	07 95 13	Seismic Modular Expansion Joint Assemblies	m	68		
60	07 95 14	Joint Seals	ea	20		
61	09 97 19	Coating of Existing Structural Steel	bay	70		
62	09 97 19	Coating Repairs to Existing Structural Steel	m2	500		
63	31 23 16.26	Rock Excavation for Structure	m3	20		
64	31 23.33.01	Earth Excavation for Structure	m3	30		
65	31 23 50	Scaling Rockface and Rock Removal	m3	13		
66	31 23 50	Rock Dowels	ea	15		
67	31 23 50	Rockface Stabilization	m2	39		
68	31 23 50	Rock Protection	m3	20		
CIVIL						
69	02 41 13.14, 32 12 13.16	Asphalt Pavement Partial Depth Removal and Asphalt Tack Coat	m2	5005		
70	02 41 13.14	Asphalt Pavement Removal – Full Depth	m2	104		
71	31 23.33.01	Excavation - Approaches	m3	94		
72	10 14 53	Roadway Signs	ea	6		
73	10 14 53	Remove and Reinstate Welcome Ottawa Sign	ea	1		
74	31 05 16	Granular A	t	170		
75	31 05 16	Granular B	t	620		

76	32 12 16	Asphalt Paving	t	4632		
77	32 16 15	Replacement of Curb	m	427		
78	32 16 15	Replacement of Concrete Median at Approaches	m2	120		
79	32 16 15	Replacement of Concrete Sidewalks at Approaches	m2	371		
80	32 17 23	Pavement Markings	m	4554		
81	05 50 10	Modification of the Iron Fence	m	30		
82	32 31 13	Replacement of Chainlink Fence	m	37		
83	32 91 19.13, 32 92 23	Topsoil Placement and Grading and Sodding	m2	688		
84	34 71 13.25	Flagstone Repair (Ottawa Side Only)	m2	25		
85	33 05 13	Catchbasin Modifications – Special Work	ea	1		
86	33 05 13	Catchbasin and Manhole Replacement	ea	2		
87	33 05 13	Catchbasin and Manhole Adjustment	ea	2		
88	34 71 13.01	Cast-in-Place Concrete Barrier - Approaches	m	38		
89	34 71 13.01 03 49 00	Precast Concrete Barrier - Approaches	m	59		
90	34 71 13.25	Removal of Steel Beam Guiderail	m	44		
91	34 71 13.25	New Steel Beam Guiderail	m	490		
TOTAL EXTENDED AMOUNT (TEA)					Excluding applicable tax(es)	

TOTAL BID AMOUNT (LSA +TEA)		Excluding applicable tax(es)	
------------------------------------	--	------------------------------	--