

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
 Bid Receiving Public Works and Government  
 Services Canada/Réception des soumissions Travaux  
 publics et Services gouvernementaux Canada  
 1713 Bedford Row  
 Halifax, N.S./Halifax, (N.É.)  
 B3J 1T3  
 Bid Fax: (902) 496-5016

**Revision to a Request for a Standing Offer**

**Révision à une demande d'offre à commandes**

National Master Standing Offer (NMSO)

Offre à commandes principale et nationale (OCPN)

The referenced document is hereby revised; unless  
 otherwise indicated, all other terms and conditions of the  
 Offer remain the same.

Ce document est par la présente révisé; sauf indication  
 contraire, les modalités de l'offre demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**

Raison sociale et adresse du  
 fournisseur/de l'entrepreneur

**Issuing Office - Bureau de distribution**

Acquisitions  
 1713 Bedford Row  
 Halifax, N.S./Halifax, (N.É.)  
 B3J 3C9

<b>Title - Sujet</b> RISO - ROPE AND CORD		
<b>Solicitation No. - N° de l'invitation</b> W010Z-14B015/A		<b>Date</b> 2014-03-10
<b>Client Reference No. - N° de référence du client</b> W010Z-14-B015		<b>Amendment No. - N° modif.</b> 001
<b>File No. - N° de dossier</b> HAL-3-71210 (219)	<b>CCC No./N° CCC - FMS No./N° VME</b>	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$HAL-219-9207		
<b>Date of Original Request for Standing Offer</b> Date de la demande de l'offre à commandes originale		2014-02-06
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2014-03-19</b>		<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Standard Time AST
<b>Address Enquiries to: - Adresser toutes questions à:</b> Richard, Linda K.		<b>Buyer Id - Id de l'acheteur</b> hal219
<b>Telephone No. - N° de téléphone</b> (902) 496-5261 ( )	<b>FAX No. - N° de FAX</b> (902) 496-5016	
<b>Delivery Required - Livraison exigée</b>		
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>		
<b>Security - Sécurité</b> This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

<b>Acknowledgement copy required</b> <b>Accusé de réception requis</b>	<b>Yes - Oui</b> <input type="checkbox"/>	<b>No - Non</b> <input type="checkbox"/>
<b>The Offeror hereby acknowledges this revision to its Offer.</b> <b>Le proposant constate, par la présente, cette révision à son offre.</b>		
<b>Signature</b>	<b>Date</b>	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
<b>For the Minister - Pour le Ministre</b>		

---

**AMENDMENT 001**

This amendment is issued in response to the following questions received from bidders.

**Question 1:** I would like to know the price details of this Standing Offer as it was awarded last time.

**Answer 1:**

As per General Conditions 2005 (2006-08-15) Clause 8 Disclosure of Information

"The Offeror agrees to the disclosure of its standing offer unit prices or rates by Canada, and further agrees that it will have no right to claim against Canada, the Identified User, their employees, agents or servants, or any of them, in relation to such disclosure."

Please see attached Annex "B" for Unit Prices from Standing Offer No. W010Z-08A006/001/HAL.

**Question 2:**

Being located in Ontario makes it difficult to ship rope to Halifax in one day and very certainly not prepaid. We would have no problem with the 5 day or even the 3 day, but again prepared for only one or two coils of rope would not work. If the contract would guarantee prepaid freight on orders of a certain dollar amount then again we could make it work.

**Answer 2:**

The client does not accept anything prepaid freight. Client says that they did not have any one-day deliveries during the current Standing Offer, but it did happen twice during the previous SO.

**Question 3:**

We have the following items in our standard lengths of either 600 ft., 900 ft. or 1200 ft. - Items 1, 3, 8, 11, 12, 13, 17, 21, 23 and 24. Can we quote for our standard lengths, instead of the lengths specified in your description? If our standard length(s) are acceptable, then these would be stock items and therefore available to ship as and when required.

Solicitation No. - N° de l'invitation

W010Z-14B015/A

Client Ref. No. - N° de réf. du client

W010Z-14-B015

Amd. No. - N° de la modif.

001

File No. - N° du dossier

HAL-3-71210

Buyer ID - Id de l'acheteur

hal219

CCC No./N° CCC - FMS No/ N° VME

---

**Answer 3:**

The client's stock usually comes in 600 and 1200 ft reels. If you wish to quote 600, 900 and 1200, that should be fine.

**Question 4:**

What, if any, are the min. and max. lengths for items 5, 15, 16, 20, and 21?

**Answer 4:**

As far as minimum lengths, it would depend on the reason for the order. When you look up the stock #'s of some of the items, they state any lengths are acceptable.

All other terms and conditions remain unchanged.

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

## ANNEX "B" BASIS OF PAYMENT

### FIRM UNIT PRICES FOR A THREE(3) YEAR PERIOD FROM 14 JANUARY 2009 TO 13 JANUARY 2012:

#### FIRM UNIT PRICES FROM 14 JANUARY 2009 TO 13 JANUARY 2010:

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
1	4020-21-885-3300 P/C RPP1204Y	ROPE, FIBROUS. 6.0 MM NOM DIA, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 21 CM PER 10 TURNS, 19 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL 40gp13m	MR	\$0.083
2	4020-21-106-2146 P/C 22220	CORD, FIBROUS. POLYAMIDE NYLON, MIL-C-5040, TYPE 3 O/A, 0.188 IN. DIA; 700 YD MIN SPOOL; 32 OR 36 STRANDS; BRAIDED, NATURAL COLOR; 7 TO 9 CORE YARNS; 550 LB MBS; 225 FT PER LB MINS Ms040-5n	EA	\$107.00
3	4020-21-879-9602 P/C NR6092N1	NYLON 6.6; 14.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE; 16 STRANDS; 44.6 KILONEWTONS MBS; 122 GRAMS PER METER NOM LINEAR DENSITY; 360 MIN, 400 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1 40gp-16m	MR	\$1.57
4	4020-21-887-9551 P/C MR1204	ROPE, FIBROUS. MANILA; 06.0 MM NOM DIA; 3 STRANDS; TWISTED; NATURAL COLOR ROT RESISTANT; 240 DECANEWTONS MBS; 20 CM MAX PER 10 TURNS; 30 KTEX NOM LINEAR DENSITY; 750 MIN, 825 MAX METERS LG IN COIL; SPEC TYPE 2 40-gp-2m	MR	\$0.116
5	4020-21-885-3296 P/C RPE1206	ROPE, FIBROUS 6.0 MM NOM DIA; POLYESTER OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR; 600 DECANEWTONS MBS; 27 GRAMS PER METER NOM LINEAR DENSITY 40-gp-11m	MR	\$0.246
6	4020-20-A06-1095 P/C RPP1209G	POLYPROPYLENE ROPE, 9/16, GREEN, 3 STRAND 31,600 LBS , BREAKING STRENGTH 9,320 lbs MFR DSR 1200 FT PER COIL	CL	\$153.92
7	4020-20-A06-1096 P/C RPP618G	POLYPROPYLENE, ROPE, 1 1/8. GREEN, 3 STRAND BREAKING STRENGTH 31,600 LBS, 600FT PER COIL MFD DSR	CL	\$322.63
8	4020-20-A06-1317 P/C RPP1204Y	ROPE, FIBROUS, 6.0 MM DIA NOM, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 25CM MAX PER 10 TURNS, 19KTEX NON LINEAR DENSITY, 370 MIN, 407 MR PER COIL	MR	\$0.083

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
9	4020-20-A06-1094 P/C RPP608G	POLYPROPYLENE , ROPE, 1/2 ,GREEN, BREAKING STRENGTH 6870 LBS, 3 STRAND, 600 FT PER COIL MFR DSR	CL	\$60.00
10	NOT ASSIGNED P/C 20069	ROPE-BLUE BRAIDED, AMSTEEL, 12 STRAND 1/2 IN, MFR SAMPSON, PRODUCT CODE: 872 BREAKING STRENGTH 30,600 LBS 600FT PER RL * NO SUBSTITUTION *	RL	\$1,870.00
11	4020-21-883-0800 P/C NR6082N1	CORD ASSEMBLY,FIBROUS; FABRICATION METHOD DOUBLE AND BRAIDED; OVERALL DIAMETER 12.7 MILLIMETERS NOMINAL; SPECIAL FEATURES NYLON 6.6; 12.0 MM NOM DIA; 8 STRAND CORE; 16 STRANDS; 32.8 KILONEWTONS MBS; 90 GRAMS PER METRE NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1;END ITEM IDENTIFICATION U/O RIB;MATERIAL AND LOCATION NYLON ANY ACCEPTABLE;COLOR	MR	\$1.22
12	4020-21-883-2841 P/C NR6102N1	CORD,FIBROUS. NYLON 6.6;16.0 MM NOM DIA;DOUBLE BRAIDED;NATURAL COLOR;8 STRAND CORE;20 STRANDS;58.2 KILONEWTONS MBS; 160 GRAMS PER METER NOM LINEAR DENSITY;360 MIN,400 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$2.00
13	4020-21-879-9597 P/C RPP1208Y	ROPE,FIBROUS. 12 MM NOM DIA; POLYPROPYLENE; 3 STRANDS; TWISTED; YELLOW; 1500 DECANEWTONS MBS;40 CM MAX PER 10 TURNS;65 KTEX NOM LINEAR DENSITY; 370 MIN,407 MAX METERS IN COIL	MR	\$0.329
14	4020-21-883-2814 P/C NR12042N1	CORD, FIBROUS. NYLON 6.6;06.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE;16 STRANDS;8.2 KILONEWTONS MBS; 22.5 GRAMS PER METER NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$0.40
15	4020-21-879-9585 P/C NR1206	ROPE, FIBROUS. 10 MM NOM DIA; 6.6 NYLON OVERALL; 3 STRANDS;TWISTED; NATURAL COLOR;1900 DECANEWTONS MBS;66 GRAMS PER METER NOM LINEAR DENSITY	MR	\$0.50
16	4020-21-883-2706 P/C NR609	ROPE,FIBROUS. 14 MM NOM DIA;6.6 NYLON OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR;3500 DECANEWTONS MBS;130 GRAMS PER METER NOM LINEAR DENSITY	MR	\$1.196
17	4020-21-885-3303 P/C RPP1209Y	ROPE,FIBROUS. 14 MM NOM DIA,POLYPROPYLENE ,3 STRANDS,TWISTED, YELLOW,2000 DECANEWTONS MBS, 49 CM PER 10 TURNS, 90 KTEX NOM LINEAR DENSITY, 370 MIN,407 MAX METERS IN COIL	MR	\$0.42
18	4020-21-879-9598 P/C RPP1210Y	ROPE, FIBROUS. 16 MM NOM DIA; POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 2400 DECANEWTONS MBS, 48 CM MAX PER 10 TURNS, 115 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL.	MR	\$0.57



Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
19	4020-21-886-9221 P/C MR628	ROPE, FIBROUS. MANILA, 45.0 MM NOM DIA, 3 STRANDS, TWISTED, NATURAL COLOR ROT RESISTANT, 10600 DECANEWTONS MBS, 130 CM MAX PER 10 TURNS, 1320 KTEX NOM LINEAR DENSITY 370 MIN, 407 MAX METERS LG IN COIL, SPEC TYPE 2.	MR	\$4.21
20	4020-21-883-0847 P/C RPE608	ROPE, FIBROUS. 12 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2100 DECANEWTONS MBS, 103 GRAMS PER METER NOM LINEAR DENSITY.	MR	\$1.16
21	4020-21-883-2792 P/C RPE609	ROPE, FIBROUS. 14 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2900 DECANEWTONS MBS, 143 GRM PER METER NOM LINEAR DENSITY.	MR	\$1.34
22	4020-21-882-9680 P/C 20070	CORD, FIBROUS. NYLON OR POLYESTER, WHITE, 645 NEWTONS MBS, MIN OF 9 CORE STRANDS, 16 STRANDS, BRAIDED, 3.5 KILOTEX MIN LINEAR DENSITY, 250 METERS LG IN TUBE OR SPOOL, SPEC TYPE 1.	MR	\$0.176
23	4020-21-897-9600 P/C NR12052N1	CORD, FIBROUS. NYLON 6.6, 07.5 MM NOM DIA, DOUBLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 12.8 KILONEWTONS MBS, 35.2 GRAMS PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.54
24	4020-21-883-2813 P/C NR12062N1	CORD, FIBROUS. NYLON 6.6, 09.0 MM NOM DIA, DOUBLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 18.4 KILONEWTONS MBS, 50.6 GRM PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS LG ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.77
25		MISCELLANEOUS SIMILAR OR RELATED ITEMS, NOT LISTED ABOVE, AT MANUFACTURER'S LIST PRICES LESS A DISCOUNT OF 55%.		

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

**FIRM UNIT PRICES FROM 14 JANUARY 2010 TO 13 JANUARY 2011:**

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
1	4020-21-885-3300 P/C RPP1204Y	ROPE, FIBROUS. 6.0 MM NOM DIA, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 21 CM PER 10 TURNS, 19 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL 40gp13m	MR	\$0.087
2	4020-21-106-2146 P/C 22220	CORD, FIBROUS. POLYAMIDE NYLON, MIL-C-5040, TYPE 3 O/A, 0.188 IN. DIA; 700 YD MIN SPOOL; 32 OR 36 STRANDS; BRAIDED, NATURAL COLOR; 7 TO 9 CORE YARNS; 550 LB MBS; 225 FT PER LB MINS Ms040-5n	EA	\$114.50
3	4020-21-879-9602 P/C NR6092N1	NYLON 6.6; 14.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE; 16 STRANDS; 44.6 KILONEWTONS MBS; 122 GRAMS PER METER NOM LINEAR DENSITY; 360 MIN, 400 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1 40gp-16m	MR	\$1.723
4	4020-21-887-9551 P/C MR1204	ROPE, FIBROUS. MANILA; 06.0 MM NOM DIA; 3 STRANDS; TWISTED; NATURAL COLOR ROT RESISTANT; 240 DECANEWTONS MBS; 20 CM MAX PER 10 TURNS; 30 KTEX NOM LINEAR DENSITY; 750 MIN, 825 MAX METERS LG IN COIL; SPEC TYPE 2 40-gp-2m	MR	\$0.118
5	4020-21-885-3296 P/C RPE1206	ROPE, FIBROUS 6.0 MM NOM DIA; POLYESTER OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR; 600 DECANEWTONS MBS; 27 GRAMS PER METER NOM LINEAR DENSITY 40-gp-11m	MR	\$0.258
6	4020-20-A06-1095 P/C RPP1209G	POLYPROPYLENE ROPE, 9/16, GREEN, 3 STRAND 31,600 LBS, BREAKING STRENGTH 9,320 lbs MFR DSR 1200 FT PER COIL	CL	\$161.31
7	4020-20-A06-1096 P/C RPP618G	POLYPROPYLENE, ROPE, 1 1/8. GREEN, 3 STRAND BREAKING STRENGTH 31,600 LBS, 600FT PER COIL MFD DSR	CL	\$338.11
8	4020-20-A06-1317 P/C RPP1204Y	ROPE, FIBROUS, 6.0 MM DIA NOM, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 25CM MAX PER 10 TURNS, 19KTEX NON LINEAR DENSITY, 370 MIN, 407 MR PER COIL	MR	\$0.087
9	4020-20-A06-1094 P/C RPP608G	POLYPROPYLENE, ROPE, 1/2, GREEN, BREAKING STRENGTH 6870 LBS, 3 STRAND, 600 FT PER COIL MFR DSR	CL	\$62.97
10	NOT ASSIGNED P/C 20069	ROPE-BLUE BRAIDED, AMSTEEL, 12 STRAND 1/2 IN, MFR SAMPSON, PRODUCT CODE: 872 BREAKING STRENGTH 30,600 LBS 600FT PER RL <b>* NO SUBSTITUTION *</b>	RL	\$1,960.00

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
11	4020-21-883-0800 P/C NR6082N1	CORD ASSEMBLY,FIBROUS; FABRICATION METHOD DOUBLE AND BRAIDED; OVERALL DIAMETER 12.7 MILLIMETERS NOMINAL; SPECIAL FEATURES NYLON 6.6; 12.0 MM NOM DIA; 8 STRAND CORE; 16 STRANDS; 32.8 KILONEWTONS MBS; 90 GRAMS PER METRE NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1;END ITEM IDENTIFICATION U/O RIB;MATERIAL AND LOCATION NYLON ANY ACCEPTABLE;COLOR	MR	\$1.344
12	4020-21-883-2841 P/C NR6102N1	CORD,FIBROUS. NYLON 6.6;16.0 MM NOM DIA;DOUBLE BRAIDED;NATURAL COLOR;8 STRAND CORE;20 STRANDS;58.2 KILONEWTONS MBS; 160 GRAMS PER METER NOM LINEAR DENSITY;360 MIN,400 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$2.20
13	4020-21-879-9597 P/C RPP1208Y	ROPE,FIBROUS. 12 MM NOM DIA; POLYPROPYLENE; 3 STRANDS; TWISTED; YELLOW; 1500 DECANEWTONS MBS;40 CM MAX PER 10 TURNS;65 KTEX NOM LINEAR DENSITY; 370 MIN,407 MAX METERS IN COIL	MR	\$0.344
14	4020-21-883-2814 P/C NR12042N1	CORD, FIBROUS. NYLON 6.6;06.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE;16 STRANDS;8.2 KILONEWTONS MBS; 22.5 GRAMS PER METER NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$0.44
15	4020-21-879-9585 P/C NR1206	ROPE, FIBROUS. 10 MM NOM DIA; 6.6 NYLON OVERALL; 3 STRANDS;TWISTED; NATURAL COLOR;1900 DECANEWTONS MBS;66 GRAMS PER METER NOM LINEAR DENSITY	MR	\$0.526
16	4020-21-883-2706 P/C NR609	ROPE,FIBROUS. 14 MM NOM DIA;6.6 NYLON OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR;3500 DECANEWTONS MBS;130 GRAMS PER METER NOM LINEAR DENSITY	MR	\$1.25
17	4020-21-885-3303 P/C RPP1209Y	ROPE,FIBROUS. 14 MM NOM DIA,POLYPROPYLENE ,3 STRANDS,TWISTED, YELLOW,2000 DECANEWTONS MBS, 49 CM PER 10 TURNS, 90 KTEX NOM LINEAR DENSITY, 370 MIN,407 MAX METERS IN COIL	MR	\$0.44
18	4020-21-879-9598 P/C RPP1210Y	ROPE, FIBROUS. 16 MM NOM DIA; POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 2400 DECANEWTONS MBS, 48 CM MAX PER 10 TURNS, 115 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL.	MR	\$0.60
19	4020-21-886-9221 P/C MR628	ROPE, FIBROUS. MANILA, 45.0 MM NOM DIA, 3 STRANDS, TWISTED, NATURAL COLOR ROT RESISTANT, 10600 DECANEWTONS MBS, 130 CM MAX PER 10 TURNS, 1320 KTEX NOM LINEAR DENSITY 370 MIN, 407 MAX METERS LG IN COIL, SPEC TYPE 2.	MR	\$4.29
20	4020-21-883-0847 P/C RPE608	ROPE, FIBROUS. 12 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2100 DECANEWTONS MBS, 103 GRAMS PER METER NOM LINEAR DENSITY.	MR	\$1.22



Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
21	4020-21-883-2792 P/C RPE609	ROPE, FIBROUS. 14 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2900 DECANEWTONS MBS, 143 GRM PER METER NOM LINEAR DENSITY.	MR	\$1.41
22	4020-21-882-9680 P/C 20070	CORD, FIBROUS. NYLON OR POLYESTER, WHITE, 645 NEWTONS MBS, MIN OF 9 CORE STRANDS, 16 STRANDS, BRAIDED, 3.5 KILOTEX MIN LINEAR DENSITY, 250 METERS LG IN TUBE OR SPOOL, SPEC TYPE 1.	MR	\$0.188
23	4020-21-897-9600 P/C NR12052N1	CORD, FIBROUS. NYLON 6.6, 07.5 MM NOM DIA, DOUBLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 12.8 KILONEWTONS MBS, 35.2 GRAMS PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.60
24	4020-21-883-2813 P/C NR12062N1	CORD, FIBROUS. NYLON 6.6, 09.0 MM NOM DIA, DOUBLLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 18.4 KILONEWTONS MBS, 50.6 GRM PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS LG ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.856
25		MISCELLANEOUS SIMILAR OR RELATED ITEMS, NOT LISTED ABOVE, AT MANUFACTURER'S LIST PRICES LESS A DISCOUNT OF 55%.		

Standing Offer No. - N° de l'offre

W010Z-08A006/001/HAL

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

**FIRM UNIT PRICES FROM 14 JANUARY 2011 TO 13 JANUARY 2012:**

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
1	4020-21-885-3300 P/C RPP1204Y	ROPE, FIBROUS. 6.0 MM NOM DIA, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 21 CM PER 10 TURNS, 19 KTEX NOM LINEAR DENSITY, 370 MIN,407 MAX METERS IN COIL 40gp13m	MR	\$0.091
2	4020-21-106-2146 P/C 22220	CORD,FIBROUS. POLYAMIDE NYLON,MIL-C-5040, TYPE 3 O/A,0.188 IN. DIA; 700 YD MIN SPOOL; 32 OR 36 STRANDS;BRAIDED,NATURAL COLOR;7 TO 9 CORE YARNS;550 LB MBS;225 FT PER LB MINS Ms040-5n	EA	\$122.50
3	4020-21-879-9602 P/C NR6092N1	NYLON 6.6;14.0 MM NOM DIA;DOUBLE BRAIDED;NATURAL COLOR; 8 STRAND CORE;16 STRANDS;44.6 KILONEWTONS MBS; 122 GRAMS PER METER NOM LINEAR DENSITY; 360 MIN,400 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1 40gp-16m	MR	\$1.896
4	4020-21-887-9551 P/C MR1204	ROPE,FIBROUS. MANILA;06.0 MM NOM DIA; 3 STRANDS;TWISTED;NATURAL COLOR ROT RESISTANT;240 DECANEWTONS MBS;20 CM MAX PER 10 TURNS;30 KTEX NOM LINEAR DENSITY; 750 MIN,825 MAX METERS LG IN COIL;SPEC TYPE 2 40-gp-2m	MR	\$0.12
5	4020-21-885-3296 P/C RPE1206	ROPE, FIBROUS 6.0 MM NOM DIA;POLYESTER OVERALL; 3 STRANDS;TWISTED; NATURAL COLOR;600 DECANEWTONS MBS;27 GRAMS PER METER NOM LINEAR DENSITY 40-gp-11m	MR	\$0.27
6	4020-20-A06-1095 P/C RPP1209G	POLYPROPLENE ROPE, 9/16, GREEN, 3 STRAND 31,600 LBS , BREAKING STRENGTH 9,320 lbs MFR DSR 1200 FT PER COIL	CL	\$169.06
7	4020-20-A06-1096 P/C RPP618G	POLYPROPLENE, ROPE, 1 1/8. GREEN, 3 STRAND BREAKING STRENGTH 31,600 LBS, 600FT PERCOIL MFD DSR	CL	\$354.34
8	4020-20-A06-1317 P/C RPP1204Y	ROPE , FIBROUS ,6.0 MM DIA NOM, POYLPRPPLNE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS,25CM MAX PER 10 TURNS,19KTEX NON LINEAR DENSITY, 370 MIN,407 MR PER COIL	MR	\$0.091
9	4020-20-A06-1094 P/C RPP608G	POLYPROPLENE , ROPE, 1/2 ,GREEN, BREAKING STRENGTH 6870 LBS, 3 STRAND, 600 FT PER COIL MFR DSR	CL	\$65.99
10	NOT ASSIGNED P/C 20069	ROPE-BLUE BRAIDED, AMSTEEL, 12 STRAND 1/2 IN, MFR SAMPSON, PRODUCT CODE: 872 BREAKING STRENGTH 30,600 LBS 600FT PER RL <b>* NO SUBSTITUTION *</b>	RL	\$2,050.00

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
11	4020-21-883-0800 P/C NR6082N1	CORD ASSEMBLY,FIBROUS; FABRICATION METHOD DOUBLE AND BRAIDED; OVERALL DIAMETER 12.7 MILLIMETERS NOMINAL; SPECIAL FEATURES NYLON 6.6; 12.0 MM NOM DIA; 8 STRAND CORE; 16 STRANDS; 32.8 KILONEWTONS MBS; 90 GRAMS PER METRE NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1;END ITEM IDENTIFICATION U/O RIB;MATERIAL AND LOCATION NYLON ANY ACCEPTABLE;COLOR	MR	\$1.48
12	4020-21-883-2841 P/C NR6102N1	CORD,FIBROUS. NYLON 6.6;16.0 MM NOM DIA;DOUBLE BRAIDED;NATURAL COLOR;8 STRAND CORE;20 STRANDS;58.2 KILONEWTONS MBS; 160 GRAMS PER METER NOM LINEAR DENSITY;360 MIN,400 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$2.42
13	4020-21-879-9597 P/C RPP1208Y	ROPE,FIBROUS. 12 MM NOM DIA; POLYPROPYLENE; 3 STRANDS; TWISTED; YELLOW; 1500 DECANEWTONS MBS;40 CM MAX PER 10 TURNS;65 KTEX NOM LINEAR DENSITY; 370 MIN,407 MAX METERS IN COIL	MR	\$0.36
14	4020-21-883-2814 P/C NR12042N1	CORD, FIBROUS. NYLON 6.6;06.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE;16 STRANDS;8.2 KILONEWTONS MBS; 22.5 GRAMS PER METER NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$0.484
15	4020-21-879-9585 P/C NR1206	ROPE, FIBROUS. 10 MM NOM DIA; 6.6 NYLON OVERALL; 3 STRANDS;TWISTED; NATURAL COLOR;1900 DECANEWTONS MBS;66 GRAMS PER METER NOM LINEAR DENSITY	MR	\$0.552
16	4020-21-883-2706 P/C NR609	ROPE,FIBROUS. 14 MM NOM DIA;6.6 NYLON OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR;3500 DECANEWTONS MBS;130 GRAMS PER METER NOM LINEAR DENSITY	MR	\$1.313
17	4020-21-885-3303 P/C RPP1209Y	ROPE,FIBROUS. 14 MM NOM DIA,POLYPROPYLENE ,3 STRANDS,TWISTED, YELLOW,2000 DECANEWTONS MBS, 49 CM PER 10 TURNS, 90 KTEX NOM LINEAR DENSITY, 370 MIN,407 MAX METERS IN COIL.	MR	\$0.462
18	4020-21-879-9598 P/C RPP1210Y	ROPE, FIBROUS. 16 MM NOM DIA; POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 2400 DECANEWTONS MBS, 48 CM MAX PER 10 TURNS, 115 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL.	MR	\$0.63
19	4020-21-886-9221 P/C MR628	ROPE, FIBROUS. MANILA, 45.0 MM NOM DIA, 3 STRANDS, TWISTED, NATURAL COLOR ROT RESISTANT, 10600 DECANEWTONS MBS, 130 CM MAX PER 10 TURNS, 1320 KTEX NOM LINEAR DENSITY 370 MIN, 407 MAX METERS LG IN COIL, SPEC TYPE 2.	MR	\$4.37
20	4020-21-883-0847 P/C RPE608	ROPE, FIBROUS. 12 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2100 DECANEWTONS MBS, 103 GRAMS PER METER NOM LINEAR DENSITY.	MR	\$1.278



Standing Offer No. - N° de l'offre

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

W010Z-08A006/001/HAL

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
21	4020-21-883-2792 P/C RPE609	ROPE, FIBROUS. 14 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2900 DECANEWTONS MBS, 143 GRM PER METER NOM LINEAR DENSITY.	MR	\$1.474
22	4020-21-882-9680 P/C 20070	CORD, FIBROUS. NYLON OR POLYESTER, WHITE, 645 NEWTONS MBS, MIN OF 9 CORE STRANDS, 16 STRANDS, BRAIDED, 3.5 KILOTEX MIN LINEAR DENSITY, 250 METERS LG IN TUBE OR SPOOL, SPEC TYPE 1.	MR	\$0.202
23	4020-21-897-9600 P/C NR12052N1	CORD, FIBROUS. NYLON 6.6, 07.5 MM NOM DIA, DOUBLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 12.8 KILONEWTONS MBS, 35.2 GRAMS PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.66
24	4020-21-883-2813 P/C NR12062N1	CORD, FIBROUS. NYLON 6.6, 09.0 MM NOM DIA, DOUBLLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 18.4 KILONEWTONS MBS, 50.6 GRM PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS LG ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.94
25		MISCELLANEOUS SIMILAR OR RELATED ITEMS, NOT LISTED ABOVE, AT MANUFACTURER'S LIST PRICES LESS A DISCOUNT OF 55%.		



Standing Offer No. - N° de l'offre

W010Z-08A006/001/HAL

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

**FIRM UNIT PRICES FOR THE FIRST OPTION YEAR, IF EXERCISED, FROM 14 JANUARY 2012 TO 13 JANUARY 2013:**

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
1	4020-21-885-3300 P/C RPP1204Y	ROPE, FIBROUS. 6.0 MM NOM DIA, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 21 CM PER 10 TURNS, 19 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL 40gp13m	MR	\$0.096
2	4020-21-106-2146 P/C 22220	CORD, FIBROUS. POLYAMIDE NYLON, MIL-C-5040, TYPE 3 O/A, 0.188 IN. DIA; 700 YD MIN SPOOL; 32 OR 36 STRANDS; BRAIDED, NATURAL COLOR; 7 TO 9 CORE YARNS; 550 LB MBS; 225 FT PER LB MINS Ms040-5n	EA	\$131.00
3	4020-21-879-9602 P/C NR6092N1	NYLON 6.6; 14.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE; 16 STRANDS; 44.6 KILONEWTONS MBS; 122 GRAMS PER METER NOM LINEAR DENSITY; 360 MIN, 400 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1 40gp-16m	MR	\$2.085
4	4020-21-887-9551 P/C MR1204	ROPE, FIBROUS. MANILA; 06.0 MM NOM DIA; 3 STRANDS; TWISTED; NATURAL COLOR ROT RESISTANT; 240 DECANEWTONS MBS; 20 CM MAX PER 10 TURNS; 30 KTEX NOM LINEAR DENSITY; 750 MIN, 825 MAX METERS LG IN COIL; SPEC TYPE 2 40-gp-2m	MR	\$0.123
5	4020-21-885-3296 P/C RPE1206	ROPE, FIBROUS 6.0 MM NOM DIA; POLYESTER OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR; 600 DECANEWTONS MBS; 27 GRAMS PER METER NOM LINEAR DENSITY 40-gp-11m	MR	\$0.283
6	4020-20-A06-1095 P/C RPP1209G	POLYPROPYLENE ROPE, 9/16, GREEN, 3 STRAND 31,600 LBS , BREAKING STRENGTH 9,320 lbs MFR DSR 1200 FT PER COIL	CL	\$177.17
7	4020-20-A06-1096 P/C RPP618G	POLYPROPYLENE, ROPE, 1 1/8. GREEN, 3 STRAND BREAKING STRENGTH 31,600 LBS, 600FT PER COIL MFD DSR	CL	\$371.35
8	4020-20-A06-1317 P/C RPP1204Y	ROPE, FIBROUS, 6.0 MM DIA NOM, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 25CM MAX PER 10 TURNS, 19KTEX NON LINEAR DENSITY, 370 MIN, 407 MR PER COIL	MR	\$0.096
9	4020-20-A06-1094 P/C RPP608G	POLYPROPYLENE, ROPE, 1/2, GREEN, BREAKING STRENGTH 6870 LBS, 3 STRAND, 600 FT PER COIL MFR DSR	CL	\$69.17
10	NOT ASSIGNED P/C 20069	ROPE-BLUE BRAIDED, AMSTEEL, 12 STRAND 1/2 IN, MFR SAMPSON, PRODUCT CODE: 872 BREAKING STRENGTH 30,600 LBS 600FT PER RL * NO SUBSTITUTION *	RL	\$2,150.00

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
11	4020-21-883-0800 P/C NR6082N1	CORD ASSEMBLY,FIBROUS; FABRICATION METHOD DOUBLE AND BRAIDED; OVERALL DIAMETER 12.7 MILLIMETERS NOMINAL; SPECIAL FEATURES NYLON 6.6; 12.0 MM NOM DIA; 8 STRAND CORE; 16 STRANDS; 32.8 KILONEWTONS MBS; 90 GRAMS PER METRE NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1;END ITEM IDENTIFICATION U/O RIB;MATERIAL AND LOCATION NYLON ANY ACCEPTABLE;COLOR	MR	\$1.627
12	4020-21-883-2841 P/C NR6102N1	CORD,FIBROUS. NYLON 6.6;16.0 MM NOM DIA;DOUBLE BRAIDED;NATURAL COLOR;8 STRAND CORE;20 STRANDS;58.2 KILONEWTONS MBS; 160 GRAMS PER METER NOM LINEAR DENSITY;360 MIN,400 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$2.662
13	4020-21-879-9597 P/C RPP1208Y	ROPE,FIBROUS. 12 MM NOM DIA; POLYPROPYLENE; 3 STRANDS; TWISTED; YELLOW; 1500 DECANEWTONS MBS;40 CM MAX PER 10 TURNS;65 KTEX NOM LINEAR DENSITY; 370 MIN,407 MAX METERS IN COIL	MR	\$0.378
14	4020-21-883-2814 P/C NR12042N1	CORD, FIBROUS. NYLON 6.6;06.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE;16 STRANDS;8.2 KILONEWTONS MBS; 22.5 GRAMS PER METER NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$0.532
15	4020-21-879-9585 P/C NR1206	ROPE, FIBROUS. 10 MM NOM DIA; 6.6 NYLON OVERALL; 3 STRANDS;TWISTED; NATURAL COLOR;1900 DECANEWTONS MBS;66 GRAMS PER METER NOM LINEAR DENSITY	MR	\$0.578
16	4020-21-883-2706 P/C NR609	ROPE,FIBROUS. 14 MM NOM DIA;6.6 NYLON OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR;3500 DECANEWTONS MBS;130 GRAMS PER METER NOM LINEAR DENSITY	MR	\$1.376
17	4020-21-885-3303 P/C RPP1209Y	ROPE,FIBROUS. 14 MM NOM DIA,POLYPROPYLENE ,3 STRANDS,TWISTED, YELLOW,2000 DECANEWTONS MBS, 49 CM PER 10 TURNS, 90 KTEX NOM LINEAR DENSITY, 370 MIN,407 MAX METERS IN COIL	MR	\$0.484
18	4020-21-879-9598 P/C RPP1210Y	ROPE, FIBROUS. 16 MM NOM DIA; POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 2400 DECANEWTONS MBS, 48 CM MAX PER 10 TURNS, 115 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL.	MR	\$0.659
19	4020-21-886-9221 P/C MR628	ROPE, FIBROUS. MANILA, 45.0 MM NOM DIA, 3 STRANDS, TWISTED, NATURAL COLOR ROT RESISTANT, 10600 DECANEWTONS MBS, 130 CM MAX PER 10 TURNS, 1320 KTEX NOM LINEAR DENSITY 370 MIN, 407 MAX METERS LG IN COIL, SPEC TYPE 2.	MR	\$4.46
20	4020-21-883-0847 P/C RPE608	ROPE, FIBROUS. 12 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2100 DECANEWTONS MBS, 103 GRAMS PER METER NOM LINEAR DENSITY.	MR	\$1.34

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
21	4020-21-883-2792 P/C RPE609	ROPE, FIBROUS. 14 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2900 DECA NEWTONS MBS, 143 GRM PER METER NOM LINEAR DENSITY.	MR	\$1.55
22	4020-21-882-9680 P/C 20070	CORD, FIBROUS. NYLON OR POLYESTER, WHITE, 645 NEWTONS MBS, MIN OF 9 CORE STRANDS, 16 STRANDS, BRAIDED, 3.5 KILOTEX MIN LINEAR DENSITY, 250 METERS LG IN TUBE OR SPOOL, SPEC TYPE 1.	MR	\$0.216
23	4020-21-897-9600 P/C NR12052N1	CORD, FIBROUS. NYLON 6.6, 07.5 MM NOM DIA, DOUBLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 12.8 KILONEWTONS MBS, 35.2 GRAMS PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.725
24	4020-21-883-2813 P/C NR12062N1	CORD, FIBROUS. NYLON 6.6, 09.0 MM NOM DIA, DOUBLLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 18.4 KILONEWTONS MBS, 50.6 GRM PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS LG ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$1.035
25		MISCELLANEOUS SIMILAR OR RELATED ITEMS, NOT LISTED ABOVE, AT MANUFACTURER'S LIST PRICES LESS A DISCOUNT OF 55%.		



Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

**FIRM UNIT PRICES FOR THE SECOND OPTION YEAR, IF EXERCISED, FROM 14 JANUARY 2013 TO 13 JANUARY 2014:**

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
1	4020-21-885-3300 P/C RPP1204Y	ROPE, FIBROUS. 6.0 MM NOM DIA, POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 21 CM PER 10 TURNS, 19 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL 40gp13m	MR	\$0.101
2	4020-21-106-2146 P/C 22220	CORD, FIBROUS. POLYAMIDE NYLON, MIL-C-5040, TYPE 3 O/A, 0.188 IN. DIA; 700 YD MIN SPOOL; 32 OR 36 STRANDS; BRAIDED, NATURAL COLOR; 7 TO 9 CORE YARNS; 550 LB MBS; 225 FT PER LB MINS Ms040-5n	EA	\$140.25
3	4020-21-879-9602 P/C NR6092N1	NYLON 6,6; 14.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE; 16 STRANDS; 44.6 KILONEWTONS MBS; 122 GRAMS PER METER NOM LINEAR DENSITY; 360 MIN, 400 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1 40gp-16m	MR	\$2.294
4	4020-21-887-9551 P/C MR1204	ROPE, FIBROUS. MANILA; 06.0 MM NOM DIA; 3 STRANDS; TWISTED; NATURAL COLOR ROT RESISTANT; 240 DECANEWTONS MBS; 20 CM MAX PER 10 TURNS; 30 KTEX NOM LINEAR DENSITY; 750 MIN, 825 MAX METERS LG IN COIL; SPEC TYPE 2 40-gp-2m	MR	\$0.125
5	4020-21-885-3296 P/C RPE1206	ROPE, FIBROUS 6.0 MM NOM DIA; POLYESTER OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR; 600 DECANEWTONS MBS; 27 GRAMS PER METER NOM LINEAR DENSITY 40-gp-11m	MR	\$0.297
6	4020-20-A06-1095 P/C RPP1209G	POLYPROPYLENE ROPE, 9/16, GREEN, 3 STRAND 31,600 LBS , BREAKING STRENGTH 9,320 lbs MFR DSR 1200 FT PER COIL	CL	\$185.67
7	4020-20-A06-1096 P/C RPP618G	POLYPROPYLENE, ROPE, 1 1/8. GREEN, 3 STRAND BREAKING STRENGTH 31,600 LBS, 600FT PER COIL MFD DSR	CL	\$389.17
8	4020-20-A06-1317 P/C RPP1204Y	ROPE , FIBROUS , 6.0 MM DIA NOM, POYLYPRPYLENE, 3 STRANDS, TWISTED, YELLOW, 450 DECANEWTONS MBS, 25CM MAX PER 10 TURNS, 19KTEX NON LINEAR DENSITY, 370 MIN, 407 MR PER COIL	MR	\$0.101
9	4020-20-A06-1094 P/C RPP608G	POLYPROPYLENE , ROPE, 1/2 , GREEN, BREAKING STRENGTH 6870 LBS, 3 STRAND, 600 FT PER COIL MFR DSR	CL	\$72.48
10	NOT ASSIGNED P/C 20069	ROPE-BLUE BRAIDED, AMSTEEL, 12 STRAND 1/2 IN, MFR SAMPSON, PRODUCT CODE: 872 BREAKING STRENGTH 30,600 LBS 600FT PER RL * NO SUBSTITUTION *	RL	\$2,255.00



Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal306

Client Ref. No. - N° de réf. du client

File No. - N° du dossier

CCC No./N° CCC - FMS No/ N° VME

W010Z-8-A006

HAL-8-55002

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
11	4020-21-883-0800 P/C NR6082N1	CORD ASSEMBLY,FIBROUS; FABRICATION METHOD DOUBLE AND BRAIDED; OVERALL DIAMETER 12.7 MILLIMETERS NOMINAL; SPECIAL FEATURES NYLON 6.6; 12.0 MM NOM DIA; 8 STRAND CORE; 16 STRANDS; 32.8 KILONEWTONS MBS; 90 GRAMS PER METRE NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL; SPEC TYPE 1;END ITEM IDENTIFICATION U/O RIB;MATERIAL AND LOCATION NYLON ANY ACCEPTABLE;COLOR	MR	\$1.789
12	4020-21-883-2841 P/C NR6102N1	CORD,FIBROUS. NYLON 6.6;16.0 MM NOM DIA;DOUBLE BRAIDED;NATURAL COLOR;8 STRAND CORE;20 STRANDS;58.2 KILONEWTONS MBS; 160 GRAMS PER METER NOM LINEAR DENSITY;360 MIN,400 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$2.928
13	4020-21-879-9597 P/C RPP1208Y	ROPE,FIBROUS. 12 MM NOM DIA; POLYPROPYLENE; 3 STRANDS; TWISTED; YELLOW; 1500 DECANEWTONS MBS;40 CM MAX PER 10 TURNS;65 KTEX NOM LINEAR DENSITY; 370 MIN,407 MAX METERS IN COIL	MR	\$0.396
14	4020-21-883-2814 P/C NR12042N1	CORD, FIBROUS. NYLON 6.6;06.0 MM NOM DIA; DOUBLE BRAIDED; NATURAL COLOR; 8 STRAND CORE;16 STRANDS;8.2 KILONEWTONS MBS; 22.5 GRAMS PER METER NOM LINEAR DENSITY; 720 MIN,800 MAX METERS LG ON REEL OR SPOOL;SPEC TYPE 1	MR	\$0.586
15	4020-21-879-9585 P/C NR1206	ROPE, FIBROUS. 10 MM NOM DIA; 6.6 NYLON OVERALL; 3 STRANDS;TWISTED; NATURAL COLOR;1900 DECANEWTONS MBS;66 GRAMS PER METER NOM LINEAR DENSITY	MR	\$0.606
16	4020-21-883-2706 P/C NR609	ROPE,FIBROUS. 14 MM NOM DIA;6.6 NYLON OVERALL; 3 STRANDS; TWISTED; NATURAL COLOR;3500 DECANEWTONS MBS;130 GRAMS PER METER NOM LINEAR DENSITY	MR	\$1.442
17	4020-21-885-3303 P/C RPP1209Y	ROPE,FIBROUS. 14 MM NOM DIA,POLYPROPYLENE ,3 STRANDS,TWISTED, YELLOW,2000 DECANEWTONS MBS, 49 CM PER 10 TURNS, 90 KTEX NOM LINEAR DENSITY, 370 MIN,407 MAX METERS IN COIL.	MR	\$0.508
18	4020-21-879-9598 P/C RPP1210Y	ROPE, FIBROUS. 16 MM NOM DIA; POLYPROPYLENE, 3 STRANDS, TWISTED, YELLOW, 2400 DECANEWTONS MBS, 48 CM MAX PER 10 TURNS, 115 KTEX NOM LINEAR DENSITY, 370 MIN, 407 MAX METERS IN COIL.	MR	\$0.69
19	4020-21-886-9221 P/C MR628	ROPE, FIBROUS. MANILA, 45.0 MM NOM DIA, 3 STRANDS, TWISTED, NATURAL COLOR ROT RESISTANT, 10600 DECANEWTONS MBS, 130 CM MAX PER 10 TURNS, 1320 KTEX NOM LINEAR DENSITY 370 MIN, 407 MAX METERS LG IN COIL, SPEC TYPE 2.	MR	\$4.55
20	4020-21-883-0847 P/C RPE608	ROPE, FIBROUS. 12 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2100 DECANEWTONS MBS, 103 GRAMS PER METER NOM LINEAR DENSITY.	MR	\$1.403

Standing Offer No. - N° de l'offre  
W010Z-08A006/001/HAL  
Client Ref. No. - N° de réf. du client  
W010Z-8-A006

Amd. No. - N° de la modif.  
File No. - N° du dossier  
HAL-8-55002

Buyer ID - Id de l'acheteur  
hal306  
CCC No./N° CCC - FMS No/ N° VME

ITEM	NSN	DESCRIPTION	UNIT OF ISSUE	PRICE PER U/I
21	4020-21-883-2792 P/C RPE609	ROPE, FIBROUS. 14 MM NOM DIA, POLYESTER OVERALL, 3 STRANDS, TWISTED, NATURAL COLOR, 2900 DECANEWTONS MBS, 143 GRM PER METER NOM LINEAR DENSITY.	MR	\$1.619
22	4020-21-882-9680 P/C 20070	CORD, FIBROUS. NYLON OR POLYESTER, WHITE, 645 NEWTONS MBS, MIN OF 9 CORE STRANDS, 16 STRANDS, BRAIDED, 3.5 KILOTEX MIN LINEAR DENSITY, 250 METERS LG IN TUBE OR SPOOL, SPEC TYPE 1.	MR	\$0.231
23	4020-21-897-9600 P/C NR12052N1	CORD, FIBROUS. NYLON 6.6, 07.5 MM NOM DIA, DOUBLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 12.8 KILONEWTONS MBS, 35.2 GRAMS PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$0.797
24	4020-21-883-2813 P/C NR12062N1	CORD, FIBROUS. NYLON 6.6, 09.0 MM NOM DIA, DOUBLLE BRAIDED, NATURAL COLOR, 8 STRAND CORE, 16 STRANDS, 18.4 KILONEWTONS MBS, 50.6 GRM PER METER NOM LINEAR DENSITY, 720 MIN, 800 MAX METERS LG ON REEL OR SPOOL, SPEC TYPE 1.	MR	\$1.139
25		MISCELLANEOUS SIMILAR OR RELATED ITEMS, NOT LISTED ABOVE, AT MANUFACTURER'S LIST PRICES LESS A DISCOUNT OF 55%.		

