



NOTE: 15M CORNER BAR REINFORCING.
MATCH SPACING WITH HORIZONTAL
REINFORCING OF GRADE BEAM.

A TYP. GRADE BEAM
SO/NTS INTERSECTION




B TYP. VOID FORM DETAIL
SO/NTS


TYPICAL ROOF DECK
U/S DECK ELEVATION AS DETAILED.
38mm x 0.91mm (20Ga.) STEEL ROOF DECK ZF075
STANDARD (ZINC WIPE COAT GALVANIZED) U.N.O.



C METAL ROOF DECK DETAIL
SO/NTS



ALL WELDS TO BE 19# PLUG WELDS, TOUCH UP GALVANIZING
D WELDED ROOF DECK
SO/NTS



D MECHANICAL FASTENED ROOF DECK
SO/NTS ROOF DECK FASTENING DETAILS

ISSUED FOR TENDER
NOT FOR CONSTRUCTION

Revision/ Révision	Description/Description	Date/Date
0	ISSUED FOR TENDER	2013-07-26

Client/client

Project title/Titre du projet

AIRPORT HANGER DOOR REPLACEMENT REGINA, SK

Approved by/Approuvé par

Designed by/Concept par
DS

Drawn by/Dessiné par
CS

PWGSC Project Manager/Administrateur de Projets TPSCG

PWGSC Architectural and Engineering Resources Manager/
Ressources Architectural et de Directeur d'ingénierie, TPSCG

Client/client

Drawing title/Titre du dessin

SPECIFICATIONS
TYPICAL DETAILS

Project No./No. du
projet
R.060008.001

Sheet/Feuille
S0

Revision no./
La Révision
no.
0

OF