



- Notes:
- Riprap is 1.0m thick measured perpendicular to slope surface
 - Riprap to have a 100 mm granular cap to protect pedestrians and bicycle riders from rock surface adjacent trail. The Contractor is to use the 20 mm Base Course granular material to build cap or approved alternate.
 - Reuse as much of the salvaged culvert as possible in junction. Additional new 800 mm CSP may be required to complete installation
 - A certain amount of field fitting may be required to position different portions of the reconstruction in and around the Animal Overpass. The Departmental Representative will provide direction as required.

Asset Management Western and Northern Region		Gestion des biens Région de l'Ouest et du Nord	
Canada			
Project title/Titre du projet <h3 style="text-align: center;">Banff Legacy Trail Flood Repairs</h3>			
Drawing title/Titre du dessin <h3 style="text-align: center;">Trail Reconstruction Cascade Junction</h3>			
Surveilled by/Arpenté par Cummings	Drawn by/Dessiné par Cummings	Date 14/04/2014	Scale/Echelle 1:100
Client Acceptance/Acceptation du client Approved by/Approuvé par		Date	
Project No./No du projet BNP13-04-050	Asset No./No du bien BNP13-04-050	Sheet No./ Feuille <h1 style="font-size: 2em;">CJ1</h1>	
Drawing Set No./No de série du dessin BNP13-04-050		Date	