

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3
Bid Fax: (613) 545-8067

Revision to a Request for a Standing Offer

Révision à une demande d'offre à commandes

Regional Individual Standing Offer (RISO)

Offre à commandes individuelle régionale (OCIR)

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Offer remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'offre demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address

Raison sociale et adresse du fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution

Public Works and Government Services / Travaux
publics et services gouvernementaux
Kingston Procurement
Des Acquisitions Kingston
86 Clarence Street, 2nd floor
Kingston
Ontario
K7L 1X3

Title - Sujet Commercial Kitchen Equipment		
Solicitation No. - N° de l'invitation W2177-140001/A		Date 2014-05-14
Client Reference No. - N° de référence du client W2177-14-0001		Amendment No. - N° modif. 009
File No. - N° de dossier KIN-3-40103 (650)	CCC No./N° CCC - FMS No./N° VME	
GETS Reference No. - N° de référence de SEAG PW-\$KIN-650-6306		
Date of Original Request for Standing Offer		2014-02-28
Date de la demande de l'offre à commandes originale		
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-05-20		Time Zone Fuseau horaire Eastern Daylight Saving Time EDT
Address Enquiries to: - Adresser toutes questions à: Rombough, Lori		Buyer Id - Id de l'acheteur kin650
Telephone No. - N° de téléphone (613) 545-8061 ()	FAX No. - N° de FAX (613) 545-8067	
Delivery Required - Livraison exigée		
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF NATIONAL DEFENCE various locations in Canada as per the callup document		
Security - Sécurité This revision does not change the security requirements of the Offer. Cette révision ne change pas les besoins en matière de sécurité de la présente offre.		

Instructions: See Herein

Instructions: Voir aux présentes

Acknowledgement copy required	Yes - Oui	No - Non
Accusé de réception requis	<input type="checkbox"/>	<input type="checkbox"/>
The Offeror hereby acknowledges this revision to its Offer. Le proposant constate, par la présente, cette révision à son offre.		
Signature	Date	
Name and title of person authorized to sign on behalf of offeror. (type or print) Nom et titre de la personne autorisée à signer au nom du proposant. (taper ou écrire en caractères d'imprimerie)		
For the Minister - Pour le Ministre		

Solicitation No. - N° de l'invitation

W2177-140001/A

Client Ref. No. - N° de réf. du client

W2177-14-0001

Amd. No. - N° de la modif.

009

File No. - N° du dossier

KIN-3-40103

Buyer ID - Id de l'acheteur

kin650

CCC No./N° CCC - FMS No/ N° VME

AMENDMENT #009

Solicitation No. - N° de l'invitation
W2177-140001/A
Client Ref. No. - N° de réf. du client
W2177-14-0001

Amd. No. - N° de la modif.
009
File No. - N° du dossier
KIN-3-40103

Buyer ID - Id de l'acheteur
kin650
CCC No./N° CCC - FMS No/ N° VME

The intent of this amendment is to provide further information, answer questions from potential bidders and make revisions to the Request for Standing Offer document.

INFORMATION TO ALL BIDDERS:

To ensure an efficient evaluation, bidders are reminded to provide the following information in their offers:

Info #1: RFSO Reference: PART 3 - OFFER PREPARATION INSTRUCTIONS

1. Offer Preparation Instructions

Canada requests that offerors provide their offer in separately bound sections as follows:

Section I: Technical Offer (3 hard copies)

Section I: Technical Offer

In their technical offer, offerors should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

The offeror should provide proof the proposed equipment meets the minimum specifications in Annex A. Proof can be in the form of specification sheet, brochure(s) or document(s). Note: website links will not be accepted (as per clause 4, subsection 7 of 2006 (2013/06/01) Standard Instructions - Request for Standing Offers - Goods or Services.)

Annex B-1 - Working Documents (Excel File)

The Offerors will complete the List of Products using the Excel file and ensure that it has been properly filled out and contains all required information.

1. Hard (Paper) Copy: One (1) hard copy must be submitted by the date, time and place indicated on page 1 of the Request for Standing Offers.

2. Soft (Electronic) Copy: In addition to the hard copy, PWGSC is requesting offerors send in an electronic copy of Excel file, by e-mail at the following address: kingston.procurement@pwgsc.gc.ca

Info #2: DO NOT ALTER THE FORMAT OF THE EXCEL FILES:

To ensure a consistent financial evaluation, offerors should not alter the format. If more than one make and/or model is to be offered for a line item, a separate financial offer (Annex B-1) should be completed and clearly labelled.

For example: Offeror is providing prices for 2 types of equipment under line #67 in Region #1. All other items are the same.

Offeror submits two (2) Financial Offers for Region #1. Line items #1-#66 and #68-70 have the same unit prices in both offers. To meet the mandatory requirement, a minimum of 90% of all items listed in Annex B-1 must be proposed.

Region #1 – Financial Offer #1

	Type of Equipment	Qty per Yr	Year #1 Unit Price	Year #2 Unit Price	Make	Model
67	Utility Rack, 20 Pans	3	\$1.00	\$1.00	"A"	"1"

Region #1 – Financial Offer #2

	Type of Equipment	Qty per Yr	Year #1 Unit Price	Year #2 Unit Price	Make	Model
67	Utility Rack, 20 Pans	3	\$1.50	\$1.50	"B"	"2"

Info #3: Evaluation Procedures and Basis of Selection:

In accordance with Part 4 – Evaluation Procedures and Basis of Selection, the offer that meets the Mandatory Technical Criteria and achieves the lowest total evaluated price for each Region will be forwarded to the evaluation committee who will review the specifications of all proposed items. The offer must comply with the requirements of the Request for Standing Offer and meet all mandatory technical evaluation criteria to be declared responsive.

Solicitation No. - N° de l'invitation
W2177-140001/A
Client Ref. No. - N° de réf. du client
W2177-14-0001

Amd. No. - N° de la modif.
009
File No. - N° du dossier
KIN-3-40103

Buyer ID - Id de l'acheteur
kin650
CCC No./N° CCC - FMS No/ N° VME

QUESTIONS & ANSWERS:

Q1. 24 hour site service call included in length of warranty. Does this mean:

- we'll be there within 24 hours ?
- You can call anytime 24 hours a day ?
- You expect service to be done at anytime 24 hours / day, even after normal business hours?

A1. The client requests on site service within 24 hours from the request for service.

Q2. Page 43 of 82 Refrigerators / Freezer

The spec calls for 3 different configurations (single, double & 3 doors). In your Excel list there is no mention of the needed configuration.

A2. Annex B-1 has been revised to reflect the 3 different configurations.

Q3. Under-counter Type Dishwasher (reference Amendment #005)

In order for the tender description to match the fill/drain operating mode machine Canada is looking for, the following minor changes should be made to the document:

General- washing a maximum of **21** racks per hour

Configuration- "Installed, standard pressure regulating valve and line strainer "- No pressure regulating valve is required by design.

Functions- "De-liming indicator function "Delete and replace with "Scrub and delime function "

A3. The client has reviewed and the following will be acceptable:

- **The unit shall have the ability to process between 21-30 Racks per hour**
- **Installed Standard pressure regulating valve and line strainer** be move to desirable features and not deleted since we can't confirm if this "by design" is applicable to all manufacturers.
- Delete "De-liming indicator function "and replace with "**Delime function**"
Annex "A" and Annex "B-1" have been revised.

Q4. This is in reference to the **Rack Conveyor with prewash tank Dishwasher 66" (1676mm)**

I have one question for you, it has been brought to my attention that there is one bullet point on the Dishwasher specified on Page 20 of 82 on this tender that needs qualification or exclusion so that I may quote the ***** unit.

The feature is

- Cold water thermostat for prewash section (prewash water tempering and to prevent food back-on)

Outlined below is how ***** addresses this:

The ***** model ensures that the prewash temp is controlled by the amount of wash tank water backflowing into the prewash, assuring a proper prewash water temp. This reduced water, along with our new curtain design, ensures that the same amount of water is transferred to the prewash to maintain a prewash tank temp of 120-130 degree F. There is no need for a Cold Water line to be installed. The non-use of Cold water further ensures our Energy Star Rating for our unit. The equipment design also ensures that no proteins are "baked" on to ware at the prewash scrapping stage.

A4. All units capable to maintain a pre-wash water temperature between 120-130F at all times during the complete cycle will be an acceptable item. See deletion and insertion #1C

Q5. Griddles page 28, items 15 and 16: Would high polished steel be an acceptable alternate to chrome plate?

Solicitation No. - N° de l'invitation
W2177-140001/A
Client Ref. No. - N° de réf. du client
W2177-14-0001

Amd. No. - N° de la modif.
009
File No. - N° du dossier
KIN-3-40103

Buyer ID - Id de l'acheteur
kin650
CCC No./N° CCC - FMS No/ N° VME

A5. The client has confirmed the only acceptable material would be chrome plated top or 304 annealed stainless steel. This material type is required to maximize the thermal conductivity of the top plate and ensure a control and even heat distribution to the cooking area.

DELETIONS & INSERTIONS:

#1. Under: Annex A

Within: Under-counter Type Dishwasher

#1a. General – delete in its entirety and insert:

Under-counter dishwasher must be capable of washing between 21 and 30 racks per hour and have an overall height 889mm (35") or less. The unit must design to be installed under food preparation workspaces. The Under counter dishwasher can be either chemical or hot water sanitizing with an internal booster heater.

#1b. Configuration

Delete: Installed, standard pressure regulating valve and line strainer

#1c. Material and construction

Delete: Cold water thermostat for prewash section (prewash water tempering and to prevent food bake-on)

Insert: Cold water thermostat for prewash section or a pre-wash tempering function that allows the pre-wash water to be within 120-130F at all time during the cycle process

#1d. Functions

Delete: De-liming indicator function

Insert: De-lime function

#1e. Value Added Options

Insert: Installed, standard pressure regulating valve and line strainer

Delete: Fresh water rinse

Insert: Fill/drain type

#2. In Amendment #008 - Under Annex "B" – Annex B-1: delete in its entirety and insert: **Annex B-1 English – May 12.xlsx**

All revisions are highlighted in green.