

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada  
800 Burrard Street, Room 219  
800, rue Burrard, pièce 219  
Vancouver  
British Columbia  
V6Z 0B9  
Bid Fax: (604) 775-9381

## SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise  
indicated, all other terms and conditions of the Solicitation  
remain the same.

Ce document est par la présente révisé; sauf indication contraire,  
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address  
Raison sociale et adresse du  
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution  
Public Works and Government Services Canada -  
Pacific Region  
800 Burrard Street, Room 219  
800, rue Burrard, pièce 219  
Vancouver  
British C  
V6Z 0B9

<b>Title - Sujet</b> New Floats for MSPV Moorage	
<b>Solicitation No. - N° de l'invitation</b> F1816-140001/A	<b>Amendment No. - N° modif.</b> 001
<b>Client Reference No. - N° de référence du client</b> F1816-140001	<b>Date</b> 2014-05-22
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWY-015-7252	
<b>File No. - N° de dossier</b> PWY-4-37014 (015)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-06-03</b>	<b>Time Zone</b> Fuseau horaire Pacific Daylight Saving Time PDT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Chan (PWY), Scarlett	<b>Buyer Id - Id de l'acheteur</b> pwy015
<b>Telephone No. - N° de téléphone</b> (604) 775-9382 ( )	<b>FAX No. - N° de FAX</b> (604) 775-6633
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b> DFO - Institute of Ocean Sciences - Patricia Bay, BC	

Instructions: See Herein

Instructions: Voir aux présentes

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

## Addendum 1

The following changes/clarification to the tender documents are effective immediately. This addendum will form part of the tender/contract documents.

1. **Section 011115 :**

Add the following to Clause 1.8.3 Supply and Installation of Treated Timber Floats-Pay Item No. 2:

"Pay item No. 2 will include the supply and installation of treesaver boomsticks as shown on the plans."

2. Add the following three items to section **05 50 00 Metal Fabrications:**

- **05 50 00 item 2.2.4** All companies fabricating steel components to be certified to CWB W47.1 Division 2 or better. Proof of certification is required to be submitted to the engineer for approval.
- **05 50 00 item 2.2.5** Any company fabricating aluminum components to be certified to CWB W47.2 Division 2 or better. Proof of certification is required to be submitted to the engineer for approval.
- **05 50 00 item 2.2.6** All welders employed by the company must be tested for the processes and positions of welding which they use in production.

**ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED**

**End of Addendum No.1**