

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Mobile Stage and Trailer	
Solicitation No. - N° de l'invitation 5P404-130924/A	Date 2014-06-09
Client Reference No. - N° de référence du client 5P404-130924	
GETS Reference No. - N° de référence de SEAG PW-\$CAL-097-6239	
File No. - N° de dossier CAL-4-37005 (097)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-07-21	
Time Zone Fuseau horaire Mountain Daylight Saving Time MDT	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Levesque-Welch, Nicole	Buyer Id - Id de l'acheteur cal097
Telephone No. - N° de téléphone (403) 292-4716 ()	FAX No. - N° de FAX (403) 292-5786
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: PARKS CANADA . WASAGAMING Manitoba R0J2H0 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada/Travaux
publics et Services gouvernementaux Canada
Room 1650, 635 8th Ave. S.W.
Calgary
Alberta
T2P 3M3

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Item Article	Description	Dest. Code Dest.	Inv. Code Fact.	Qty Qté	U. of I. U. de D.	Unit Price/Prix unitaire FOB/FAM	Destination	Plant/Usine	Delivery Req. Livraison Req.	Del. Offered Liv. offerte
1	Mobile Stage and Trailer	5P404	5P404	1	Each	\$	XXXXXXXXXXXX		See Herein	

TABLE OF CONTENTS

MOBILE STAGE WITH EXPANSION DECK, WASAGAMING, MANITOBA

PART 1 - GENERAL INFORMATION

1. Requirement
2. Debriefings
3. Trade Agreements

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses

List of Annexes:

Annex "A"	Requirement
Annex "B"	Basis of Payment

MOBILE STAGE WITH EXPANSION DECK, WASAGAMING, MANITOBA

PART 1 - GENERAL INFORMATION

1. Requirement

The requirement is detailed under Article 2 of the resulting contract clauses.

2. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

3. Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA) and the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2014-03-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

1.1 SACC Manual Clauses

B1000T

Condition of Material

2007-11-30

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than five (5) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (one (1) hard copy)

Section II: Financial Bid (one (1) hard copy)

Section III: Certifications (one (1) hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.1 Exchange Rate Fluctuation

C3011T

Exchange Rate Fluctuation

2013-11-06

1.2 Prices - Items

Bidders must submit firm prices for all items listed in Annex "B".

1.3 Document Required for Bid Evaluation Purposes

The Bidder must provide the following documents with its bid:

1. Brochure, photos and technical documentation that will demonstrate that proposed model meets all mandatory criteria.
2. Engineering drawings stamped by a licensed engineer, stating that the stage meets the required safety standards as per the latest version of the National Building Code for live loads, permanent loads, point loads and wind resistance for the area of Wasagaming, Manitoba.
3. Warranty documentation (see Annex "A", Service)

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

- 1. Goods must be fabricated by an ISO 9001 certified manufacturer. A copy of the certification must be submitted with the bid.
- 2. Proof must be submitted with the bid that the manufacturer is properly accredited by the Canadian Welding Bureau or equivalent.
- 3. Bidder must meet each minimum technical specification identified under Annex "A" – Requirement.

1.2 Financial Evaluation

The total aggregate bid price will be calculated by summing the unit price for each line item.

SACC Manual Clause A0222T (2013-04-25), Evaluation of Price

2. Basis of Selection - Mandatory Technical Criteria

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and associated information to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default in carrying out any of its obligations under the Contract, if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority may render the bid non-responsive or constitute a default under the Contract.

1. Certifications Required Precedent to Contract Award

1.1 Integrity Provisions - Associated Information

By submitting a bid, the Bidder certifies that the Bidder and its Affiliates are in compliance with the provisions as stated in Section 01 Integrity Provisions - Bid of Standard Instructions 2003. The associated information required within the Integrity Provisions will assist Canada in confirming that the certifications are true.

1.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "[FCP Limited Eligibility to Bid](http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml)" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's website](#).

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "[FCP Limited Eligibility to Bid](#)" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement applicable to this Contract.

2. Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2014-03-01), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

4. Term of Contract

4.1 Delivery Date

All the deliverables must be received on or before TBD. There is a preferred delivery of 4 weeks from date of award.

Best delivery date offered: _____ (To be completed by bidder)

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Nicole Levesque-Welch
Supply Specialist

Telephone: 403-292-4716
Facsimile: 403-292-5786
Email: nicole.levesque-welch@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

Solicitation No. - N° de l'invitation
5P404-130924/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur
ca1097

Client Ref. No. - N° de réf. du client
5P404-130924

File No. - N° du dossier
CAL-4-37005

CCC No./N° CCC - FMS No/ N° VME

5.2 Project Authority

The Project Authority for the Contract is:

*****To be determined at contract award*****

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative (To be completed by bidder)

Name _____

Title _____

Address _____

Telephone: _____

Facsimile: _____

E-mail address: _____

6. Payment

6.1 Basis of Payment - Firm Price

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm price, as specified in contract for a cost of \$ TBD. Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 SACC Manual Clauses

C2000C	Taxes - Foreign-based Contractor	2007-11-30
C6000C	Limitation of Price	2011-05-16
H1000C	Single Payment	2008-05-12

7. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is Completed.
2. Invoices must be distributed as follows:

- (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

8. Certifications

8.1 Compliance

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing associated information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the associated information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Alberta.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2014-03-01), General Conditions - Goods (Medium Complexity);
- (c) Annex "A", Requirement;
- (d) Annex "B", Basis of Payment;
- (e) the Contractor's bid dated TBD.

11. SACC Manual Clauses

B7500C	Excess Goods	2006-06-16
G1005C	Insurance	2008-05-12

ANNEX "A"
REQUIREMENT

Title: Mobile Stage with expansion deck

Objective:

For the supply and delivery of one (1) mobile stage with expansion deck for Parks Canada, Wasagaming, Manitoba.

Minimum Technical Specifications:

Bidder must meet all the following minimum technical specifications to be deemed compliant.

Item number	Specifications	Met	Not met
1	Proposed model must currently be from existing technology which is proven in the industry and has been used in the marketplace for a minimum of 10 years. Prototype will not be accepted.		
2	Proposed product is new and unused. Used equipment will not be accepted.		
Mobile Stage Structure:			
3	Chassis and stage structure is both designed and built by the manufacturer. No aluminum welding will be acceptable on the chassis assembly.		
4	Minimum life expectancy of the mobile stage structure must be a minimum of 25 years.		
5	The stage must be quality tested at a minimum of 1.2 times the working load.		
Hydraulics:			
6	Proposed stage must come complete with a fully hydraulic leveling and set-up system. Users must be able to raise the roof with 3,800 lbs of balanced lighting and sound equipment from stage level to its highest point, in addition to leveling the stage floor. Additional tools and hand cranking must not be required.		

7	Proposed stage must include a double mast lifting mechanism, one per side, for a complete hydraulic set-up of stage, sound, lighting and scenic equipment. Masts must be made of galvanized steel. Masts must be designed to support rigging and wind loads for the Wasagaming, Manitoba region. The flex strain caused by an unbalanced roof load must be properly compensated and controlled by the pads in order to maintain proper functioning of the lifting system.		
8	Must include a minimum of four (4) hydraulic stabilizers designed to support up to 24,000 lbs vertically and 2,000 lbs laterally without additional bracing.		
9	Due to lack of available power sources, proposed stage must have a built in, fuel powered engine for the hydraulic system operation.		
10	The hydraulic system must include a secondary locking mechanism composed of pins and posts when fully opened. The system must include safety valves on all hydraulic cylinders.		
11	The height of the stage must be adjustable using a hydraulic system to a height of 3'-6" to 4'-3" from the ground. Maximum stage height can be greater than the above minimum specification.		
Roof Structure:			
12	Proposed product must be equipped with roof trusses that will run the complete length of the stage (minimum 24'). Trusses to be comprised of aluminum tubing to allow for rigging of industry standard sound and lighting equipment. Front and rear overhang trusses must extend to a minimum of 18" past the edge of the stage floor. Each front/rear truss must be able to hold a minimum of 500 lbs. Trusses located at the center of the roof must each be capable of holding up to 1,250 lbs of balanced and unbalanced load. Structural trussing must be included in the hydraulic set-up. Must not require tools, chain hoists or motors for set-up.		
13	Roof must include a minimum of four (4) independent rigging points and each one must be able to hold up to 350 lbs per point.		
14	Roof must include a minimum of one (1) rigging bar of 14' and a minimum 2" in diameter that joins 2 riggings points. Installation must be done rapidly and close to the roof (6" from the roof, +/- 10%).		

15	Must include a minimum of two (2) 3' Side Overhang Rigging Beams on each side of the roof to hang sound speakers with each a capacity of 800 lbs.		
16	Roof structure must be able to support 6,500 lbs of equipment or 20 psf and must not bend more than L/180 under live load.		
17	Roofing must be UV resistant and waterproof. Must be antivibration and must be molded to the structure, not bonded or riveted. To reflect heat, it is preferred that the roof be white.		
18	To provide additional safety factor and support to the roof structure, a secondary roof support must be included. The support system must be unobtrusive, located in the corners of the stage. Support system must connect the roof corners to the stage corners.		
19	Must have a minimum upstage clearance of 13'-8" and a minimum downstage clearance of 14'-5".		
20	Roof must overhang the floor surface by a minimum of 36" in depth and 10" in length, providing protection to the performers and equipment against the elements.		
Stage:			
21	Stage surface must be non-slip, non-skid and must be able to withstand high wear from use and exposure to rain, mud, etc. Floor must be constructed with material and in a manner that is easy to repair and clean. Floor surface must be painted in gray to reduce excess heat buildup while exposed to sunlight.		
22	The stage area must be a minimum of 24' in width by a minimum of 20' in depth.		
23	Stage must be able to expand to a minimum area of 40' x 28', including expandable guardrails for security purposes. Storage compartments must not interfere when expanding the stage.		
24	Must include pre-installed support brackets located around the stage for easy installation of extension platforms.		
25	Stage leveling legs and screw jacks must be rated at a minimum of 10,000 lbs. Quick leveling legs must be adjustable to address irregular terrain and permit installing stage between 3'-6" to 4'-3" high.		

26	Stairway must be self-leveling and adjustable to the stage height. For safety purposes, stairway must include handrails on both side of the stairs and must have non-slip material on the steps. Stairway must also be rust protected.		
27	Guardrails must be lightweight and easy to mount to the edges of the stage. It must also be capable of protecting the sides and back of the upstage area.		
28	Must include a minimum of one (1) 500 Watts work light with controls at stage level.		
29	Must include a full perimeter aluminum extrusion, reinforced at the deck edges and protecting the entire perimeter of the stage floor.		
30	The floor structure must be able to resist a minimum of 100 psf.		
31	The complete stage set-up must not require hand tools nor include loose nuts and bolts. No chain hoists or motors and no hand cranking required. Average set-up time must take approximately 45 minutes with 2 staff members.		
Trailer:			
32	Trailer must be able to be towed by a pickup truck or a commercial tractor.		
33	The total weight of the mobile stage must be no more than 10,000 lbs, including stairs, windwall, skirting and guardrails to meet Manitoba's Highway Standards.		
34	The trailer must have maximum height of 11'-2".		
35	The trailer must be equipped with a drawbar with pintle eye. Must also include the option to replace the hitch mechanism with a Gooseneck for a 5 th wheel hookup for optimal long distance road handling. The hitch mechanisms must be mechanically mountable to allow for the user to install other hitch options with minimal effort.		
36	The suspension must consist of two (2) leaf spring axles and be easily accessible to inspect and repair. Suspension system must have a minimum capacity of 12,000 lbs.		
37	Trailer must have a minimum of 4 tires.		
38	A full size spare tire on standard rim complete with integrated storage must be included with trailer.		

39	Must include electric brakes on all wheels and emergency breakaway system as required by the Department of Transport.		
40	Trailer must include a storage compartment within the proximity of the hydraulic motor. Dimension of storage areas must be a minimum of 18" x 18" x 16".		
41	Must include a minimum of eight (8) tie downs for fastening cargo.		
42	In closed position, the trailer must have a least 766 cu. ft of storage area and be able to store up to 5,000 lbs of extra cargo for transport.		
Standards:			
43	The stage must be able to withstand sustained winds of no less than 80 mph (130 km/h) without windwall and up to 60 mph (100 km/h) with windwall installed.		
44	Must be able to support a vertical load of 100 psf for the floor and 20 psf for the roof.		
45	Must be able to handle a rigging load of up to 6,500 lbs, net roof capacity with sound wings.		
Additional Technical Requirements:			
46	Windwall must be weatherproof and fire retardant to protect the side and rear of the stage. It must be made of 18 oz vinyl (not black) and be quick to install. Installation must be keder and rail system without requiring hand tools. Must include a standard size door on each side and at least a 9'-10" wide door at the back. NFPA-701 and ULC S-109 approved.		
47	Must include a windwall scrim made of 70% mesh material. This is to permit air to pass through the windwall while still providing a measure of protection from the elements.		
48	The skirting must be weatherproof, fire retardant and cover the front and sides of the stage. Must be made of 18oz vinyl and be quick to install.		
49	Extension platforms must be 4' x 8' and be easily attached to stage deck to extend stage size to a minimum of 40' x 28'. Height must be adjustable with screw jacks and legs. Extension platforms must be coated with non-skid paint with high wear resistance and matching the stage color. Installation must not require additional tools.		

50	The bracing system for the extension platforms must be lightweight and aluminum pipes and brackets must be easily mounted underneath the stage deck and are capable of holding down extension platforms and rear windwall against wind uplift up to a maximum of 60 mph (100 km/h) wind gust.		
51	Must include lightweight, removable aluminum platform guardrails that are easily mounted to the edges of the extension platforms, capable of protecting the sides and back of the extended surfaces.		
52	Must include a minimum of one (1) lateral banner support with a lower bar banner tie down on each side and must be able to hold lateral banners of up to 6' x 16'. Lateral banner supports must include vertical supports to increased rooftop banner possibilities from 24'-6" to 37'-5".		
53	Must include rooftop banner support hardware with a minimum of 4 vertical posts mounted across the roof edge and must be able to hold banners up to 3-11" x 24'-6". Installation of the hardware must not require any tools.		
54	Must include a set of aluminum keder tracks slide-in system for installing rooftop banners.		
55	Must include cylinder locking devices to allow installation without corners posts when sound and lighting equipment are not required.		
56	Rainproof cover must be mounted on each Side Overhang Rigging Beam. It must be made of a lightweight aluminum frame and covered with weatherproof and fire retardant vinyl material. Rainproof cover is designed to protect speakers, chain hoists or motors from the elements.		
57	The proposed stage must include a loading ramp, made of lightweight aluminum and must be able to attach to the stage perimeter.		
58	Must include an electric motor option of 1 HP for indoor use of stage or as a backup power source (dual power).		
60	The trailer side panels must be able to permit customized paint and lettering graphics application.		

Environmental Considerations:

Canada requests that the bidder commits to the society's need for environmental, recyclable and sustainable manufacturing procedures. To assist Parks Canada in meeting their objectives under their Green Policy, the bidder is requested to consider environmental choices when operating their business, such as building products in state-of-the-art energy efficient facilities.

Standards:

Manufacturing of the trailer must comply with ICC, IBC, SAE, Department of Transport, NFPA-701, NBC-2005, ULC S-109 and all welding must be CWB certified and inspected by an independent firm according to CSA 47.1 and 47.2 norms or equivalent.

Training/Certification:

Supplier must provide a Comprehensive Training Program for up to 5 people.

Documentation:

Supplier must provide two (2) complete operation manuals after award of contract.

Service:

Warranty must be for a minimum of three (3) years from date of delivery and acceptance, including all hydraulic components, mechanical devices, electric brakes, axles and hitch mechanism, and all items not considered under normal wear and tear.

Supplier must provide 24-hour technical support during the warranty period.

Solicitation No. - N° de l'invitation

5P404-130924/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

ca1097

Client Ref. No. - N° de réf. du client

5P404-130924

File No. - N° du dossier

CAL-4-37005

CCC No./N° CCC - FMS No/ N° VME

ANNEX "B"

BASIS OF PAYMENT

GST is to be excluded from the prices quoted herein.
If applicable, GST will be added as a separate line item.

1. For the supply of one (1) Mobile Stage with Expansion Deck as specified under Annex "A" \$ _____

2. All inclusive delivery cost to Parks Canada, Riding Mountain National Park, Wasagaming, Manitoba \$ _____

3. All inclusive cost to provide training for up to 5 people (must include all travel, accommodation, meals and other related to the complete this task). \$ _____