



DOOR SCHEDULE											
DOOR NUM.	DOOR						FRAME		FRR	HARDWARE GROUP	NOTES
	TYPE	FIN	MAT	WIDTH	HEIGHT	THICK	MAT	PRO			
BASEMENT											
B102	B	PT	HM	915	2150	45	HM	A	0.75 HR	5	
B104	A	PT	HM	915	2150	45	HM	A	0.75 HR	7	
B105	A	PT	HM	915	2150	45	HM	A		8	
GROUND FLOOR											
G101A	-	-	WD	2 x 770	2300	45	-	C			RE-USE EXISTING DOORS AND HARDWARE
G101C	B	PT	HM	915	2150	45	HM	A	0.75 HR	5	
G104	A	PT	HM	915	2150	45	HM	A	0.75 HR	6	
G105A	A	PT	HM	915	2150	45	HM	A	0.75 HR	5	
G105B	B	PT	HM	915	2150	45	HM	A	0.75 HR	9	

FINISH SCHEDULE														
RM #	ROOM NAME	FLOOR		WALLS								CEILING		NOTES
				NORTH		EAST		SOUTH		WEST				
		MAT	BASE	MAT	FIN	MAT	FIN	MAT	FIN	MAT	FIN	MAT	FIN	
BASEMENT														
B101	VESTIBULE	CONC	-	EX	-	EX	-	EX/GWB	PT	EX	-	EX (ACT)	-	
B102	STORAGE	CONC	RB	GWB	PT	EX	PT	GWB	PT	EX/GWB	PT	GWB	PT	
B103	MECH RM	CONC	-	EX	-	EX	-	EX	-	EX	-	EX	-	
B104	CORRIDOR	CONC	RB	EX	-	EX	-	EX	-	EX	-	EX	-	
B105	WC	CONC	-	EX	PT	EX	-	EX	-	EX	-	EX	-	
B106	ELEC RM	CONC	-	EX/GWB	PT	EX	-	EX	-	EX	-	EX/GWB	PT	
GROUND FLOOR														
G101	LOBBY	CT	CT	GWB	PT	GL	PT	GL	-	GL/EX	-	GWB	PT	
G102	STAIR	CONC	RB	GWB	PT	GWB	PT	GWB	PT	GWB	PT	GWB	PT	
G103	HALLMARK	CPT	RB	EX	-	EX	-	EX/GL	-	GL/GWB	PT	EX (ACT)	-	
G104	STOR/OFFICE	CPT	RB	GWB	PT	GWB	PT	EX	-	EX	-	EX (ACT)	-	
G105	VESTIBULE	CONC	RB	EX	PT	EX	PT	GWB	PT	GWB	PT	GWB	PT	
G107	CORRIDOR	CPT	RB	GWB	PT	EX	-	-	-	GWB	PT	ACT	-	


DOOR TYPES



FRAME PROFILE LEGEND



1 TYP. DOOR JAMB @ INTERIOR GYP. WALLS



Publics Works and Government Services Canada

Travaux publics et services gouvernementaux Canada

Smith Carter Architects and Engineers Incorporated
Suite 152 Ottawa Station
200 Tremblay Road
Ottawa, Ontario
Canada, K1G 3H5
Tel: (613) 238-6440
Fax: (613) 238-6997

FIRE RATED PARTITION LEGEND

----- 0 HR FIRE RESISTANCE RATING / SMOKE SEPARATION

----- 1 HR FIRE RESISTANCE RATING

Contractor to verify all dimensions & conditions on site and immediately notify the departmental representative of all discrepancies.

4	ISSUED FOR TENDER	2014/03/18
3	ISSUED FOR DESIGN REVIEW 100%CD	2013/12/13
2	ISSUED FOR DESIGN REVIEW 99%CD	2013/10/25
1	ISSUED FOR DESIGN REVIEW 66%CD	2013/07/15
0	RE-ISSUED FOR DESIGN REVIEW 33%CD	2013/05/31
revisions	description	date

A

C

A

B

C

A detail no. no. du détail

B location drawing no. sur dessin no.

C drawing no. dessin no.

project

BASE BUILDING
CODE DEFICIENCIES;
BROUSE BUILDING

183 SPARKS STREET, OTTAWA, ONTARIO

drawing

FLOOR PLANS,
SCHEDULES, DOOR
TYPES & TYP DETAILS

dessin

Designed By	GM	Conçu par	
Date		(yyyy/mm/dd)	
Drawn By	GB, HOB	Dessiné par	
Date		(yyyy/mm/dd)	
Reviewed By	GM	Examiné par	
Date		(yyyy/mm/dd)	
Approved By	GM	Approuvé par	
Date		(yyyy/mm/dd)	
Tender	LOUIS DAVID BONNEAU	Soumission	
Project Manager	Administrateur de projets		
Project no.	No. du projet		
	R.061064.002		
Drawing no.	A002	No. du dessin	

