




1 PLAN  
CR-1  
SCALE 1:10




2 FRONT ELEVATION  
CR-1  
SCALE 1:10



10 PLAN - CORNER TABLE TOP  
CR-3  
SCALE 1:10




11 SECTION - CORNER TABLE  
CR-3  
SCALE 1:5




12 PERSPECTIVE VIEW - CORNER TABLE (GIRO BOLT)  
CR-3  
SCALE NTS


CORNER TABLE (CR-3)




3 PLAN CROSS SECTION - WIRE MANAGEMENT TRAY  
CR-1  
SCALE 1:10




4 BACK ELEVATION  
CR-1  
SCALE 1:10




5 SIDE ELEVATION  
CR-1  
SCALE 1:10




6 PLAN CROSS SECTION - MODESTY PANEL  
CR-1  
SCALE 1:10




13 FRONT ELEVATION  
CR-1  
SCALE 1:10



14 FRONT ELEVATION - FOLDED MODESTY PANEL  
CR-1  
SCALE 1:10




15 FRONT ELEVATION - FOLDED MODESTY PANEL & FOLDED GABLES  
CR-1  
SCALE 1:10




16 FRONT ELEVATION - FOLDED MODESTY PANEL & FOLDED GABLES (TABLE TOP DOWN)  
CR-1  
SCALE 1:10

17 FRONT ELEVATION - MOVING CARTS  
CR-1  
SCALE 1:10


FOLDING PROCEDURE



7 SECTION - POWER COVE  
CR-1  
SCALE 1:5



8 SECTION - WIRE MANAGEMENT  
CR-1  
SCALE 1:5



9 SECTION  
CR-1  
SCALE 1:5

DRAWING NOTES

- 1 SURFACE WITH WOOD VENEER, PLYWOOD SUBSTRATE. TOTAL WEIGHT OF TABLE NOT TO EXCEED 110 LBS. VENEER TO FAN ON RADII.
- 2 CONTRACTING VENEER OR STAIN FINISH ON PLYWOOD SUBSTRATE. TOTAL TABLE WEIGHT NOT TO EXCEED 110 LBS.
- 3 MODESTY PANEL WITH WOOD VENEER FINISH
- 4 HINGE POINT OF MODESTY PANEL
- 5 ARC OF MODESTY PANEL SWING
- 6 CABLE ACCESS DOOR WITH PRESSURE LATCH HARDWARE
- 7 HINGE POINT OF CABLE ACCESS DOOR
- 8 ARC OF ACCESS DOOR SWING
- 9 PROVIDE STAY AT ACCESS DOOR EXTREMES TO PREVENT DOOR FROM OPENING MORE THAN 90°
- 10 FOLDING TABLE LEG
- 11 ARC OF FOLDING TABLE LEG SWING
- 12 SEAM AT LEG HINGING POINT
- 13 STEEL BRACING TO PREVENT SAGGING
- 14 HARDWOOD FRAMING
- 15 LINE OF CABLE STRUCTURE BEYOND
- 16 SOLID SURFACE NOSING, EDGE DETAIL TBD
- 17 REMOVABLE PANEL WITH VENEER EDGING, NO HARDWARE
- 18 FLUSH MOUNT TABLE TOP TILT UP BOX (CONNECTIVITY)
- 19 CARPHONE JACK, HOUSING AND WIRING DETAILS TO BE DEVELOPED BY MANUFACTURER
- 20 MICROPHONE JACK WIRING ATTACHED TO UNDERSIDE OF TABLE TOP. CHANNELS TO BE PROVIDED
- 21 COORDINATE PIN HOLES WITH MICROPHONE SYSTEM UNIT
- 22 FLUSH MOUNT MICROPHONE CROMMET, SUPPLIER TO PROVIDE SPECIFICATION FOR APPROVAL
- 23 WIRE MANAGEMENT CHANNEL, SUPPLIER TO PROVIDE SPECIFICATION FOR APPROVAL
- 24 HEAVY DUTY ADJUSTABLE METAL GUIDES
- 25 WIRE MANAGEMENT CHANNEL, SUPPLIER TO PROVIDE SPECIFICATION FOR APPROVAL
- 26 OPENING IN WIRE MANAGEMENT CHANNEL
- 27 PERFORATED METAL INSERTS IN WIRE MANAGEMENT TRAY
- 28 CONTINUOUS WIRE MANAGEMENT OPENING AT FLOOR
- 29 TYPICAL CONTINUOUS REVEAL
- 30 HEAVY DUTY SASH BOLT LOCK, PROVIDE LONG SCREWS FOR HEAVY USE
- 31 HEAVY DUTY NYLON CAP
- 32 DASH INDICATES CABLE PATH
- 33 MANUFACTURER TO PROVIDE DEVICE TO PROTECT WIRING "PIC TAILS" FROM DAMAGE WHEN STORING TABLE
- 34 PANELS SECURED WITH ROLLER CATCH OR TODECK SPRING CATCH. SEE MANUFACTURER'S SPECIFICATIONS
- 35 RIGID HANDLE FOR MANUAL OPERATION OF CART
- 36 TYPICAL - ALL CORNERS ARE TO HAVE MITERED CORNERS
- 37 HEAVY DUTY WHEELS TO BE RUBBER AND HAVE LARGE BEARINGS TO WITHSTAND ELEVATORS AND DARK USE
- 38 2 FRONT WHEELS NEAR HANDLES TO BE FIXED, 2 BACK WHEELS TO PIVOT
- 39 MOVING CARTS APPROPRIATE FOR TABLE SIZE AND DESIGN. CAPACITY TO STACK 3 TABLES HIGH MIN. REFER TO DETAIL 11/CR-4 (SIZE DIFFERS)
- 40 BLOCKING UNDER TABLE TOP, INSERTS INTO ADJACENT TABLE
- 41 LIP REQUIRED ON ONE SIDE OF CART
- 42 PROVIDE 4.12mm FELT PADS APPROX. 170x80x10 WITH 2 HOLES FOR HANDLES (BETWEEN TABLES WHEN STACKED)
- 43 PROVIDE TURN LATCH AS SPECIFIED TO SECURE MODESTY PANEL WHEN FOLDED

WRITTEN FURNITURE SPECIFICATIONS TO TAKE PRECEDENCE OVER DRAWING NOTES

2 SAMPLE REQUIRED