

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
Room 100,
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6
Bid Fax: (204) 983-0338

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Public Works and Government Services Canada -
Western Region
Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6

Title - Sujet Sleeper Trailers	
Solicitation No. - N° de l'invitation 5P414-140002/A	Amendment No. - N° modif. 007
Client Reference No. - N° de référence du client 5P414-140002	Date 2014-08-01
GETS Reference No. - N° de référence de SEAG PW-\$WPG-016-9040	
File No. - N° de dossier WPG-4-37049 (016)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-08-19	Time Zone Fuseau horaire Central Daylight Saving Time CDT
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Hall, Marlene	Buyer Id - Id de l'acheteur wpg016
Telephone No. - N° de téléphone (204) 984-6423 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:	

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

5P414-140002/A

Client Ref. No. - N° de réf. du client

5P414-140002

Amd. No. - N° de la modif.

007

File No. - N° du dossier

WPG-4-37049

Buyer ID - Id de l'acheteur

wpg016

CCC No./N° CCC - FMS No/ N° VME

See attached.

This **Amendment #007** is raised to respond to Bidder's questions and to Modify the Request for Proposal **5P414-14002/A** as follows:

Q1 We would assume that PWGSW and Parks Canada would expect the structure to meet the current building codes.

The National Building Code of Canada 2010 states that the building envelope, heating and ventilation and energy consumption meet the Design criteria as per Section 9.36 Division B of the NBC.

The minimum R-values for Zone 8 are to be R-28 for flat or cathedral roofs, R-22 for walls and R-28 for floor over unheated crawl spaces.

Should this not be the minimum design criteria for the mandatory requirements.

A1 No since this is not a permanent structure and it will be only used during the summer months. A minimum of R20 will be adequate.

Q2 Within the amendment #004, the thermal values have all been reduced. As indicated in Annex A Requirement item 6. states that failure to meet the mandatory requirements will result in the proposal being non-responsive. Does this amendment change when addressing these items.

A2 See modification #001 below.

Modification #001 Refer to Annex A, Compliance Matrix

Delete: **Compliance Matrix** in its entirety

Insert:

Compliance Matrix – MINIMUM MANDATORY TECHNICAL SPECIFICATIONS:

<p><u>Completion and submission of Mandatory Technical Specification is required to be considered responsive and for your bid to be given further consideration.</u></p> <p>1. Bidders must record whether they meet (YES) or not meet (NO) each of the specifications.</p> <p>2. Bidders must cross reference where in their technical bid, the technical specification is located.</p> <p>Where you have indicated compliant, provide the specification being offered which meets or exceeds <u>and cross-reference as to where the supporting documentation is found within your proposal</u>. If there is insufficient space in the table, assign SIR # (Supplementary Information Reference) and provide the appropriate details on a separate page in your proposal. Where published supporting documentation is not available in the form of</p>	
--	--

	brochures, technical data sheets etc., mark in the table "certification by signature"		
	Note: All work and materials herein specified must meet and maintain minimum Canadian and Provincial certification(s) and approval(s) as applicable by Industry Standards.		
	The following are minimum requirements in regards to certain construction methods, materials and equipment. In the case of discrepancies between these requirements, manufacturer's recommendations or the applicable codes and standards, the most stringent shall apply.		
Item		Bidder Response: indicate how they meet the specifications addressed below/ cross-reference where this technical specification is indicated in their bid documentation	Compliant (Yes/No)
1.	<p>GENERAL: Dimensions: Unit to be in the range of 720 to 840 sq. ft. (i.e. 12-14 ft W x 60 ft L). Refer to Annex A, Part 2, Sample Drawing</p> <p>Must include: - 6 individual bedrooms - 1 bathroom - hallway 40" W</p>		
2.	<p>CONSTRUCTION: <u>Construction of unit must meet or exceed:</u> -CAN/CSA A277 Procedure for factory certification of buildings - applicable codes and regulations as required by authorities having jurisdiction - steel frame hitch</p> <p>Insulation: Roof/Ceiling: R-20 minimum Floor: R-20 minimum Inside Walls: R-20 minimum Outside Walls: R-20 minimum</p>		
3	<p>FLOORS: - floor joist 2 x 6" or adequate strength for prefabricated unit - commercial grade (0.100 in. min) cushioned vinyl or linoleum flooring (full glued and rolled), with a choice in colour - ¾" floor sheathing (glued & fastened) minimum - insulation R-20 minimum</p>		

4.	<p>EXTERIOR WALLS:</p> <ul style="list-style-type: none"> - 2 x 6 construction with 7' wall minimum - exterior wall plywood sheathing (glued and fastened) - vapor barrier on all exterior walls - installation R-20 minimum - maintenance free light gray metal or vinyl siding - exterior heritage green color fascia <p>INTERIOR WALLS:</p> <ul style="list-style-type: none"> - pre-finished vinyl drywall panels with tape or baton seams OR drywall or gypsum board, finish with one coat of primer and two coats of paint (light beige) - installation R-20 minimum 		
5.	<p>ROOF/CEILING:</p> <ul style="list-style-type: none"> - straight roof line - 1/2" stippled drywall ceilings - 2" battens at wall to ceiling joint - 6 mil vapour barrier - 20 year warranty minimum - insulation R-20 minimum 		
6.	<p>BEDROOMS:</p> <p>Each bedroom must be a lockable sleeping unit and include:</p> <ul style="list-style-type: none"> - 36" prefinished interior lockable door - 1 single bed, metal or wooden frame, (metal or wooden frame), 40" W x 78" L (+/- 4") and mattress, minimum 200 coils; no preference for fabric. Mattress must meet minimum flammability performance requirements as per Health Canada Safety requirements - 1 nightstand / side table with 2 drawers, (32" W x 16" D x 20" H (+/- 5")), wood product construction. - 1 dual thermopane window with screen in each bedroom - 2 GFI electrical sockets, wiring to support a computer, coffee maker and small fridge - ceiling lighting, ceiling standard 40w covered light bulb - carbon monoxide and smoke detectors 		

7.	<p>BATHROOM: Plumbed bathroom with standard hookups for water and drain. Must include:</p> <ul style="list-style-type: none"> - 2 standard toilets, white color, each enclosed in a stall w/ door - 2 standard porcelain sinks, white color - barrier free good quality bathroom faucets with manufacturer's lifetime warranty - mirror above each sink, 20" W x 30 " L - bathroom exhaust fans and GFI electrical socket plugs - on demand electric hot water heater 4 gal/min - standard lighting 		
8.	<p>HALLWAY: Must include:</p> <ul style="list-style-type: none"> - 4 dual thermopane windows with screens - 2 exterior (entrance/exit) access doors at each of hallway - standard lighting 		
9.	<p>ELECTRICAL:</p> <ul style="list-style-type: none"> - 100 amp electrical panel with breakers - electrical hookup with meter base. - general lighting in hallway controlled from two way light switches at each end of hallway - hardwired electric baseboard heating with wall mounted (or control can be on heater) thermostats in each room including the bathroom and hallway (800 – 1,000W). This can be done with one or more baseboard heater(s) per room to achieve the acceptable range of (800- 1,000 W). - exterior lights at each entrance. - 1 exterior weatherproof duplex receptacle at front of unit, located close to a door 		

Solicitation No. - N° de l'invitation
5P414-140002/A

Amd. No. - N° de la modif.
007

Buyer ID - Id de l'acheteur
wpg016

Client Ref. No. - N° de réf. du client
5P414-140002

File No. - N° du dossier
WPG-4-37072

CCC No./N° CCC - FMS No./N° VME

10.	DOORS AND WINDOWS: -Low E PVC dual thermopane windows and sills complete with metal fascia and screen (24 x 40) - windows must be large enough to accommodate after-market air conditioning units - window coverings for all windows, with a choice in colour - 2 – 36” exterior pre-finished insulated doors with deadbolts. - 2 exterior storm doors with screen - prefinished interior doors to be molded, finished with one coat of primer and two coats of paint with a choice in color - door hardware to have manufacturer’s lifetime warranty on parts		
11.	WARRANTY: Manufacturer’s Warranty Specified for: a. Labour and Material (all inclusive) b. Building Envelope c. Building Structure	_____ years (min 1 year) _____ years _____ years	

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME