

NOTE 1
2-16 TYP X GYP. WRAPPED AROUND COL. TYP
1.6 MM STAINLESS STEEL 1500 HT ON GYP. BD.

NOTE 2
2-16 TYP X GYP. WRAPPED AROUND COL. ON 4 - 64 X 64 STEEL STUD
1.6 MM STAINLESS STEEL 1500 HT ON GYP. BD.

NOTE :
CONFIRM ALL DIMENSIONS WITH DEPARTMENTAL REPRESENTATIVE FOR THE SETTING OUT OF THE AREAS BEFORE CONSTRUCTION

NOTE :
PROVIDE AND INSTALL THREE FIRE EXTINGUISHERS INSTALLATION LOCATIONS TO BE DETERMINED ON SITE

MAY 17, 2014

PWGSC – B1 – 1000X707

Public Works and Government Services Canada / Travaux publics et Services gouvernementaux Canada

REAL PROPERTY SERVICES
Pacific Region
SERVICES IMMOBILIERS
Région de Pacifique

(A) 13 MM BIRCH PLYWOOD AT 1066
13 MM GYPSUM BOARD
EXPANDED METAL MESH
(AT AD 100 SIDE)
152 STEEL STUD TO U/S
METAL DECKING AT 300 O.C.
13 MM GYPSUM BOARD

(B) 16 MM TYP X GYPSUM BOARD
152 STEEL STUD TO U/S
METAL DECKING AT 300 O.C.
EXPANDED METAL MESH
(AT AD 104 SIDE)
16 MM TYP. X GYPSUM BOARD

(C) 13 MM GYPSUM BOARD
152 STEEL STUD TO U/S
METAL DECKING AT 400
CEMENT BOARD
HYGIEN IC WALL SYSTEM
(AT AD 103 SIDE)

(D) 200 MM HOLLOW CONC. BLOCK VERTICALLY REINFORCED WITH 15M AT 800 MM ON CENTER AND 10M EACH COURSE IN BETWEEN, ALL HOLLOWS CONCRETE FILLED
152 STEEL STUD FROM TOP OF BLOCK WALL TO METAL DECKING AT 300 O.C.
EXPANDED METAL MESH
(AT AD 107 SIDE)

(E) HYGIEN IC WALL SYSTEM
CEMENT BOARD
EXPANDED METAL MESH
(AT AD 105 SIDE)
152 STEEL STUD TO U/S
METAL DECKING AT 300
150 HT X 152 WIDE CONC CURB
16 MM TYP X GYPSUM BOARD

(E1) HYGIEN IC WALL SYSTEM
CEMENT BOARD
EXPANDED METAL MESH
(AT AD 105 SIDE)
152 STEEL STUD TO U/S
METAL DECKING AT 300
150 HT X 152 WIDE CONC CURB
92 STEEL STUD TO U/S
METAL DECKING AT 300
16 MM TYP. X GYPSUM BOARD

(F) 13 MM GYPSUM BOARD
152 STEEL STUD TO U/S
METAL DECKING AT 400
150 HT X 152 WIDE CONC CURB
CEMENT BOARD
HYGIEN IC WALL SYSTEM
(AT AD 105 SIDE)

(G) EXISTING CONCRETE BLK WALL

(G1) EXISTING CONCRETE BLK WALL
HYGIEN IC WALL SYSTEM
(AT AD 105 SIDE)

NOTE :
ALL STEEL STUDS (1.8MM) TO BE STRUCTURAL STUD

Revision/ Revision	Description/Description	Date/Date
	MAY 26, 2014 - TENDER SET	REVISED
	APRIL 14, 2014 - TENDER SET	
	MARCH 1, 2014 - PRE-TENDER SET	
	DECEMBER 1, 2013 - 100 % DWG	
	DECEMBER 1, 2013 - 90 % DWG	

Client/client
CORRECTIONAL SERVICE OF CANADA

Project title/Titre du projet
AGASSIZ B.C. KENT INSTITUTION A AND D REDEVELOPMENT

Consultant Signature Box Only

Designed by/Concept par
JOSEPH YUEN

Drawn by/Dessine par
JOSEPH YUEN

PWGSC Project Manager/Administrateur de Projets TPSGC
DARYL SINCLAIR

PWGSC, Regional Manager, Architectural and Engineering Services/ Gestionnaire régionale, Services d'architectural et de génie, TPSGC
OREST KLUFAS

Drawing title/Titre du dessin
FLOOR PLAN
SCALE 1 = 25

Project No./No. du projet	Sheet/Feuille	Revision no./ La Révision no.
R.018361.001	A 200	

DM5XXXXXX