

DOOR SCHEDULE:

	DOOR#	ROOM #		DOOR				FRAME				HARDWARE																		NOTES				
												Hinge Qty.	Non-Cylindrical Mortise	Cylindrical	Office Function	Classroom Function	Storage Room Function	Stairwell Re-entry Function	Panic Bar Hardware	Acoustic Door Seal Kit	Coat hook	Door sweep	45 min. Fire Rating Positive Latching	Closer	Barrier Free Door Assist	* Intrusion Alarm	* Card Reader	* HID Proximity Reader	Electric Strike		Electric Strike 12V	Door Stop		
ROOM USE		TO	FROM	SIZE	TYPE	MAT.	FINISH	SWING	TYPE	MAT	FINISH								X	E X				X	E X									CARD READER TO BE REMOVED – DISABLE ELECTRIC STRIKE IN LOCKED POSITION / PROXIMITY READER TO REMAIN. EXISTING DOOR HARDWARE TO BE MODIFIED TO ALLOW FOR RE-ENTRY FUNCTION FROM STAIRWELL
OFFICE SPACE - LANDLORD SPACE	002	003	002	3' X 7'	B	WD1	PT6 INSIDE 002 PT7 INSIDE 003	RHR	B	PS	PT6 INSIDE 002 PT8 INSIDE 003	3											X	X			R D	X					45 MIN. ASSEMBLY, REUSE EXISTING HARDWARE	
STAFF ENTRANCE TO VESTIBULE	003	003	006	3' X 7'	E	WD	ST1	RH	E	PS	PT2A INSIDE 006 PT8 INSIDE 003	3		X			X						X	X		X	R D		X				NEW 45 MIN. ASSEMBLY, TAMPER PROOF HINGES, TRANSITION TR2 REQUIRED, SEE DWG A3 FINISH SCHEDULE, STAINLESS STEEL SECURITY ASTRAGAL C/W SECURITY SCREWS.	
SECURITY / STORAGE	005	005	006	3' X 7'	A	WD	ST1	LH	REUSE FRAME #017 FROM DEMOLITION (TYPE A)	PS	PT2A	3		X			RD							X			X	X	X					REUSE DOOR 001b HARDWARE FROM DEMOLITION
TELECOMMUNICATIONS	008	008	006	3' X 7'	B	WD	ST1	LH	B	PS	PT2A	3	X				X				X		X	X		X	X	X			X		TRANSITION TR2 REQUIRED, SEE DWG A3 FINISH SCHEDULE	
PUBLIC ENTRANCE	010a	CORRIDOR	010	3' X 7'	F	WD	ST1	LHR	F	PS	PT2A INSIDE 010 PT8 CORRIDOR SIDE	3	X				RD						X		RD	X	R D	X		X			TRANSITION TR3 REQUIRED, SEE DWG A3 FINISH SCHEDULE, STAINLESS STEEL SECURITY ASTRAGAL C/W SECURITY SCREWS.	
PUBLIC ENTRANCE	010b	CORRIDOR	010	3' X 7'	F	WD	ST1	RH	F	PS	PT2A INSIDE 010 PT8 CORRIDOR SIDE	3	X				X						X	X					X				TAMPER PROOF HINGES, TRANSITION TR3 REQUIRED, SEE DWG A3 FINISH SCHEDULE, STAINLESS STEEL SECURITY ASTRAGAL C/W SECURITY SCREWS. LEVER HANDLE TO MATCH DOOR 010a EXISTING HARDWARE LEVER	
ENTRANCE FROM PUBLIC TO STAFF SPACE	012	010	012	3' X 7'	NEW FURNITURE SYSTEM DOOR PURCHASED BY HRSDC		N/A	LH	NEW FURNITURE SYSTEM DOOR PURCHASED BY HRSDC		N/A	3		X			X										R E	R E	X				SEE FURNITURE PLAN A4 FOR DOOR LOCATION CONTRACTOR TO PROVIDE AND INSTALL ALL HARDWARE C/W SPRING HINGES ON TEKNION DOOR	
CLIENT MEETING	014a	014	010	3' X 7'	C	WD	ST1	RH	Cb - USE FRAME #015 FROM DEMOLITION	PS	PT2A	3	X				X			X		X									X		LOCKABLE FROM THE EXTERIOR OF THE ROOM ONLY. NO LOCKING MECHANISM INSIDE THE INTERVIEW ROOM. INSTALL PRIVACY FILM AS SHOWN ON DOOR TYPE C. CONFIRM FRAME & GLAZING SIZE ON SITE	
CLIENT MEETING	014b	014	012	3' X 7'	C	WD	ST1	LH	Cb - USE FRAME #013 FROM DEMOLITION	PS	PT2A	3		X			X			X		X		X			X	X	X				INSTALL PRIVACY FILM AS SHOWN ON DOOR TYPE C. CONFIRM FRAME & GLAZING SIZE ON SITE	
MULTI-PURPOSE	016a	016	010	3' X 7'	C	WD	ST1	LH	Ca	PS	PT2A	3	X				X			X		X									X		LOCKABLE FROM THE EXTERIOR OF THE ROOM ONLY. NO LOCKING MECHANISM INSIDE THE MULTIPURPOSE ROOM	
MULTI-PURPOSE	016b	016	012	3' X 7'	D	WD	ST1	RH	D	PS	PT2A	3		X			X			X		X		X			X	X	X					

RD = RELOCATE / RECLAIMED EXISTING FROM BASEMENT DEMOLITION AREA

RE = RELOCATE EXISTING FROM 2nd FLOOR SWING SPACE

NOTES: EX = EXISTING TO REMAIN / REUSE

* SEE ENGINEERING DRAWINGS FOR DETAILED SPECIFICATIONS



SEE DRAWING A5 FOR KEYING SCHEDULE

HARDWARE SPECIFICATIONS:

PRODUCT	MFR	CODE / SIZE / TYPE	FINISH	NOTES
HINGES		HEAVY WEIGHT 5 FULL MORTIS KNUCKLE BALL BEARING STEEL TESTED AND CERTIFIED UNDER ANSI/BHMA A156.1 BUTTS & HINGES	SATIN CHROMIUM PLATED	
SPRING HINGES		ADJUSTABLE CLOSING SPEED. TESTED AND CERTIFIED UNDER ANSI/BHMA A156.17 FOR DOOR CONTROLS - SPRING HINGES TENSION IS ADJUSTABLE	SATIN CHROMIUM PLATED	CONFIRM HINGE SIZE ON SITE - NEW TEKNION DOOR PURCHASED BY OTHERS. INSTALLED WITH SPRING HINGES BY CONTRACTOR
LEVER - CYLINDRICAL & NON-CYLINDRICAL	SARGENT	10 LINE, B LEVER, L ROSE	SATIN CHROMIUM PLATED	
LEVER - MORTISE	SARGENT	8200 LEVER LOCK, B LEVER, L ROSE	SATIN CHROMIUM PLATED	
ELECTRIC STRIKE	RCI	AS65 or AL65 c/w FACEPLATE	630 - SATIN STAINLESS	REFITTING EXISTING DOOR FRAME 106B FOR ELEC. STRIKE FRAMES 103 & 105 ARE NEW SEE DOOR SCHEDULE FOR FIRE RATED DOOR ASSEMBLY LOCATIONS
ELECTRIC STRIKE 12V		12V DC FIELD SELECTABLE FAIL SECURE ELECTRIC STRIKE, GRADE 1, NFPA 80-07 GUIDELINES FOR RETROFIT INTO FIRE-RATED FRAMES		
FLOOR STOP		DOME FLOOR STOP, CAST BRASS	SATIN CHROMIUM PLATED	
DOOR CLOSER		STANDARD DUTY RATED, MOUNTED HINGE (PULL) SIDE, TESTED AND CERTIFIED UNDER ANSI STANDARD A156.4, GRADE 1	ALUMINUM (AL)	ADA COMPLIANT
DOOR ASSIST		RELOCATE / REUSE EXISTING		
ACOUSTIC DOOR SEAL KIT		HEAVY DUTY AUTOMATIC DOOR BOTTOM / HEAVY DUTY ADJUSTABLE JAMB SEAL	CLEAR ANODIZED ALUMINUM	SPONGE NEOPRENE, SURFACE MOUNT
COAT HOOK		DOUBLE HOOK, SOLID METAL, INSTALLED WITH A MIN. OF TWO SCREWS	CHROME	INSTALL AT 1143MM AFF TO MEET BARRIER FREE REQUIREMENTS
NOTE:		RE-USE DOOR FRAMES AND LEVER HANDLE HARDWARE WHEN POSSIBLE		

SCHEDULE NOTES:

PS	PRESSED STEEL HOLLOW METAL DOOR FRAMES
WD1	SOLID CORE HARDBOARD, TO BE PAINTED
WD	BAILLARGEON, FLUSH, SOLID CORE HARDBOARD, WHITE BIRCH C/W FACTORY APPLIED COGNAC BROWN BS-26-25 STAIN
AL	ANODIZED ALUMINUM
CL	CLEAR



KEY PLAN

AS/NZS Standard Form 4439:2001, 4439:2001, 4439:2001, 4439:2001

P.O. BOX 417,
23 Target Hill Road,
Chester, N.S., B0J 1J0
ph: 902-275-5092
fx: 902-273-3070
klm@eastlink.ca
www.wandm.ca

1	ISSUE FOR TENDER	JULY 30 2014
revisions		date
project	RENOVATIONS TO SERVICE CANADA ESDC/EDSC 680 MAIN STREET WOODSTOCK, NB	
drawing	designed	
DOOR AND HARDWARE SCHEDULES DOOR TYPES		
designed	KELLY MOORE	conçu
date	FEB 2014	
drawn	KM	dessiné
date	JUNE 13, 2014	
approved	Tracy Ryan 6/11/08-2014	approuvé
date		
Tender	B.D. LeBlanc 2014-06-11	Submission
PWOSC Project Manager	Administrateur de projets TPSGC	
project number		no. du projet
	R.072336.001	
drawing no.		no. du dessin
	A6	