

NOTE:
CONDENSATE DRAIN PIPE SIZE FOR REFRIGERATION SYSTEM EVAPORATOR SHALL BE COORDINATED WITH THE BIN COOLER PROVIDER. HEAT TRACE & INSULATE CONDENSATE DRAINAGE RUN INSIDE COOLER.

FLOOR PLAN
SCALE: 1:50

0m 1m 2m 3m 4m 5m

TRUE
PROJECT

0 10 20mm 40 60 80 100 120 140 160 180 200mm

PWGSC B1 (2004)

Public Works and Government Services Canada / Travaux Publics et Services gouvernementaux Canada

FOWLER BAULD & MITCHELL
architecture
Fowler Bauld & Mitchell Ltd.
PO Box 514, Suite 102
1660 Hollis Street
Halifax, Nova Scotia B3J 2R7
Tel: 902 429 4100
Fax: 902 423 3063
architects@fbm.ns.ca
www.fbm.ns.ca

CBCL LIMITED
Consulting Engineers
ISO 9001 CERTIFIED

LEGEND:

FD-#	ROUND FLOOR DRAIN
FD-#	SQUARE FLOOR DRAIN
FD-#	HUB DRAIN
RD-#	ROOF DRAIN
CO	CLEANOUT
VTR	VENT THRU ROOF
P-#	PLUMBING FIXTURE DESIGNATION
TP	TRAP PRIMER DEVICE
—+—	SANITARY BURIED
—++—	STORM PIPING
—+V—	VENT PIPING
-TP-	TRAP PRIMER PIPING

SEAL: REGISTERED PROFESSIONAL ENGINEER, PROVINCE OF NOVA SCOTIA, DATE 30 Jan 2014, D.N. MITCHELL, 7434

revisions		date
0	ISSUED FOR TENDER	

project / projet
SPRINGHILL SOLID WASTE MANAGEMENT CENTRE
SPRINGHILL, NS

drawing / dessin
MECHANICAL
FLOOR PLAN SANITARY & VENT

designed GH	conçu
date JUNE 2012	
drawn KRG	dessiné
date JUNE 2012	
approved MDW	approuvé
date JUNE 2012	
Tender	Soumission
PWGSC Project Manager	2014-08-11 Administrateur de projets TPSGC
project number	no. du projet
R.043944.002	
drawing no.	no. du dessin
M1	

E-DRM/GDD-E: 433049