

PART 1 - GENERAL

- | | |
|-------------------------------------|---|
| <u>1.1 SECTION INCLUDES</u> | <ul style="list-style-type: none">.1 Barriers..2 Environmental Controls..3 Traffic Controls..4 Fire Routes. |
| <u>1.2 RELATED SECTIONS</u> | <ul style="list-style-type: none">.1 Section 01 50 00 - Temporary Facilities and Controls. |
| <u>1.3 REFERENCES</u> | <ul style="list-style-type: none">.1 Canadian General Standards Board (CGSB):<ul style="list-style-type: none">.1 CAN/CGSB-1.189-2000, Exterior Alkyd Primer for Wood..2 CAN/CGSB-1.59-97, Alkyd Exterior Gloss Enamel..2 Canadian Standards Association (CSA):<ul style="list-style-type: none">.1 CSA-O121-08, Douglas Fir Plywood. |
| <u>1.4 INSTALLATION AND REMOVAL</u> | <ul style="list-style-type: none">.1 Provide temporary controls in order to execute Work expeditiously..2 Remove from site all such work after use. |
| <u>1.5 HOARDING</u> | <ul style="list-style-type: none">.1 Erect temporary site enclosure using new [1.2] m high snow fence wired to rolled steel "T" bar fence posts spaced at [2.4] m o.c. Provide [one] lockable truck gate. Maintain fence in good repair..2 Provide barriers around trees and plants designated to remain. Protect from damage by equipment and construction procedures. |

- 1.6 GUARD RAILS AND BARRICADES .1 Provide secure, rigid guard rails and barricades around open excavations.
- .2 Provide barricades along wharf structure when wheelguard is removed.
- .3 Provide [as required by governing authorities] [as indicated].

- 1.7 ACCESS TO SITE .1 Provide and maintain access roads, sidewalk crossings, ramps and construction runways as may be required for access to Work.

- 1.8 PUBLIC TRAFFIC FLOW .1 Provide and maintain competent signal flag operators, traffic signals, barricades and flares, lights, or lanterns as required to perform Work and protect the public.

- 1.9 FIRE ROUTES .1 Maintain access to property including overhead clearances for use by emergency response vehicles.

- 1.10 PROTECTION FOR OFF-SITE AND PUBLIC PROPERTY .1 Protect surrounding private and public property from damage during performance of Work.
- .2 Be responsible for damage incurred.

PART 2 - PRODUCTS

- 2.1 NOT USED .1 Not Used.

PWGSC	TEMPORARY BARRIERS	Section 01 56 00
P/N R.072685.001	AND ENCLOSURES	Page 3
BREAKWATER REFURBISHMENT		
ST.BRIDE'S, NL		AUGUST 2014

PART 3 - EXECUTION

3.1 NOT USED .1 Not Used.

END