








LEGEND:

"d" Denotes depth of granular base (roadbed)
 "f" Denotes depth of frost penetration

NOTES:

1. Granular material shall be sub-base granular.
2. PROTECTION AGAINST HEAVY CONSTRUCTION EQUIPMENT
 Depth of bedding material plus backfill over top of pipe must be 600 mm min. or Diameter/6 plus 300 mm, whichever is greater.
 The protective material must be properly compacted before allowing heavy construction equipment over the pipe
3. Compaction: Granular material 100%, Native Material 95%



<div>  <div> Public Works and Government Services Canada </div> </div> <div>  <div> Travaux publics et Services gouvernementaux Canada </div> </div> <div>  <div> Architectural and Engineering Services for Parks Canada </div> </div> <div>  <div> Services d'architecture et de génie pour Parcs Canada </div> </div> <div>  </div>	<div>TITLE/TITRE</div> <div>BACKFILL FOR CULVERTS</div>	<div>DRAWN BY/DESSINE PAR</div> <div>VT</div>	<div>DATE</div> <div>APRIL/96</div>	<div>SCALE/ECHELLE</div> <div>NOT TO SCALE</div>
<div>CHECKED BY/VERIFIE PAR</div> <div>BS</div>			<div>REFERENCE No./No. DE REFERENCE</div> <div>1302</div>	