



Holster Mounting Plate

Purchase Description

PROTECTION SERVICE INTEGRITY INTÉ
GRITÉ **PROTECTION** SERVICE INTEGRITY
INTÉGRITÉ PROTECTION **SERVICE** INTEG
RITY INTÉGRITÉ PROTECTION SERVICE
INTEGRITY INTÉGRITÉ PROTECTION SER
VICE INTEGRITY INTÉGRITÉ PROTECTION
SERVICE INTEGRITY INTÉGRITÉ PROTEC
TION SERVICE INTÉGRITÉ PRO
TECTION SERVICE INTÉGRITÉ
PROTECTION SERVICE INTÉGRITÉ
GRITÉ PROTECTION SERVICE INTÉGRITÉ
INTÉGRITÉ PROTECTION SERVICE INTÉGRITÉ
RITY INTÉGRITÉ PROTECTION SERVICE
INTEGRITY INTÉGRITÉ PROTECTION SER
VICE INTEGRITY INTÉGRITÉ **PROTECTION**
SERVICE INTEGRITY INTÉGRITÉ PROTE
CTION SERVICE INTEGRITY **INTÉGRITÉ** SER
VICE INTEGRITY INTÉGRITÉ PROTECTION

File No: CBSA/ASFC-ARM-
2014-07-016

PROTECTION • SERVICE • INTEGRITY



PURCHASE DESCRIPTION HOLSTER MOUNTING PLATE

1. SCOPE

This purchase description describes the requirements for a holster mounting plate. This item is required to raise the height of the holster on the duty belt. This item has been approved for use in certain environments within CBSA. Specifically those that require officers to be seated in vehicles for extended periods and those that are required to fit in tight places such as vessel rummages.

2. DETAILED DESCRIPTION

A holster plate/mount that is compatible with the CBSA duty holster, purchase description **CBSA/ASFC-ARM-2014-07-019**, and the CBSA concealment holster, purchase #, when installed on the back piece of the holster, with a three hole design, which will create a mid-rise height.

The part required must meet CBSA's operational requirements for safety, ease of use and commonality with current CBSA holsters.

3. SEALED SAMPLES

A sealed sample, identified by the purchase description number noted in the contract, will be supplied to the contractor when available. This will constitute the standard in regards to any properties not identified within. Variation from the purchase description may appear in the sample in which case the purchase description shall govern unless otherwise identified on the sealed sample tag.

4. TECHINICAL INSPECTION

The contractor shall be responsible for the inspections necessary to demonstrate that the goods being supplied conform to the requirements of this purchase description.



The CBSA Technical Authority reserves the right to perform any inspection considered necessary to ensure the goods conform to the specified requirements. For the purpose of inspection, a portion of each delivery not exceeding two percent or two out of any number delivered fewer than 100 may be inspected that could destroy the goods. If found to be inferior or not in accordance with this specification, all goods so destroyed shall be replaced by others of proper quality at the expense of the contractor. The entire delivery may also be rejected if it is found that goods previously rejected due to non-repairable defects are redelivered for inspection.

5. DELIVERY, PACKING AND MARKING OF CONTAINERS

It is the responsibility of the contractor to ensure that goods are packaged in a suitable manner to be delivered in an undamaged condition. Any goods received in a damaged container will be returned to the contractor for replacement at full cost.

Packing and marking of goods shall be as specified in the invitation to tender.

A packing slip shall be enclosed showing the contents of each shipment.

The contractor shall also identify clearly on the outside of each package (box) the following items:

- Name and description of article
- Material Master Number
- Quantity of each size contained in the box
- Contract Number