



**RETURN BIDS TO: RETOURNER LES  
SOUSSIONS A:  
Bid Receiving/Réception des soumissions**

Attention: Theresa Stuart  
**RCMP**  
Procurement & Contracting Services  
130 Dufferin Ave. – 5<sup>th</sup> Floor  
London, Ontario, N6A 4K3

**Phone: 519-645-5565**  
**Fax: 519-640-7433**

**REQUEST FOR PROPOSAL  
DEMANDE DE PROPOSITION**

**Proposal to: Royal Canadian Mounted Police**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services and construction listed herein and on any attached sheets at the price(s) set out therefore.

**Proposition à la Gendarmerie royale du Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments: - Commentaries :

**Vendor Name and Address  
Raison sociale et adresse du fournisseur  
/de l'entrepreneur**

Tél. :  
Fax :

<b>Title-Sujet</b>	<b>Date</b>
Radio Repeater Site Shelter	2014-09-02
<b>Solicitation No. - N° de l'invitation</b>	
<b>201500057</b>	
<b>GETS Reference No. - No. De référence du SEAG</b>	
<b>Solicitation Closes - L'invitation prend fin</b>	
on – le <b>October 23, 2014</b>	
at - à <b>14h00</b> eastern standard time	
<b>F.O.B. - F.A.B.</b>	
<a href="#">Destination</a>	
<b>Destination of Goods and Services: Destinations des biens et services:</b>	
RCMP 130 Dufferin Ave. – 5th Floor London, Ontario N6A 4K3	
<b>Address Inquiries to: - Adresser toute demande de renseignements à:</b>	
Theresa Stuart, Procurement Specialist	
<b>Email Address/Adresse de courriel</b>	
<a href="mailto:theresa.stuart@rcmp-grc.gc.ca">theresa.stuart@rcmp-grc.gc.ca</a>	
<b>Telephone No. - N° de téléphone</b>	<b>Fax:</b>
(519) 645-5565	(519) 640-7433
<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
See herein- Voir aux presentes	See herein- Voir aux presentes
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b>	
<b>Nom et titre de la personne autorisée à signer au nom du fournisseur/de l'entrepreneur</b>	
<b>X</b>	



## **TABLE OF CONTENTS**

### **PART 1 - GENERAL INFORMATION**

1. Security Requirement
2. Statement of Requirement
3. Debriefings
4. Procurement Ombudsman

### **PART 2 - BIDDER INSTRUCTIONS**

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

### **PART 3 - BID PREPARATION INSTRUCTIONS**

1. Bid Preparation Instructions

### **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

1. Evaluation Procedures
2. Basis of Selection

### **PART 5 – CERTIFICATIONS**

1. Mandatory Certifications Precedent to Contract Award

### **PART 6 - RESULTING CONTRACT CLAUSES**

1. Statement of requirement
2. Standard Clauses and Conditions
3. Term of Contract
4. Authorities
5. Payment
6. Invoicing Instructions
7. Applicable Laws
8. Priority of Documents
9. Procurement Ombudsman
10. SACC Manual Clauses

#### **List of Annexes:**

- |         |                                  |
|---------|----------------------------------|
| Annex A | Statement of Requirement         |
| Annex B | Security Requirements Check List |
| Annex C | Mandatory evaluation criteria    |
| Annex D | Basis of Payment                 |



## **PART 1 - GENERAL INFORMATION**

### **1. Security Requirement**

There is no security requirement associated with the requirement.

### **2. Statement of Requirement**

The requirement is detailed under Annex "A" .

### **3. Debriefings**

After contract award, bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

### **4. Procurement Ombudsman**

The Office of the Procurement Ombudsman (OPO) was established by the Government of Canada to provide an independent avenue for suppliers to raise complaints regarding the award of contracts under \$25,000 for goods and under \$100,000 for services. You have the option of raising issues or concerns regarding the solicitation, or the award resulting from it, with the OPO by contacting them by telephone at 1-866-734-5169 or by e-mail at [boa.opo@boa.opo.gc.ca](mailto:boa.opo@boa.opo.gc.ca). You can also obtain more information on the OPO services available to you at their website at [www.opo-boa.gc.ca](http://www.opo-boa.gc.ca).

## **PART 2 - BIDDER INSTRUCTIONS**

### **1. Standard Instructions, Clauses and Conditions**

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the *Standard Acquisition Clauses and Conditions Manual* (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Revision to Departmental Name: As this solicitation is issued by RCMP, any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this solicitation, including any individual SACC clauses incorporated by reference, will be interpreted as reference to RCMP or its Minister.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The 2003 (2013-06-01) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Section 01 – Code of Conduct and Certification – Bid of 2003 referenced above is amended as follows:

Delete subsection 1.4 and 1.5 in their entirety.



## 2. Submission of Bids

Bids must be submitted only to Royal Canadian Mounted Police (RCMP) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

## 3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than five (5) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the questions or may request that the Bidder do so, so that the proprietary nature of the question is eliminated, and the enquiry can be answered with copies to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

## 4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

## PART 3 - BID PREPARATION INSTRUCTIONS

### 1. Bid Preparation Instructions

Section I: Technical Bid 2 copies required

Section II: Financial Bid 1 copy required

Section III: Certifications 1 copy required

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:



- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

### **Section I: Technical Bid**

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

### **Section II: Financial Bid**

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Goods and Services Tax (GST) or Harmonized Sales Tax (HST), or Provincial Sales tax (PST) must be shown separately, if applicable.

#### **1.1 Exchange Rate Fluctuation**

C3011T (2010-01-11), Exchange Rate Fluctuation

The requirement does not provide for exchange rate fluctuation protection. Any request for exchange rate fluctuation protection will not be considered and will render the bid non-responsive.

### **Section III : Certification**

Bidders must submit the certifications required under Part 5

## **PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION**

### **1. Evaluation Procedures**

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

#### **1.1 Technical Evaluation**

##### **1.1.1 Mandatory Technical Criteria**

Must meet all the mandatory criteria indicated in the Annex "C"

All pertinent documentation must be submitted to show that mandatory criteria are met.

#### **1.2 Financial Evaluation**

SACC Manual Clause A0220T (2007-05-25), Evaluation of Price



The price of the bid will be evaluated in Canadian dollars, the Goods and Services Tax or the Harmonized Sales Tax excluded, FOB destination, Canadian customs duties and excise taxes included

## **2. Basis of Selection**

1. To be declared responsive, a bid must:

- A-** comply with all the requirements of the bid solicitation;
- B-** meet all mandatory technical evaluation criteria.

2. Bids not meeting (a) or (b) will be declared non responsive.. The responsive bid with the lowest cost will be recommended for award of a contract

Bidders should note that all contract awards are subject to Canada's internal approvals process, which includes a requirement to approve funding in the amount of any proposed contract. Despite the fact that the Bidder may have been recommended for contract award, a contract will only be awarded if internal approval is granted according to Canada's internal policies. If approval is not granted, no contract will be awarded.

## **3. Security Requirement**

There is no security requirement associated with this requirement.

## **Part 5 : Certifications**

Bidders must provide the required certifications to be awarded a contract

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default, if any certification made by the Bidder is found to be untrue whether during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply with this request will also render the bid non-responsive or will constitute a default under the Contract.

### **1. Mandatory Certifications Required Precedent to Contract Award**

#### **1.1 Code of Conduct and Certifications - Related documentation**

By submitting a bid, the Bidder certifies that the Bidder and its affiliates are in compliance with the provisions as stated in the Standard Instructions identified in this solicitation. The related documentation therein required will assist Canada in confirming that the certifications are true.

### **2. Additional Certifications Precedent to Contract Award**

The certifications listed below should be completed and submitted with the bid, but may be submitted afterwards. If any of these required certifications is not completed and submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within that time period will render the bid non-responsive



## 2.1 Former Public Servant Certification

Contracts with former public servants (FPS) in receipt of a pension or of a lump sum payment must bear the closest public scrutiny, and reflect fairness in the spending of public funds. In order to comply with Treasury Board policies and directives on contracts with FPS, bidders must provide the information required below.

### Definitions

For the purposes of this clause, "former public servant" is any former member of a department as defined in the Financial Administration Act, R.S., 1985, c. F-11, a former member of the Canadian Armed Forces or a former member of the Royal Canadian Mounted Police. A former public servant may be:

an individual;

an individual who has incorporated;

a partnership made of former public servants; or

a sole proprietorship or entity where the affected individual has a controlling or major interest in the entity.

"lump sum payment period" means the period measured in weeks of salary, for which payment has been made to facilitate the transition to retirement or to other employment as a result of the implementation of various programs to reduce the size of the Public Service. The lump sum payment period does not include the period of severance pay, which is measured in a like manner.

"pension" means, in the context of the fee abatement formula, a pension or annual allowance paid under the Public Service Superannuation Act (PSSA), R.S., 1985, c.P-36, and any increases paid pursuant to the Supplementary Retirement Benefits Act, R.S., 1985, c.S-24 as it affects the PSSA. It does not include pensions payable pursuant to the Canadian Forces Superannuation Act, R.S., 1985, c.C-17, the Defence Services Pension Continuation Act, 1970, c.D-3, the Royal Canadian Mounted Police Pension Continuation Act, 1970, c.R-10, and the Royal Canadian Mounted Police Superannuation Act, R.S., 1985, c.R-11, the Members of Parliament Retiring Allowances Act, R.S., 1985, c.M-5, and that portion of pension payable to the Canada Pension Plan Act, R.S., 1985, c.C-8.

### Former Public Servant in Receipt of a Pension

Is the Bidder a FPS in receipt of a pension as defined above? Yes ( ) No ( )

If so, the Bidder must provide the following information:

name of former public servant;

date of termination of employment or retirement from the Public Service.

### Work Force Reduction Program

Is the Bidder a FPS who received a lump sum payment pursuant to the terms of a work force reduction program? Yes ( ) No ( )

If so, the Bidder must provide the following information:

name of former public servant;

conditions of the lump sum payment incentive;

date of termination of employment;

amount of lump sum payment;

rate of pay on which lump sum payment is based;

period of lump sum payment including start date, end date and number of weeks;

number and amount (professional fees) of other contracts subject to the restrictions of a work force reduction program.

For all contracts awarded during the lump sum payment period, the total amount of fees that may be paid to a FPS who received a lump sum payment is \$5,000, including the Goods and Services Tax or Harmonized Sales Tax.



#### Certification

By submitting a bid, the Bidder certifies that the information submitted by the Bidder in response to the above requirements is accurate and complete.

### **PART 6 - RESULTING CONTRACT CLAUSES**

#### **1. Security Requirement**

There is no security requirement associated with the requirement.

#### **2. Statement of requirement**

The Contractor must deliver the goods in accordance with the Statement of Requirement at Annex "A".

#### **3. Standard Clauses and Conditions**

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual)(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Revision to Departmental Name: As this contract is issued by RCMP, any reference to Public Works and Government Services Canada or PWGSC or its Minister contained in any term, condition or clause of this contract, including any individual SACC clauses incorporated by reference, will be interpreted as reference to RCMP or its Minister.

##### **3.1 General Conditions**

2010A (2013-04-25), General Conditions - Goods (Medium Complexity) apply to and form part of the Contract.

Section 29 - Code of Conduct and Certifications - Contract of 2010A referenced above is amended as follows:

Delete subsection 29.4 in its entirety.

#### **4. Term of Contract**

##### **4.1 Delivery Date**

All deliverables must be received no later than 8 weeks from Contract Award.

##### **4.2 Option to extend quantity**

The Contractor grants to Canada the irrevocable option to extend the term of the Contract by up to 2 additional shelters under the same conditions. The Contractor agrees that, during the extended period of the Contract, it will be paid in accordance with the applicable provisions as set out in the Basis of Payment. Canada may exercise these options no later than March 31<sup>st</sup> 2016.

Canada may exercise this option at any time by sending a written notice to the Contractor at least 30 calendar days before the expiry date of the Contract. The option may only be exercised by the





Contracting Authority, and will be evidenced for administrative purposes only, through a contract amendment.

## 5. Authorities

### 5.1 Contracting Authority

The Contracting Authority for the Contract is:

Name : Theresa Stuart  
Title: Procurement Officer  
Royal Canadian Mounted Police  
Telephone: (519) 645-5565  
E-mail address: theresa.stuart@rcmp-grc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

### 5.2 Technical Authority

TBD

The Technical Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Technical Authority, however **the Technical Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.**

### 5.3 Contractor's Representative

to follow...

## 6. Payment

### 6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit price as specified in Annex D for a cost of \$ \_\_\_\_\_  
Customs duties are included and Goods and Services Tax or Harmonized Sales Tax is extra, if applicable.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work



## 6.2 Single payment

SACC Manual clause H1000C (2008-05-12) Single Payment

Canada will pay the Contractor upon completion and delivery of the goods in accordance with the payment provisions of the Contract if:

- a) an accurate and complete invoice and any other documents required by the Contract have been submitted in accordance with the invoicing instructions provided in the Contract;
- b) all such documents have been verified by Canada;
- c) the Work delivered has been accepted by Canada.

## 7. Invoicing Instructions

The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.

Invoices must be distributed as follows:

- (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

## 8. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Quebec.

## 9. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2013-04-25) General conditions –Goods – medium complexity
- (c) Annex A, Statement of requirement
- (d) Annex D, Basis of payment
- (e) Annex E The contractor's bid dated \_\_\_\_\_



## **Annex "A"**

### **Statement of Requirements**

#### **Title**

Fabrication of a shelter for radio communication equipment.

#### **Objectives**

There is a requirement for 2 shelters for the RCMP in the province of Quebec. The RCMP may exercise an option to purchase 2 additional shelters at the same unit price, delivery to Valleyfield, Quebec.

The RCMP requires the following:

#### **Specification #1 – Provincial - Two (2) shelters 10' x 12'**

The shelters must be built/fabricated and delivered no later than 8 weeks from contract award.

#### **Context**

The RCMP is the owner of a radio communications system in Quebec. The Radio Shop has a requirement to replace the shelters that have reached the end of their life cycle. Each shelter is destined for a different location with varying environmental conditions, however all shelters will be delivered to one location.

#### **Scope**

The shelters will be delivered to 480 rue des Érables, Valleyfield, Québec, Canada, J6T 6G4. The work included in this contract will be the fabrication of shelters mentioned herein, and the subsequent delivery to Valleyfield. The structures must be fabricated in a factory/industrial setting. The structure must be delivered with all installation work complete, and be ready to be placed on concrete pads and for electrical tie-in.

#### **Specification #1 – Provincial - Two (2) shelters 10' x 12'**

The contractor must fabricate, or provide:

#### **Structure**

- Two (2) structures 10' x 12'.
- The material used must be of industrial quality and be resistant to UV radiation.
- A typical size man door will be installed on the 10 ft side of the structure. All door hardware will be commercial grade, in galvanized steel and complete with typical assembly and finish.
- The structure must be sealed to all water, insects, rodents and dust. Only the active ventilation system will allow air movement.
- The roof system of the shelter must be able to support the weight of a technician working to secure equipment.
- The motorized active ventilation system will be controlled a wall-mounted thermostat. Vents must be fitted with grills with openings small enough to keep typical insect from penetrating the structure. The grills must be made of sufficiently robust material to keep typical rodents from penetrating the structure
- The structure must be waterproof, have no windows or openings.
- The structure must have an integrated ice shield, or equivalent that is attached to the main shelter.



- The supplier must provide exterior stairs. The exterior stair system must be able to be removed and re-installed easily for transportation purposes.
- The supplier must provide and install a collapsible / retractable table, that when stowed will provide the maximum movement inside the shelter.
- A workbench 18" x 48" must be installed on the wall at the front of the space for cabinets.
- The exterior finish must be typical cold and harsh climate grade. The exterior finish will be chosen from suppliers standard colors set after contract award.

### **Electrical**

- Electrical supply must be underground or aerial.
- Supplier must provide by electric baseboard unit (220V) controlled by a wall mounted thermostat.
- Supplier must provide a base for electrical meter tie-in.
- Supplier must provide electrical panel: 240V/100A. Model Square D or equivalent.
- Supplier must provide and install a 96" x 48" painted (typical industrial gray) backboard to receive the energy management control panel. Backboard to be 3/4" plywood GOS, and mounted on 8' wall opposite the man door.
- Supplier must provide main breaker type "Clip-on."
- Supplier must provide a manual main switch.
- Supplier must provide a wall mounted heat pumps and air conditioner.
- Supplier must provide interior electrical conduit type: EMT.
- Supplier will install an aluminum cable tray 12" x 96" on the ceiling. See attached drawing for layout.
- Fluorescent lighting fixture with 2x32W type T8 tubes, CFI, electronic ballast REL 2P32 and metallic protection grid complete with a 60 minute timer.
- Supplier must install a 150w, outdoor lighting fixture with photo-electric cell.
- 15 amp. White single-pole switch with S.T.S. cover plate.
- Six (6) Dual power outlet 15 amp. 120V, with S.T.S. cover plate, to be installed evenly 3 each on the long wall.
- Six (6) Power outlet Twist lock 15 amp. 120V white, with S.T.S. cover plate, to be installed on ceiling near cable tray.
- Supplier to install a typical telephone box in the proximity of electrical supply.
- The RF cable entry will be placed on the opposite corner from the electrical panel. Cable entry will be 5" weather-proof boots x 4. A cable cover to be installed on the exterior of the shelter from the cable entry to the bottom of the shelter.
- Alarm contact to be installed on door.
- A PVC conduit must be installed through the floor to the accommodate connection to electrical ground. The pipe shall be installed near the electrical ground inside the shelter. A 5" boot will be installed on the pipe inside the shelter.

### **Reference Documents**

On demand, the supplier will provide with each structure, all technical and reference material including but not limited to; technical data sheets on all installed equipment, guarantee, and information of post-sale service

### **Delivery**

- The supplier must deliver the shelters to 480 rue des Érables, Valleyfield, Qc, Canada, J6T 6G4. The supplier must deliver the shelters in new condition, and place them on 4 x 4 skids. The skids will be the RCMP property once delivered

### **Products and Services**



- In addition to providing the shelters, complete with above mentioned specifications, the supplier will provide two (2) service manuals, one paper, one PDF. The supplier will also provide as-built drawings in paper and .DWG AutoCAD format upon delivery. The manuals must be presented in both French and English.

### **Meetings**

- The RCMP will inspect the shelters before delivery. This will be arranged by telephone with the supplier and the RCMP.

### **Client Support**

- There will be no client support for the construction or delivery of the shelters. It is the responsibility of the supplier to complete all work without any support from the RCMP.




**GENERAL NOTES**


1. **EXTERIOR COLORS**
  - SHELTER: STANDARD GRAY
  - DOOR AND FRAMEWORK: STANDARD GRAY
2. INTERIOR FINISH: WOOD MOLDINGS COVERED BY VINYL WILL COVER ALL THE GYPSUM-VINYL SHEETS JOINTS ON WALLS AND CEILING.
3. **ELECTRICITY:**
  - A. ALL EXTERIOR HARDWARE THUS WITHIN THE EXTERIOR ELECTRICAL BOXES MUST BE IN STAINLESS STEEL.
  - B. APPLY SEALANT (GRAY PASTE) IN EACH CONDUIT CONNECTING AN EXTERIOR ELECTRICAL BOX TO AN INTERIOR ELECTRICAL BOX IN ORDER TO ELIMINATE THE THERMAL BRIDGE.
  - C. ALL ELECTRICAL WIRING WILL BE SURFACE-MOUNTED INTO RIGID CONDUIT E.M.T

**LEGEND**


- ① STEEL DOOR 36" X 84" (CALIBER 20) ISOLATE WITH POLYSTYRENE AND STEEL FRAMEWORK. ASTRAGAL FULL LENGTH.
- ② WHITE WORKTABLE 18" X 48".
- ③ CABLE ENTRY WITH TWO 5" Ø OPENINGS, SPACED 7" O/C. THE TOP OPENINGS CENTER WILL BE INSTALLED AT 8" FROM THE FINISHED CEILING. INSTALL A PVC CAP ON INNER AND OUTER ENDS.
- ④ CABLE ENTRY WITH ONE 5" Ø OPENING. THE OPENING CENTER WILL BE INSTALLED AT 3.5" FROM THE WALL (G). INSTALL A PVC CAP ON INNER AND OUTER ENDS.
- ⑤ AIR INLET PROVIDED WITH A FLAP 14" X 14" «TAMCO» 6000 SERIES WITH «BELIMO» MOTOR, A 1" THIN FILTER, A FIBERGLASS SCREENED CAP, A BIRD SCREEN GRID AND AN ANTI-BURST TABLET.
- ⑥ AIR OUTLET PROVIDED WITH A FAN OF «CANARM» BRAND #58B2 (150 CFM/270 CFM) WITH NON-RETURN PROTECTION, A FLAP 14" X 14" «TAMCO» 6000 SERIES WITH «BELIMO» MOTOR, A 1" THIN FILTER, A FIBERGLASS SCREENED CAP, A BIRD SCREEN GRID AND AN ANTI-BURST TABLET.
- ⑦ "Z" ALUMINIUM BRACKETS 4" X 4", 3/8" THIN BY 24" LARGE (SEE PLAN PAGE P-9).
- ⑧ PLYWOOD 4' X 8' X 3/8" THIN, PAINTED IN GRAY FOR RECEIVING CUSTOMER ELECTRICAL EQUIPMENT, PHONE CONNECTION DEVICES AND EQUIPMENT.
- ⑨ 1" Ø PVC CONDUIT, THROUGH THE FLOOR FOR GROUND EQUIPMENT CABLE.
- ⑩ GROUND EQUIPMENT BAR.
- ⑪ PLYWOOD 3' LARGE X 4' HEIGHT X 3/4" PAINTED IN GRAY TO RECEIVE GROUND BAR AND TO FIX ANTENNA CABLES COMING THROUGH THE FLOOR.
- ⑫ BASEBOARD HEATER (750 WATTS #0FM0750BL) «OUELLET».
- ⑬ OUTDOOR LED LIGHTING WITH LUMARK XTOR CROSSTOUR LED XTOR2A-N-PC1 PHOTO CONTROL, (20W, 120V)
- ⑭ TIMER (NO HOLD) FF00MC
- ⑮ OUTDOOR ELECTRICAL OUTLET WITH DIFFERENTIAL RELAY OF GROUND, (GROUND-FAULT) 15AMP, 120V, LEVITON GF17569-W WITH TYPE FS BOX AND A WEATHERPROOF TOP #WGF1510.
- ⑯ TIMER (WITH HOLD) 60 MIN. INTERMATIC #FF80MH FOR OUTDOOR ELECTRICAL OUTLET.

- ⑰ ELECTRICAL DISTRIBUTION PANEL (PA) 120/240V, 10 Ø, 3 WIRES, 100 AMP, AND 24 CIRCUITS (CLIP-ON) «SQUARE D» INCLUDED FRONTAL DOOR #CG0124M125C100. **DO NOT INSTALL PRINCIPAL BREAKER ON THE PANEL.**
- ⑱ PRINCIPAL SWITCH «SQUARE D» BRAND, FUSE 100 AMP, 120V/240V, 1" Ø, #CD223N, WITH CONDUCTOR #3 AWG. LEADS DIRECTLY TO THE FLOOR
- ⑲ THERMOSTAT FAN «JOHNSON CONTROLS» #T26S-18C
- ⑳ HIGH TEMPERATURE THERMOSTAT «JOHNSON CONTROLS» #T26S-18C
- ㉑ LOW TEMPERATURE THERMOSTAT «JOHNSON CONTROLS» #T26S-18C
- ㉒ THERMOSTAT MURAL POUR PLINTE CHAUFFANTE #OTL101-C «OUELLET».
- ㉓ WALL THERMOSTAT FOR BASEBOARD HEATING OTL101-C «OUELLET»
- ㉔ 12" LARGE CABLE GUTTERS, LADDER TYPE.
- ㉕ 1" Ø PVC CONDUIT THROUGH THE FLOOR FOR ELECTRIC ENTRY.
- ㉖ 3" Ø PVC CONDUIT THROUGH THE FLOOR FOR TELEPHONY ENTRY (T1). **INSTALL A PC CAP ON INNER AND OUTER ENDS.**
- ㉗ SMOKE DETECTOR «KIDDIE» P-1235CA WITH RELAY «KIDDIE» SM120X
- ㉘ DUPLEX OUTLET 15 AMP, 125V #5-15R «LEVITON» 5320-W WITH A PLATE BC-11C-1
- ㉙ SIMPLE OUTLET «TWIST-LOCK» 120V, 15 AMP, «HUBBEL» HBL4710 WITH A PLATE BC-11C-1
- ㉚ DOOR CONTACT NORMALLY CLOSURES (N.C.) 5 AMP, 120 VOLTS.
- ㉛ LINEAR LED REFLECTOR LIGHT, «PHILIPS» BRAND, FLUXSTREAM TYPE, MODEL **LRF4FLSLD3740ULAG**
- ㉜ WALL MOUNT AIR CONDITIONER UNIT, TOTAL HEAT DISSIPATION OF 1100 BTU/HR.
- ㉝ THERMOSTAT FOR WALL MOUNT AIR CONDITIONER UNIT.













ELEVATION « B »




ELEVATION « C »




ELEVATION « A »




ELEVATION « D »





**ELEVATION « E »**







# ELEVATION « F »




## ELEVATION « G »




## ELEVATION « H »





Distribution Électrique Abris Standard			
PANNEAU SQUARE D			
DÉTAILS	CIRCUIT #	CIRCUIT #	DÉTAILS
TWIST LOCK PLAFOND	1	2	ÉCLAIRAGE INTÉRIEUR
TWIST LOCK PLAFOND	3	4	ÉCLAIRAGE EXTÉRIEUR
TWIST LOCK PLAFOND	5	6	PRISE EXTÉRIEUR GFI
TWIST LOCK PLAFOND	7	8	CHAUFFAGE
TWIST LOCK PLAFOND	9	10	CHAUFFAGE
TWIST LOCK PLAFOND	11	12	PRISES MURALES GAUCHES
PRISES MURALES DROITES	13	14	DÉTECTEUR FUMÉE
VENTILATION	15	16	LIBRE
PRISE MURALE TABLETTE	17	18	LIBRE
LIBRE	19	20	LIBRE
LIBRE	21	22	LIBRE
LIBRE	23	24	LIBRE
LIBRE	25	26	LIBRE
LIBRE	27	28	LIBRE
LIBRE	29	30	LIBRE
LIBRE	31	32	LIBRE



Distribution Électrique Abris Standard			
PANNEAU SQUARE D			
DÉTAILS	CIRCUIT #	CIRCUIT #	DÉTAILS
TWIST LOCK PLAFOND	1	2	ÉCLAIRAGE INTÉRIEUR
TWIST LOCK PLAFOND	3	4	ÉCLAIRAGE EXTÉRIEUR
TWIST LOCK PLAFOND	5	6	PRISE EXTÉRIEUR GFI
TWIST LOCK PLAFOND	7	8	CHAUFFAGE
TWIST LOCK PLAFOND	9	10	CHAUFFAGE
TWIST LOCK PLAFOND	11	12	PRISES MURALES GAUCHES
PRISES MURALES DROITES	13	14	DÉTECTEUR FUMÉE
VENTILATION	15	16	LIBRE
PRISE MURALE TABLETTE	17	18	LIBRE
LIBRE	19	20	LIBRE
LIBRE	21	22	LIBRE
LIBRE	23	24	LIBRE
LIBRE	25	26	LIBRE
LIBRE	27	28	LIBRE
LIBRE	29	30	LIBRE
LIBRE	31	32	LIBRE





**Annex "B"**  
**Security Requirement Check List (see next pages)**



**Annex "C"**

**Mandatory Evaluation Criteria**

Mandatory Criteria

**MC1**-Two (2) structures 10' x 12' Bidders must certify that they can build the shelter as per specification as per annex "A".

**Meets:** \_\_\_\_\_ **Does Not Meet:** \_\_\_\_\_

**MC02** The bidders must demonstrate they have successfully completed other supply contracts in the last two years. The bidders must provide the names of company/organization, brief description of requirement and valid contact person including phone number, e-mail address and postal address are required.

At least one similar contract project must be demonstrated to be considered compliant.

**Meets:** \_\_\_\_\_ **Does Not Meet:** \_\_\_\_\_

**MC-03** - The structures must be fabricated in a factory/industrial setting

**Meets:** \_\_\_\_\_ **Does Not Meet:** \_\_\_\_\_



**Annex "D"**

**Basis of Payment**

Description	QTY	Unit Price	Total Price
Shelter 10' x 12'	2 @		
<b>Optional</b> Shelter 10' x 12'	2 @		

**Grand Total: \$** \_\_\_\_\_