

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Public Works Government Services Canada- Bid**  
**Receiving / Réception des soumissions**  
**189 Prince William Street**  
**Room 405**  
**Saint John**  
**New Brunswick**  
**E2L 2B9**

**SOLICITATION AMENDMENT**  
**MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du**  
**fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
**Public Works Government Services Canada- Bid**  
**Receiving / Réception des soumissions**  
**189 Prince William Street**  
**Room 405**  
**Saint John**  
**New Bruns**  
**E2L 2B9**

<b>Title - Sujet</b> ESDC Woodstock Refit	
<b>Solicitation No. - N° de l'invitation</b> EC015-150830/A	<b>Amendment No. - N° modif.</b> 007
<b>Client Reference No. - N° de référence du client</b> EC015-150830	<b>Date</b> 2014-09-11
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$PWB-020-3460	
<b>File No. - N° de dossier</b> PWB-4-37052 (020)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin</b> <b>at - à 02:00 PM</b> <b>on - le 2014-09-16</b>	<b>Time Zone</b> <b>Fuseau horaire</b> Atlantic Daylight Saving Time ADT
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Donovan, Janine PWB	<b>Buyer Id - Id de l'acheteur</b> pwb020
<b>Telephone No. - N° de téléphone</b> (506) 636-5347 ( )	<b>FAX No. - N° de FAX</b> (506) 636-4376
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm</b> <b>(type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/</b> <b>de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

This Tender Amendment No. Seven (7) is raised to include the following Addendum No. Seven (7).

The following Addendum to the tender is effective immediately. This addendum shall form part of the contract documents.

**All other terms and conditions remain the same.**

Addendum No. 7.

1. **SOLICITATION AMENDMENT NO. 6**

In addition to the answer provided to question #23 contained in Amendment/Addendum #6, please refer to the following work overview provided by Shared Services Canada (SSC). Please keep in mind that this overview is for the Cabling Contractor which is hired by SSC. The General Contractor referenced below would be defined as the Contractor on this project. Consequently, any items below mentioning the General Contractor would apply as well as any work required to complement the Cabling Contractor based on the construction drawings of this project.

1. Supply and installation of new certified Category 6 structured wiring cabling system to accommodate a universal voice and data infrastructure, including all labor and materials required to complete the certified Category 6 cabling system. The Universal system will be referred to as Communication cables.
2. Install necessary demarcation extension, 50 cable pairs and cross connects from the Building Entrance/Demarc point to the new Basement Telecommunications Room, to allow the voice infrastructure to be patched from the Telco's IDC demarcation point through to the Category 6 structured wiring system.
3. Provide a horizontal telecommunication support infrastructure pathway system (cable tray to be installed by General Contractor, necessary J-hooks to be installed by GMCS Bell Contractor).
4. Set up one Telecommunications wiring closet on the basement level to be referred to as Telecommunications Room.
5. Supply and install one equipment rack and required number of patch panels, cable management, shelves and patch cables in the Telecommunications Room.
6. Supply and install 2 (two) 100mm, continuous EMT backbone conduits from the Building Entrance Facility, or the main Telecommunications Equipment Room, through to the Basement Telecommunications Room, C/W end bushings and pull cords for copper and fibre backbone. Fibre will not run in the same conduit as copper.