## **Annex 1 – Cabinets and Millwork**

Dimensions are provided for <u>quantity purpose only.</u> Millwork installation to be coordinated with the installation of the light fixtures to make sure they don't overlap. See shop drawings for more details.

- All gables to be a standard width size of 16"
- All end gables to be a consistent height
- Gun boxes must be mounted to end gables w carriage bolts and maintain constant depth & height in each room

Type A - The following rooms are **standard** (approx. 60" cabinet/wardrobe): 408, 409, 412, 413, 416, 420, 421, 431, 436, 440, 441, 444, 445, 448, 449

# Type B - The following rooms have a **column** (approx. 44" cabinet /wardrobe)

- End drywall is 16" or more
- Cabinets will not have a long hang area-rod to hang above shelving
- Cabinets will mount on the same wall as standard type

410, 411, 414, 415, 418, 419, 422, 423, 429, 433, 442, 443, 451, 447, 434, 438, 446

### Type C - The following rooms have a **column/stub** wall to short/narrow opening

- Cabinet/wardrobes will vary in size (approx. 30" to 44")
- All of these cabinet/wardrobes are to be installed on the end wall
- Maintain depth & height as well as gun box installation
- In-fill the void space with drywall or an extension of the millwork top shelf in the void cabinet area (prevent items falling over) both methods are acceptable
- Due to the narrow opening of these areas, cabinets need to be installed in steps
- Side gables must be installed firmly to max width of space c/w top shelf & rod
- Back to be installed behind or in between
- Lower shelf cabinet to be built to make the diagonal turn, installed with void side filler strips , top shelf to be fit & installed on site


417, 425, 454, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473


### Desk Unit:


All 53 desk units are standard.


### Headboards:


Headboard sizes might vary from room to room. It is the contractor responsibility to take proper measurements.






















Cabinet Construction: 19mm Roseburg W752 Tierra Linea

Edge Banding: 0.5mm PVC Tierra Linea

CLOSET Type C





Cabinet Construction: 19mm Roseburg W752 Tierra Linea


Edge Banding: 0.5mm PVC Tierra Linea


Drawer Construction: 16mm Roseburg W752 Tierra Linea

Drawer Slides: Accuride 3832C14

Pulls: Richelieu #4923175

**DESK UNIT** 





Cabinet Construction: 19mm Roseburg W752 Tierra Linea

Edge Banding: 0.5mm PVC Tierra Linea

Drawer Construction: 16mm Roseburg W752 Tierra Linea

Drawer Slides: Accuride 3832C14 Pulls: Richelieu #BP34013170 **DESK UNIT** 

8

