

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada**
**Room 100,
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6
Bid Fax: (204) 983-0338**

**REQUEST FOR PROPOSAL
DEMANDE DE PROPOSITION**

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Highway Tractor	
Solicitation No. - N° de l'invitation 01005-150132/A	Date 2014-10-06
Client Reference No. - N° de référence du client 01005-150132	
GETS Reference No. - N° de référence de SEAG PW-\$WPG-016-9184	
File No. - N° de dossier WPG-4-37149 (016)	CCC No./N° CCC - FMS No./N° VME
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2014-11-17	
Time Zone Fuseau horaire Central Standard Time CST	
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input type="checkbox"/> Other-Autre: <input type="checkbox"/>	
Address Enquiries to: - Adresser toutes questions à: Hall, Marlene	Buyer Id - Id de l'acheteur wpg016
Telephone No. - N° de téléphone (204) 984-6423 ()	FAX No. - N° de FAX (204) 983-7796
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: DEPARTMENT OF AGRICULTURE AND AGRI-FOOD 269 MAIN ST RM 200 P.O.BOX 6100 WINNIPEG Manitoba R3C4N3 Canada	

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Public Works and Government Services Canada - Western
Region
Room 100
167 Lombard Ave.
Winnipeg
Manitoba
R3B 0T6

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

01005-150132/A

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

wpg016

Client Ref. No. - N° de réf. du client

01005-150132

File No. - N° du dossier

WPG-4-37149

CCC No./N° CCC - FMS No/ N° VME

**INTENTIONAL
BLANK
PAGE**

TABLE OF CONTENTS

TITLE: HIGHWAY-TRACTOR

PART 1 - GENERAL INFORMATION

1. Requirement
2. Debriefings
3. Trade Agreements

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions
2. Submission of Bids
3. Enquiries - Bid Solicitation
4. Applicable Laws

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures
2. Basis of Selection

PART 5 - CERTIFICATIONS

1. Certifications Required Precedent to Contract Award

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement
2. Requirement
3. Standard Clauses and Conditions
4. Term of Contract
5. Authorities
6. Payment
7. Invoicing Instructions
8. Certifications
9. Applicable Laws
10. Priority of Documents
11. SACC Manual Clauses

List of Annexes:

- | | |
|---------|------------------|
| Annex A | Requirement |
| Annex B | Basis of Payment |

TITLE: HIGHWAY-TRACTOR

PART 1 - GENERAL INFORMATION

1. Requirement

The requirement is detailed under Article 2 of the resulting contract clauses.

2. Debriefings

Bidders may request a debriefing on the results of the bid solicitation process. Bidders should make the request to the Contracting Authority within 15 working days of receipt of the results of the bid solicitation process. The debriefing may be in writing, by telephone or in person.

3. Trade Agreements

The requirement is subject to the provisions of the North American Free Trade Agreement (NAFTA), and the Agreement on Internal Trade (AIT).

PART 2 - BIDDER INSTRUCTIONS

1. Standard Instructions, Clauses and Conditions

All instructions, clauses and conditions identified in the bid solicitation by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual) (<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

Bidders who submit a bid agree to be bound by the instructions, clauses and conditions of the bid solicitation and accept the clauses and conditions of the resulting contract.

The [2003](#) (2014-09-25) Standard Instructions - Goods or Services - Competitive Requirements, are incorporated by reference into and form part of the bid solicitation.

Subsection 5.4 of [2003](#), Standard Instructions - Goods or Services - Competitive Requirements, is amended as follows:

Delete: sixty (60) days
Insert: ninety (90) days

1.1 SACC Manual Clauses

B1000T	Condition of Material	(2007-11-30)
--------	-----------------------	--------------

2. Submission of Bids

Bids must be submitted only to Public Works and Government Services Canada (PWGSC) Bid Receiving Unit by the date, time and place indicated on page 1 of the bid solicitation.

3. Enquiries - Bid Solicitation

All enquiries must be submitted in writing to the Contracting Authority no later than ten (10) calendar days before the bid closing date. Enquiries received after that time may not be answered.

Bidders should reference as accurately as possible the numbered item of the bid solicitation to which the enquiry relates. Care should be taken by bidders to explain each question in sufficient detail in order to enable Canada to provide an accurate answer. Technical enquiries that are of a proprietary nature must be clearly marked "proprietary" at each relevant item. Items identified as "proprietary" will be treated as such except where Canada determines that the enquiry is not of a proprietary nature. Canada may edit the question(s) or may request that the Bidder do so, so that the proprietary nature of the question(s) is eliminated, and the enquiry can be answered to all bidders. Enquiries not submitted in a form that can be distributed to all bidders may not be answered by Canada.

4. Applicable Laws

Any resulting contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in **Manitoba**.

Bidders may, at their discretion, substitute the applicable laws of a Canadian province or territory of their choice without affecting the validity of their bid, by deleting the name of the Canadian province or territory specified and inserting the name of the Canadian province or territory of their choice. If no change is made, it acknowledges that the applicable laws specified are acceptable to the bidders.

PART 3 - BID PREPARATION INSTRUCTIONS

1. Bid Preparation Instructions

Canada requests that bidders provide their bid in separately bound sections as follows:

Section I: Technical Bid (2 hard copies)

Section II: Financial Bid (1 hard copy)

Section III: Certifications (1 hard copy)

Prices must appear in the financial bid only. No prices must be indicated in any other section of the bid.

Canada requests that bidders follow the format instructions described below in the preparation of their bid:

- (a) use 8.5 x 11 inch (216 mm x 279 mm) paper;
- (b) use a numbering system that corresponds to the bid solicitation.

In April 2006, Canada issued a policy directing federal departments and agencies to take the necessary steps to incorporate environmental considerations into the procurement process [Policy on Green Procurement](http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html) (<http://www.tpsgc-pwgsc.gc.ca/ecologisation-greening/achats-procurement/politique-policy-eng.html>). To assist Canada in reaching its objectives, bidders should:

- 1) use 8.5 x 11 inch (216 mm x 279 mm) paper containing fibre certified as originating from a sustainably-managed forest and containing minimum 30% recycled content; and
- 2) use an environmentally-preferable format including black and white printing instead of colour printing, printing double sided/duplex, using staples or clips instead of cerlox, duotangs or binders.

Section I: Technical Bid

In their technical bid, bidders should explain and demonstrate how they propose to meet the requirements and how they will carry out the Work.

Section II: Financial Bid

Bidders must submit their financial bid in accordance with the Basis of Payment. The total amount of Applicable Taxes must be shown separately.

1.1 Exchange Rate Fluctuation

C3011T (2013-11-06), Exchange Rate Fluctuation

Section III: Certifications

Bidders must submit the certifications required under Part 5.

PART 4 - EVALUATION PROCEDURES AND BASIS OF SELECTION

1. Evaluation Procedures

- (a) Bids will be assessed in accordance with the entire requirement of the bid solicitation including the technical and financial evaluation criteria.
- (b) An evaluation team composed of representatives of Canada will evaluate the bids.

1.1 Technical Evaluation

1.1.1 Mandatory Technical Criteria

- (a) Ability to perform the full scope of work as described in Annex A, Requirement;
- (b) Provision of pricing as detailed in Annex B, Basis of Payment.

1.2 Financial Evaluation

SACC Manual Clause [A0220T](#) (2013-04-25), Evaluation of Price

2. Basis of Selection

A bid must comply with the requirements of the bid solicitation and meet all mandatory technical evaluation criteria to be declared responsive. The responsive bid with the lowest evaluated price will be recommended for award of a contract.

PART 5 - CERTIFICATIONS

Bidders must provide the required certifications and associated information to be awarded a contract.

The certifications provided by bidders to Canada are subject to verification by Canada at all times. Canada will declare a bid non-responsive, or will declare a contractor in default in carrying out any of its obligations under the Contract, if any certification made by the Bidder is found to be untrue whether made knowingly or unknowingly, during the bid evaluation period or during the contract period.

The Contracting Authority will have the right to ask for additional information to verify the Bidder's certifications. Failure to comply and to cooperate with any request or requirement imposed by the Contracting Authority may render the bid non-responsive or constitute a default under the Contract.

1. Certifications Required Precedent to Contract Award

1.1 Integrity Provisions - Associated Information

By submitting a bid, the Bidder certifies that the Bidder and its Affiliates are in compliance with the provisions as stated in Section 01 Integrity Provisions - Bid of Standard Instructions 2003. The associated information required within the Integrity Provisions will assist Canada in confirming that the certifications are true.

1.2 Federal Contractors Program for Employment Equity - Bid Certification

By submitting a bid, the Bidder certifies that the Bidder, and any of the Bidder's members if the Bidder is a Joint Venture, is not named on the Federal Contractors Program (FCP) for employment equity "FCP Limited Eligibility to Bid" list (http://www.labour.gc.ca/eng/standards_equity/eq/emp/fcp/list/inelig.shtml) available from [Employment and Social Development Canada \(ESDC\) - Labour's](#) website.

Canada will have the right to declare a bid non-responsive if the Bidder, or any member of the Bidder if the Bidder is a Joint Venture, appears on the "FCP Limited Eligibility to Bid" list at the time of contract award.

PART 6 - RESULTING CONTRACT CLAUSES

1. Security Requirement

There is no security requirement applicable to this Contract.

2. Requirement

The Contractor must provide the items detailed under the "Requirement" at Annex "A".

3. Standard Clauses and Conditions

All clauses and conditions identified in the Contract by number, date and title are set out in the [Standard Acquisition Clauses and Conditions Manual](https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual)(<https://buyandsell.gc.ca/policy-and-guidelines/standard-acquisition-clauses-and-conditions-manual>) issued by Public Works and Government Services Canada.

3.1 General Conditions

2010A (2014-09-25), General Conditions - Goods (Medium Complexity), apply to and form part of the Contract.

4. Term of Contract

4.1 Best Delivery Date - Bid

While delivery is requested by March 31, 2015, the best delivery that could be offered is

_____.

5. Authorities

5.1 Contracting Authority

The Contracting Authority for the Contract is:

Marlene Hall
Supply Specialist
Public Works and Government Services Canada
Acquisitions Branch
100 - 167 Lombard Avenue
Winnipeg, MB. R3B 0T6

Telephone: 204-984-6423
Fax: 204-983-7796
Email: marlene.hall@pwgsc-tpsgc.gc.ca

The Contracting Authority is responsible for the management of the Contract and any changes to the Contract must be authorized in writing by the Contracting Authority. The Contractor must not perform work in excess of or outside the scope of the Contract based on verbal or written requests or instructions from anybody other than the Contracting Authority.

5.2 Project Authority

The Project Authority for the Contract is: *(To be inserted at time of Contract Award)*

The Project Authority is the representative of the department or agency for whom the Work is being carried out under the Contract and is responsible for all matters concerning the technical content of the Work under the Contract. Technical matters may be discussed with the Project Authority, however the Project Authority has no authority to authorize changes to the scope of the Work. Changes to the scope of the Work can only be made through a contract amendment issued by the Contracting Authority.

5.3 Contractor's Representative

Name and telephone number of the person responsible for:

General Enquiries

Name: _____

Title: _____

Telephone: _____

Fax: _____

Email: _____

Delivery Follow-up

Name: _____

Title: _____

Telephone: _____

Fax: _____

Email: _____

After Sales Service

The following dealer and/or agent is authorized to provide after sales service, maintenance and warranty repairs; and a full range of repair parts for the vehicle offered:

Name: _____

Address: _____

Telephone: _____

Distance between the delivery location and the dealer and/or agent: _____ km

6. Payment

6.1 Basis of Payment

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid a firm unit prices as specified in Annex A for a cost of \$ _____ (*insert the amount at contract award*). Customs duties are included and Applicable Taxes are extra.

Canada will not pay the Contractor for any design changes, modifications or interpretations of the Work, unless they have been approved, in writing, by the Contracting Authority before their incorporation into the Work.

6.2 Single Payment

SACC Manual clause H1000C (2008-05-12) Single Payment

6.3 SACC Manual Clauses

C2000C	2007-11-30	Taxes - Foreign-based Contractor
C2605C	2008-05-12	Canadian Customs Duties and Sales Tax - Foreign-based Contractor

7. Invoicing Instructions

1. The Contractor must submit invoices in accordance with the section entitled "Invoice Submission" of the general conditions. Invoices cannot be submitted until all work identified in the invoice is completed.
2. Invoices must be distributed as follows:
 - (a) The original and one (1) copy must be forwarded to the address shown on page 1 of the Contract for certification and payment.

Agriculture & Agri-Food Canada
Attention: Michelle Bruce
300 – 2010 – 12th Avenue
Regina, Saskatchewan
Canada S4P 0M3
 - (b) One (1) copy must be forwarded to the Contracting Authority identified under the section entitled "Authorities" of the Contract.

8. Certifications

8.1 Compliance

The continuous compliance with the certifications provided by the Contractor in its bid and the ongoing cooperation in providing associated information are conditions of the Contract. Certifications are subject to verification by Canada during the entire period of the Contract. If the Contractor does not comply with any certification, fails to provide the associated information, or if it is determined that any certification made by the Contractor in its bid is untrue, whether made knowingly or unknowingly, Canada has the right, pursuant to the default provision of the Contract, to terminate the Contract for default.

9. Applicable Laws

The Contract must be interpreted and governed, and the relations between the parties determined, by the laws in force in Manitoba.

10. Priority of Documents

If there is a discrepancy between the wording of any documents that appear on the list, the wording of the document that first appears on the list has priority over the wording of any document that subsequently appears on the list.

- (a) the Articles of Agreement;
- (b) the general conditions 2010A (2014-09-25), General Conditions - Goods (Medium Complexity);
- (c) Annex A, Requirement;
- (d) Annex B, Basis of Payment;
- (e) the Contractor's bid dated _____ (*insert date of bid*).

11. SACC Manual Clauses

A9049C	(2011-05-16)	Vehicle Safety
B7500C	(2006-06-16)	Excess Goods
C5201C	(2008-05-12)	Prepaid Transportation Costs
D5328C	(2007-11-30)	Inspection and Acceptance
G1005C	(2008-05-12)	Insurance

ANNEX "A" REQUIREMENT

Agriculture & Agri-Food Canada has a requirement for the supply and delivery of one (1) Highway-Tractor. The highway-tractor must be new and of the current production model.

The highway-tractor must conform to all applicable laws, regulations and industrial standards governing manufactures, safety, noise levels, and pollution in effect in Canada at the time of manufacture.

A complete list of the mandatory performance specifications are detailed below in the Compliance Matrix.

DELIVERY

Please state expected delivery date and whether the vehicle is factory ordered or will come from existing dealer inventory.

While delivery is requested by March 31, 2015, the best delivery that could be offered is

_____.

Factory ordered:	Yes	No
Dealer inventory:	Yes	No

The vehicle must be serviced, adjusted and delivered in condition for immediate use. The interior and exterior must be cleaned before leaving the factory/dealer.

WARRANTY

The manufacturer's standard warranty of _____ months or _____ km as administered through the designated dealer or authorized agency. (to be completed by bidder)

Please specify details of warranty.

COMPLIANCE MATRIX – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS

A complete list of the mandatory performance specifications are detailed in the Compliance Matrix.

1. Bidders **must** show compliance by addressing each Performance Specification in the Compliance Matrix, whether the product offered "meets" or "doesn't meet".
2. Bidders are to clearly demonstrate compliance with the mandatory performance specifications. Bidders MUST respond with complete specifications and/or descriptive literature of the equipment being offered.
3. The complete specifications and/or descriptive literature should be submitted with the proposal but may be submitted afterwards. If the complete specification and/or literature is not submitted as requested, the Contracting Authority will so inform the Bidder and provide the Bidder with a time frame within which to meet the requirement. Failure to comply with the request of the Contracting Authority and meet the requirement within

that time period will render the bid non-responsive.

4. Canada will not evaluate information such as references to Web site addresses where additional information can be found, or technical manuals or brochures not submitted with the bid.
5. Bidders must address any concerns with the Performance Specifications in written detail to the Contracting Authority before bid closing as outlined in the Request for Proposal (RFP) document.
6. Failure to meet the minimum mandatory performance specifications will result in your proposal being deemed non-responsive, and be given no further consideration in the evaluation process.

Compliance Matrix – MINIMUM MANDATORY PERFORMANCE SPECIFICATIONS:

	<p><u>Completion and submission of Mandatory Performance Specification is required to be considered responsive and for your bid to be given further consideration.</u></p> <p>1. Bidders must record whether they meet (YES) or not meet (NO) each of the specifications.</p> <p>2. Bidders must cross reference where in their technical bid, the technical specification is located.</p> <p>Where you have indicated compliant, provide the specification being offered which meets or exceeds <u>and cross-reference as to where the supporting documentation is found within your proposal</u>. If there is insufficient space in the table, assign SIR # (Supplementary Information Reference) and provide the appropriate details on a separate page in your proposal. Where published supporting documentation is not available in the form of brochures, technical data sheets etc., mark in the table "certification by signature"</p>		
	All work and materials herein specified must meet and maintain minimum Canadian and Provincial certification(s) and approval(s) as applicable by Industry Standards.		
Item		Bidder Response: indicate how they meet the specifications addressed below/ cross-reference where this technical specification is indicated in their bid documentation	Compliant (Yes/No)
1.	Operating Condition		
1.a	Vehicle to be capable of satisfactory operation in ambient temperatures from +45°C to -40°C.		
2.	Requirement of Regulatory Agencies		
2.a	Vehicle must comply in all respects with the Highway Traffic Act regulations for the province of Saskatchewan and Canadian Motor Vehicle Safety Standards.		
3.	Manuals		
3.a	Provide two (2) copies of the operator's manuals, one (1) copy of the service manuals and one (1) copy of the service parts manuals accurately identifying all componenets of the equipment.		
4.	Delivery		
4.a	Lubricate and service unit prior to delivery with all lubricants and associated products suitable for the climatic conditions in which the vehicle will operate.		

4.b	Vehicle must be delivered with a minimum of 364 litres (80 imp gal) in the fuel tank.		
4.c	Supplier must, at no extra cost, arrange with the AAFC to provide at time of delivery an orientation to the operating procedures, maintenance and running adjustments necessary to comply with the warranty conditions of the delivered Highway-Tractor.		
5.	Inspection		
5.a	Final inspection by AAFC at point of delivery.		
6.	Paint		
6.a	Equipment must be painted (preference: white)		
6.b	Frame must be painted black		
6.c	The vehicle will include all components, equipment and accessories normally supplied for the model offered, although they may not be specifically described in this document.		
7.	Chassis and Frame		
7.a	The gross vehicle weight rating must be minimum of 58,600 lbs (26,636 kg)		
7.b	The gross combined vehicle weight rating must be minimum of 80,000 lbs (36,364 kg)		
7.c	Suitable to tow trailer and track-hoe with a combined payload of 40,800 kg		
7.d	The wheel base, cab to axle and fifth wheel location, must provide a properly proportioned weight distribution to ensure positive steering control.		
7.e	Tapered end of frame, complete with cross-member, to facilitate fifth wheel hook-up.		
7.f	Load rating of springs must match the load rating of respective axles.		
7.g	Front axle rating 14,600 lbs (6,636 kg) minimum.		
7.h	Maintenance free rubber bushing front suspension with leaf type spring and shock absorbers.		
7.i	Tandem rear axle incorporating a 55" spacing.		
7.j	Rear axle rating 46,000 lbs (20,900 kg) minimum.		
7.k	Heavy duty air spring/bag type, with shock absorbers.		
7.l	Wheelbase minimum 200" with adequate deck plate.		
7.m	Power steering capable of manual steering in the event of a power failure.		

7.n	Back of Cab to center of Rear Axles between 129 – 135 inches.		
7.o	Cener line of rear axle to end of frame not to exceed 60"		
8.	Fifth Wheel Installation		
8.a	Forged, heavy duty, fifth wheel is to be supplied and installed.		
8.b	Tall 5 th wheel risers (maximum of 8.5" to provide adequate clearance for full fender installation.		
8.c	Manual, left hand, king pin release control.		
8.d	Fifth wheel design to accept a 51 mm (2 inch) diameter King pin.		
8.e	24" air slide fifth wheel centered 14" in front of suspension centerline.		
8.f	Air supply trailer brakes and 7 pin electrical connections.		
9.	Engine		
9.a	Liquid cooled diesel, certified for heavy duty on/off highway and construction duties.		
9.b	410 HP minimum		
9.c	Oil filter, full flow with replaceable element.		
9.d	Air cleaner, dry type element with service		
9.e	Replaceable element type fuel filter and water separator.		
9.f	Minimum 1500 watt recirculating type block heater, 110-120 volt complete with connecting cord.		
9.g	Coolant suitable for minimum 40°C.		
9.h	75 watt oil pan heater on a common receptacle.		
10	Transmission and Power Train		
10.a	Manual shift with a minimum 13 speed transmission or automatic transmission with a manual shift over-ride.		
10.b	Water to oil transmission cooler in radiator.		
10.c	Heavy duty, 15 ½ inch self adjusting clutch.		
10.d	Tandem rear axle with driver controlled inter-axle lockout.		
10.e	Grade ability of 24% at approximately 9 km/hr (5.6 mph) under full load conditions.		
10.f	Geared top speed of 100 – 105 km/h (62-65 mph) under full load conditions.		

10.g	Full locking driver controlled main differential lock with dash indicator light and no capability of being accidentally engaged at undersiable speed that would cause damage to axle or internal part.		
11.	Brakes To be a full air system in compliance with CMVSS 121 and including:		
11.a	Positive automatic moisture removing device;		
11.b	Front limiting valve with cab mounted control;		
11.c	Heated air dryer		
11.d	An auxiliary air tank to release spring activated brakes;		
11.e	All lines, components and fillings to meet SAE standards;		
11.f	All brake Antilock Brake System without traction control;		
11.g	Brakes controlled through auto slack adjusters and S cams.		
12.	Wheels and Tires		
12.a	All wheels to be steel belted, steel cord, radial		
12.b	Front – 12 R 22.5 x 16 ply steel belted radial with highway tread.		
12.c	Rear – 12 R 22.5 x 14 ply steel belted radial. Rear dual to be mud and snow tread		
12.d	Combined load rating of tires to be 100% of the load rating for the respective axles.		
13	Fuel		
13.a	Must have fuel tank or tanks having a capacity of minimum of 450 litres.		
13.b	Primary and secondary replacement element type fuel filters.		
13.c	Water separator		
14	Electrical System		
14.a	Full highway lighting as per the highway regulations of the Province of Saskatchewan.		
14.b	Fresh air type heater and defroster.		
14.c	Heavy duty, 1800 CCA (cold cranking amps) maintenance free battery/batteries minimum.		
14.d	Heavy duty 12v starting and charging system.		
14.e	Low cut-in 12v alternator of 160 amp output minimum.		
14.f	Self-cancelling turn signals with steering column mounted control switch.		
14.g	Four-way emergency flasher.		

14.h	3.7 meter (12 ft) connecting cable for trailer lights minimum.		
14.i	Separate dash mounted switch for trailer lights.		
14.j	LED parking and clearance lights.		
14.k	Halogen headlights including daytime running lights.		
14.l	Back up lights and warning system that operate automatically whenever the unit is put in reverse.		
14.m	Roof top dual amber electric strobe lights with stainless steel brackets and dash mounted switch.		
15.	Cab		
15.a	Day cab		
15.b	Wrap-around dash		
15.c	Dual sun visors		
15.d	Electric operated driver and passenger windows and locks for left and right door and with controls within easy reach of driver.		
15.e	Two (2) electric adjustable anti-glare rear view heated mirrors with lights; Three-point mount minimum, West Coast type, left and right side mounted with convex mirrors mounted under primary mirrors.		
15.f	Driver high back full air suspension adjustable seats with cloth upholstery; Standard 2 man passenger.		
15.g	Variable speed, time delay and two (2) constant speed windshield wipers minimum.		
15.h	In cab gauge package with amp meter/voltmeter, hour meter, coolant temperature gauge, engine oil pressure gauge, fuel level gauge, tachometer, speedometer/odometer in kilometres and air pressure gauges minimum.		
15.i	Cab entry/egress grab handles, left and right side.		
15.k	Cab top mounted air horn.		
15.l	Engine high coolant temperature and low oil pressure warning lights and buzzer.		
15.m	Cab must be equipped with a climate control system, A/C and heat.		
15.n	Minimum of 1 loading light on back of cab.		
15.o	Minimum AM/FM radio.		
16	Accessories		
16.a	Installed PTO and hydraulic pump with 50 gallon hydraulic tank for operation of end dump gravel trailer; controller must be inside cab.		

Solicitation No. - N° de l'invitation
01005-150132/A
Client Ref. No. - N° de réf. du client
01005-150132

Amd. No. - N° de la modif.
File No. - N° du dossier
WPG-4-37149

Buyer ID - Id de l'acheteur
wpg016
CCC No./N° CCC - FMS No./N° VME

16.b	Full Tractor package including electric for trailer hook-up and electric tarp.		
16.c	Heavy duty frame mounted front tow hooks.		
16.d	Independent fenders for each rear wheel; rear mud flaps		
16.e	License Plate Holder		
16.f	Separate switch for tractor activated, trailer LED strobe warning.		
17	Warranty		
17.a	Warranty service is to be provided at a service center within 300 km of Swift Current, Saskatchewan.		

Year, Make, Model, and Model Number of Product Offered: _____

_____.

Bidder certifies that the product offered meets the minimum performance requirements above.

Signature

Date

ANNEX B BASIS OF PAYMENT

In consideration of the Contractor satisfactorily completing all of its obligations under the Contract, the Contractor will be paid firm unit prices, as specified below. Applicable taxes are extra, if applicable, and to be shown as a separate item on any resulting invoice.

Pricing must be firm unit price including all costs associated with providing the requirement in accordance with requirement at Annex A, including all shipping and offloading charges, FOB destination.

FOB Destination: Agriculture & Agri-Food Canada
Water Infrastructure Division (01W45)
L.B. Thomson Place
Gate 2 SPARC, Airport Road
Swift Current, Saskatchewan, Canada
Attention: _____

Bidder to provide a detailed list of all items that will be part of the Highway-Tractor.

Note: bids will be evaluated in CAD funds using the Bank of Canada conversion rate on bid closing date

Item	Description	Qty	Unit of Issue	Unit Price Indicate if bid is in CAD or USD
1	Highway-Tractor in accordance with the mandatory performance specifications detailed in Annex A - Compliance Matrix. All inclusive pricing including random taxes, levy taxes, tire taxes, warranty, etc. Year, Make, Model & Model # _____	1	each	\$
3	Delivery including freight and offloading charges, FOB Destination to AAFC, Gate 2 SPARC, Airport Road, Swift Current, Saskatchewan, Canada	1	each	\$
SUB-TOTAL				\$
Applicable Taxes				\$
TOTAL				\$