

---

## **PART 1 - GENERAL**

### **1.1 REFERENCES**

- .1 U.S. Environmental Protection Agency (EPA) / Office of Water.
- .1 EPA 832R92005, Storm Water Management for Construction Activities: Developing Pollution Prevention Plans and Best Management Practices.

### **1.2 INSTALLATION AND REMOVAL**

- .1 Provide temporary utilities controls in order to execute Work expeditiously.
- .2 Remove from site all such work after use.

### **1.3 WATER SUPPLY**

- .1 Supply of potable water for construction use is provided.
- .2 Arrange for connection with appropriate utility company and pay costs for installation, maintenance, and removal.

### **1.4 TEMPORARY POWER AND LIGHT**

- .1 Provide and pay for temporary power during construction for temporary lighting and operating of power tools.
- .2 Arrange for connection with appropriate utility company. Pay costs for installation, maintenance, and removal.
- .3 Provide and maintain temporary lighting throughout project. Ensure level of illumination on all floors and stairs is not less than 162 lx.

### **1.5 TEMPORARY COMMUNICATION FACILITIES**

- .1 Provide and pay for temporary telephone, fax, and data hook up, line equipment necessary for own use and use of Departmental Representative.

### **1.6 FIRE PROTECTION**

- .1 Provide and maintain temporary fire protection equipment during performance of Work required by insurance companies having jurisdiction and governing codes, regulations, and bylaws.
-

- .2 Burning rubbish and construction waste materials is not permitted on site.

**PART 2 - PRODUCTS**

- .1 Not Used.

**PART 3 - EXECUTION**

- .1 Not Used.

**END OF SECTION**