

---

## **PART 1 - GENERAL**

### **1.1 USE OF SITE AND FACILITIES**

- .1 Execute Work with least possible interference or disturbance to normal use of premises. Make arrangements with Departmental Representative to facilitate Work as stated.
- .2 Maintain existing services to building and provide for personnel and vehicle access.
- .3 Where security is reduced by Work provide temporary means to maintain security.
- .4 Departmental Representative will assign sanitary facilities for use by Contractor's personnel. Keep facilities clean.
- .5 Closures: Protect Work temporarily until permanent enclosures are completed.

### **1.2 EXISTING SERVICES**

- .1 Notify, Departmental Representative and utility companies of intended interruption of services and obtain required permission.
- .2 Where Work involves breaking into or connecting to existing services, give Departmental Representative 48 hours of notice for necessary interruption of mechanical service throughout course of Work. Keep duration of interruptions minimum. Carry out interruptions after normal working hours of occupants, preferably on weekends.

### **1.3 SPECIAL REQUIREMENTS**

- .1 Submit schedule in advance to Departmental Representative for review and approval.
- .2 Ensure Contractor's personnel employed on site become familiar with and obey regulations, including safety, fire, and security regulations.
- .3 Keep within limits of Work and avenues of ingress and egress.
- .4 Contractor will have to shut down the cold water supply to the entire establishment in order to install a shut off valve on main piping to by-pass supply pumps with City water. This interruption will have to be minimized and Contractor shall take measures to prefabricate all of the fittings and transition for the installation of the new water meter beforehand.

### **1.4 BUILDING SMOKING ENVIRONMENT**

- .1 Comply with smoking restrictions. Smoking is not permitted.
-

**PART 2 - PRODUCTS**

**2.1 NOT USED**

.1 Not Used.

**PART 3 - EXECUTION**

**3.1 NOT USED**

.1 Not Used.

**END OF SECTION**

---