

---

**Part 1            General**

**1.1                SUBMITTALS**

- .1        Provide submittals in accordance with Section 01 33 00 - Submittal Procedures .

**1.2                INSTALLATION AND REMOVAL**

- .1        Provide temporary utilities controls in order to execute work expeditiously.
- .2        Remove from site all such work after use.

**1.3                DEWATERING**

- .1        Provide temporary drainage and pumping facilities to keep excavations and site free from standing water.

**1.4                WATER SUPPLY**

- .1        Departmental Representative will provide continuous supply of potable water for construction use.
- .2        Arrange for connection with appropriate utility company and pay costs for installation, maintenance and removal.

**1.5                TEMPORARY HEATING AND VENTILATION**

- .1        Departmental Representative will provide heating and ventilation required during construction period.

**1.6                TEMPORARY POWER AND LIGHT**

- .1        Departmental Representative will pay for temporary power during construction for temporary lighting and operating of power tools.
- .2        Arrange for connection with appropriate utility company. Pay costs for installation, maintenance and removal.
- .3        Provide and maintain temporary lighting throughout project. Ensure level of illumination on all floors and stairs is not less than 150 lx.

**1.7                TEMPORARY COMMUNICATION FACILITIES**

- .1        Provide and pay for temporary telecommunications as telephone and cell phones necessary for own use and use of Departmental Representative.

**1.8                FIRE PROTECTION**

- .1        Provide and maintain temporary fire protection equipment during performance of Work required by insurance companies having jurisdiction and governing codes, regulations and bylaws.

- .2 Burning rubbish and construction waste materials is not permitted on site.

**Part 2 Products**

**2.1 NOT USED**

- .1 Not Used.

**Part 3 Execution**

**3.1 TEMPORARY EROSION AND SEDIMENTATION CONTROL**

- .1 Not Used.

**END OF SECTION**