

**RETURN BIDS TO:  
RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions  
Travaux publics et Services gouvernementaux  
Canada**  
**1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
B3J 1T3  
Bid Fax: (902) 496-5016**

## REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government  
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services  
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

**Comments - Commentaires**

<b>Title - Sujet</b> Road Signs	
<b>Solicitation No. - N° de l'invitation</b> 5P123-140010/B	<b>Date</b> 2014-12-03
<b>Client Reference No. - N° de référence du client</b> 5P123-14-0010	
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$HAL-220-9395	
<b>File No. - N° de dossier</b> HAL-4-73147 (220)	<b>CCC No./N° CCC - FMS No./N° VME</b>
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-01-13</b>	<b>Time Zone Fuseau horaire</b> Atlantic Standard Time AST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>	
<b>Address Enquiries to: - Adresser toutes questions à:</b> Dunphy, Nancy	<b>Buyer Id - Id de l'acheteur</b> hal220
<b>Telephone No. - N° de téléphone</b> (902) 496-5481 ( )	<b>FAX No. - N° de FAX</b> (902) 496-5016
<b>Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:</b> PARKS CANADA NHS AREA OFFICE P.O.BOX 9 ANNAPOLIS ROYAL NOVA SCOTIA B0S1A0 Canada	

**Instructions: See Herein**

**Instructions: Voir aux présentes**

**Vendor/Firm Name and Address**

**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**

Atlantic Region Acquisitions/Région de l'Atlantique  
Acquisitions  
1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
B3J 3C9  
Nova Scot

<b>Delivery Required - Livraison exigée</b> See Herein	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

5P123-140010/B

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal220

Client Ref. No. - N° de réf. du client

File No. - N° du dossier


CCC No./N° CCC - FMS No/ N° VME

5P123-14-0010

HAL-4-73147

---

Please see attached Annex A.







<div><div><div></div><div>Parks Canada</div></div><div><div></div><div>Parcs Canada</div></div></div> <div>Canada</div>		
SUBSTRATE	Sheet aluminum	
POST TYPE	To be confirmed	
FASTENING METHOD	To be confirmed	
NON-POST INSTALLATION METHOD		
MESSAGE COLOUR BREAK	(A) PC Heritage Green (B4) White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST		
SITE	Port Royal National Historic Site	
QUANTITY	X SIZE	SPEED/DISTANCE
1	100 mm B5	50 km/h
VEHICULAR / PEDESTRIAN	PAGE NO.	
Vehicular	1 of 1	
SIGN NO.	DRAWING NO.	
HWY201_010-2	NS-PR_HWY201_010-2_B5	

DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 17
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06

NOTES TO SITE


Type B5 nameplate mounted below  
B3 Trail blazer sign, located on Route 201






<div> Parks Canada</div> <div> Parcs Canada</div> <div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B4)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_006		NS-FA-HWY1_006_L1	


DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06



NOTES TO SITE	
Eastbound on HWY 8 Junction	




<div><div>Parks Canada</div></div> <div><div>Parcs Canada</div></div> <div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B4)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_007		NS-FA-HWY1_007_L1	




NOTES TO SITE	DATE : YY / MM / DD
	09 / 02 / 13
Eastbound	DATE : YY / MM / DD
	14 / 02 / 06




<div><div><div><div>Parks Canada</div></div><div><div>Parcs Canada</div></div></div><div></div></div>			
SUBSTRATE			
Extruded aluminum blades			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTI-PANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	150 mm	B1	80-90 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.	DRAWING NO.		
HWY1_009	NS-FA-HWY1_009-v02_B1		

NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD	
		09 / 02 / 13	
Westbound on HWY 1	REVISED BY	DATE : YY / MM / DD	
		14 / 02 / 06	



<div><div><div>Parks Canada</div></div><div><div>Parcs Canada</div></div><div></div></div>			
SUBSTRATE			
Sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY		SPEED/DISTANCE	
1		50 km/h	
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_002		NS-FA_HWY8_002_B3	

NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD
	IP	09 / 02 / 17
Type B3 Trail blazer sign with B5 nameplate mounted underneath, located on Route 8	REVISED BY	DATE : YY / MM / DD
	SQ	14/ 02/ 06




<div><div><div></div><div>Parks Canada</div></div><div><div></div><div>Parcs Canada</div></div></div> <div>Canada</div>	
SUBSTRATE	Sheet aluminum
POST TYPE	To be confirmed
FASTENING METHOD	To be confirmed
NON-POST INSTALLATION METHOD	
MESSAGE COLOUR BREAK	(A) PC Heritage Green (B41) White—ASTM D4956 Type II
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST	
SITE	
Fort Anne National Historic Site	
QUANTITY	X SIZE SIGN TYPE SPEED/DISTANCE
1	100 mm B5 50 km/h
VEHICULAR / PEDESTRIAN	
Vehicular	
PAGE NO.	
1 of 1	
SIGN NO.	
DRAWING NO.	
HWY8_002-2	
NS-FA_HWY8_002-2_B5	



DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 17
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06

NOTES TO SITE

Type B5 nameplate mounted below  
B3 Trail blazer sign, located on Route 8








<div><div><div>Parks Canada Parcs Canada</div></div><div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A) PC Heritage Green			
(B41) White—ASTM D4956 Type II			
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_012		NS-FA-HWY8_012_L1	

DRAWN BY	DATE : YY / MM / DD
	IP09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
	SQ14 / 02 / 06




NOTE TO SITE

Eastbound on HWY 8 Junction



<div><div><div>Parks Canada</div></div><div><div><div>Parcs Canada</div></div></div><div></div></div>			SUBSTRATE		
Extruded aluminum blades			POST TYPE		
To be confirmed			FASTENING METHOD		
To be confirmed			NON-POST INSTALLATION METHOD		
MESSAGE COLOUR BREAK			(A) PC Heritage Green		
(B4)			White—ASTM D4956 Type II		
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST					
SITE					
Fort Anne National Historic Site					
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE		
1	150 mm	B1	80-90 km/h	PAGE NO. 1 of 1	
VEHICULAR / PEDESTRIAN					
Vehicular					
SIGN NO.					
HWY1_008					
			DRAWING NO. NS-PR_HWY1_008_B1		

NOTES TO SITE	DATE : YY / MM / DD
	09 / 02 / 13
DRAWN BY	IP
	SQ
Westbound on HWY 1	
14/ 10 / 07	



SUBSTRATE

Sheet aluminum

MESSAGE COLOUR BREAK

(A) PC Heritage Green

(B41) White—ASTM D4956 Type II

POST TYPE

FASTENING METHOD

ALTERNATE INSTALLATION

FABRICATION AND INSTALLATION NOTES

Drawing applies to sign number(s):

Back to back with sign number(s):

NOTES TO SITE

SITE	CLIENT
Port Royal NSH	Parks Canada
VEHICULAR / PEDESTRIAN	SIGN TYPE
Pedestrian	E1 & E2
QUANTITY	X SIZE
1	20 mm
PAGE NO.	SPEED/DISTANCE
1 of 1	12 m
SIGN NO.	SCALE
FS_001-1	1:8
DRAWING NO.	check drawing scale
NS-PR_FS_001-1	