

**RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:**
**Bid Receiving Public Works and Government
Services Canada/Réception des soumissions
Travaux publics et Services gouvernementaux
Canada**
**1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
B3J 1T3
Bid Fax: (902) 496-5016**

REQUEST FOR PROPOSAL DEMANDE DE PROPOSITION

**Proposal To: Public Works and Government
Services Canada**

We hereby offer to sell to Her Majesty the Queen in right of Canada, in accordance with the terms and conditions set out herein, referred to herein or attached hereto, the goods, services, and construction listed herein and on any attached sheets at the price(s) set out therefor.

**Proposition aux: Travaux Publics et Services
Gouvernementaux Canada**

Nous offrons par la présente de vendre à Sa Majesté la Reine du chef du Canada, aux conditions énoncées ou incluses par référence dans la présente et aux annexes ci-jointes, les biens, services et construction énumérés ici sur toute feuille ci-annexée, au(x) prix indiqué(s).

Comments - Commentaires

Title - Sujet Road Signs		
Solicitation No. - N° de l'invitation 5P123-140010/B	Date 2014-12-03	
Client Reference No. - N° de référence du client 5P123-14-0010		
GETS Reference No. - N° de référence de SEAG PW-\$HAL-220-9395		
File No. - N° de dossier HAL-4-73147 (220)	CCC No./N° CCC - FMS No./N° VME	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-01-13		Time Zone Fuseau horaire Atlantic Standard Time AST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>		
Address Enquiries to: - Adresser toutes questions à: Dunphy, Nancy		Buyer Id - Id de l'acheteur hal220
Telephone No. - N° de téléphone (902) 496-5481 ()		FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction: PARKS CANADA NHS AREA OFFICE P.O.BOX 9 ANNAPOLIS ROYAL NOVA SCOTIA B0S1A0 Canada		

Instructions: See Herein

Instructions: Voir aux présentes

Vendor/Firm Name and Address

**Raison sociale et adresse du
fournisseur/de l'entrepreneur**

Issuing Office - Bureau de distribution

Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
B3J 3C9
Nova Scot

Delivery Required - Livraison exigée See Herein	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

5P123-140010/B

Amd. No. - N° de la modif.

Buyer ID - Id de l'acheteur

hal220


Client Ref. No. - N° de réf. du client

5P123-14-0010

File No. - N° du dossier


HAL-4-73147




CCC No./N° CCC - FMS No/ N° VME



<div><div><div></div><div>Parks Canada</div></div><div><div></div><div>Parcs Canada</div></div></div> <div>Canada</div>		
SUBSTRATE	Sheet aluminum	
POST TYPE	To be confirmed	
FASTENING METHOD	To be confirmed	
NON-POST INSTALLATION METHOD		
MESSAGE COLOUR BREAK	(A) PC Heritage Green (B4) White-ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST		
SITE		
Port Royal National Historic Site		
QUANTITY	X SIZE	SPEED/DISTANCE
1	100 mm B5	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.
Vehicular		1 of 1
SIGN NO.	DRAWING NO.	
HWY201_010-2	NS-PR_HWY201_010-2_B5	

NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD
	IP	09 / 02 / 17
Type B5 nameplate mounted below B3 Trail blazer sign, located on Route 201	REVISED BY	DATE : YY / MM / DD
	SQ	14 / 02 / 06






<div> Parks Canada</div> <div> Parcs Canada</div> <div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B41)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_006		NS-FA-HWY1_006_L1	

DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06

NOTES TO SITE


Eastbound on HWY 8 Junction





<div><div><div><div>Parks CanadaParcs Canada</div></div><div></div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_007		NS-FA-HWY1_007_L1	


DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06

NOTES TO SITE	
Eastbound	




<div><div><div><div>Parks CanadaParcs Canada</div></div><div></div></div></div>			
SUBSTRATE			
Extruded aluminum blades			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	150 mm	B1	80-90 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_009		NS-FA-HWY1_009-v02_B1	




NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD	
		IP 09 / 02 / 13	
Westbound on HWY 1	REVISED BY	DATE : YY / MM / DD	
		SQ 14 / 02 / 06	




<div><div><div></div><div>Parks Canada</div></div><div><div>Parcs Canada</div><div>Canada</div></div></div> <div><div>Canada</div></div>			
SUBSTRATE			
Sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A) PC Heritage Green			
(B4) White-ASTM D4956 Type II			
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	B3	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_002		NS-FA_HWY8_002_B3	




NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD
	IP	09 / 02 / 17
Type B3 Trail blazer sign with B5 nameplate mounted underneath, located on Route 8	REVISED BY	DATE : YY / MM / DD
	SQ	14/ 02/ 06



<div><div><div><div>Parks Canada</div></div><div><div><div>Parcs Canada</div></div></div><div></div></div></div>			
SUBSTRATE			
Sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	B5	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_002-2		NS-FA_HWY8_002-2_B5	

NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD
	IP	09 / 02 / 17
Type B5 nameplate mounted below B3 Trail blazer sign, located on Route 8	REVISED BY	DATE : YY / MM / DD
	SQ	14 / 02 / 06






<div><div>Parks Canada</div></div> <div><div>Parcs Canada</div></div> <div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B41)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_012		NS-FA-HWY8_012_L1	


DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06




NOTES TO SITE	
Eastbound on HWY 8 Junction	



<div><div><div>Parks Canada</div></div><div><div><div>Parcs Canada</div></div><div></div></div></div>		
SUBSTRATE		
Extruded aluminum blades		
POST TYPE		
To be confirmed		
FASTENING METHOD		
To be confirmed		
NON-POST INSTALLATION METHOD		
MESSAGE COLOUR BREAK		
(A) PC Heritage Green (B41) White—ASTM D4956 Type II		
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST		
SITE		
Fort Anne National Historic Site		
QUANTITY	X SIZE	SIGN TYPE
1	150 mm	B1
VEHICULAR / PEDESTRIAN		SPEED/DISTANCE
Vehicular		80-90 km/h
SIGN NO.		PAGE NO.
HWY1_008		1 of 1
DRAWING NO.		
NS-PR_HWY1_008_B1		

NOTES TO SITE	DATE : YY / MM / DD
	09 / 02 / 13
DRAWN BY	IP
	SQ
Westbound on HWY 1	
DATE : YY / MM / DD	
14/ 10 / 07	





<div><div><div><div><div><div></div><div>Parcs Canada</div></div><div><div><div></div><div>Canada</div></div></div><div><div><div></div><div>Parcs Canada</div></div><div><div><div></div><div>Canada</div></div></div></div><div><div><div></div><div>Canada</div></div></div></div></div></div></div>		SUBSTRATE	
		Sheet aluminum	
		MESSAGE COLOUR BREAK	
(A)		PC Heritage Green	
((B4))		White—ASTM D4956 Type II	
		POST TYPE	
		FASTENING METHOD	
		ALTERNATE INSTALLATION	
		FABRICATION AND INSTALLATION NOTES	
		Drawing applies to sign number(s):	
		Back to back with sign number(s):	
		NOTES TO SITE	
SITE		CLIENT	Port Royal NSH
VEHICULAR / PEDESTRIAN		SIGN TYPE	Parcs Canada
Pedestrian		E1 & E2	
QUANTITY		X SIZE	20 mm
1		SPEED/DISTANCE	12 m
PAGE NO.		SCALE	1:8
1 of 1		SIGN NO.	FS_001-1
		DRAWING NO.	NS-PR_FS_001-1
		check drawing scale	

DRAWN BY	IP	DATE DD / MM / YY	25 / 02 / 08	REVISED BY	SQ	DATE DD / MM / YY	06 / 02 / 14	DESIGN APPROVAL	JL	DATE DD / MM / YY	06 / 02 / 14
					XX			SITE APPROVAL	LS		06 / 02 / 14