



1 MILLWORK ELEVATION  
A504 KITCHEN  
SCALE 1:20




2  
A504

MILLWORK ELEVATION  
COFFE STATION-1


SCALE 1:20



3 MILLWORK ELEVATION  
A504 COFFE STATION-2  
SCALE 1:20



4 MILLWORK ELEVATION  
A504 EQUIPMENT AREA  
SCALE 1:20



5 MILLWORK SECTION  
A504 KITCHEN  
SCALE 1:10



12. WHITE MELAMINE ON ALL EXPOSED SURFACES OF 19mm ADJUSTABLE SHELVES. PROVIDE RECESSED STEEL SHELF STANDARDS, NICKEL PLATED C/W STEEL SHELF SUPPORTS.
13. CABINET /DRAWER PULLS REFER TO SPECIFICATIONS.
14. OVERALL WIDTH TO BE CONFIRMED ON SITE.
15. FLOOR FINISH (REFER TO FINISH PLANS FOR EACH RESPECTIVE FLOOR).
16. VALENCE LIGHTING. REFER TO ELECTRICAL.
17. END FILLER PANELS AS REQUIRED.
18. MINIMUM SPACE REQUIRED FROM EDGE OF SINK RIM TO GABLE OF LOWER CABINETS.
19. PROVIDE PVC INSULATION COVER FOR UNDER-COUNTER HOT WATER PIPING AND P-TRAP.
20. DATA / VOICE OUTLETS.
21. FRIDGE, CLIENT SUPPLIED.
22. COFFEE STATION BACKSPLASH 100mm.
23. STANDARD CFCI SPLIT CIRCUIT DUPLEX RECEPTACLE, CENTRED AT 1065 A.F.F. REFER TO ELECTRICAL.
24. SECTION DETAIL OF EXISTING GLASS PARTITION MULLION WITH PROPOSED TRANSITION MULLION IN PLACE.
25. EXISTING GLASS, TO REMAIN.
26. EXISTING GLASS PARTITION MULLION PROUD BOTH SIDES OF TRANSITION MULLION TO CREATE REVEAL 3mm±.
27. PROPOSED P1A PARTITION
28. CROSS SECTION EXISTING GLASS PARTITION MULLION.
29. CROSS SECTION NEW TRANSITION MULLION, EITHER LAMINATED SOLID CLEAR MAPLE OR W1 CLEAR MAPLE VENEER OVER WOOD. MAPLE PRODUCT TO MATCH DESIGNERS SAMPLE.
30. THICKNESS OF GLASS TO BE CONFIRMED ON SITE.
31. DIMENSION CONFIRMED ON SITE SINCE GLASS THICKNESS IS ESTABLISHED. DEPTH OF TRANSITION MULLION SLIGHTLY LESS THAN GLASS PARTITION MULLION, SEE NOTE 26
32. 19mm X 19mm CHANNEL.
33. MAPLE LAMINATE ON ALL EXPOSED SURFACES WITH MAPLE MELAMINE FOR CABINET INTERIORS
34. DARK GREY LAMINATE WITH LIGHT GREY LINES.
35. CHARTRUSE LAMINATE WITH LINER WOOD GRAIN.
36. ALIGN EDGES OF TRANSITION MULLION AND P1A PARTITION WITH PLASTER. KEEP TRANSITION MULLION FREE OF PAINT AND PLASTER.



L'ENTREPRENEUR DEVRA VÉRIFIER TOUTES LES DIMENSIONS ET LES CONDITIONS SUR LE CHANTIER ET AVISER SANS DÉLAI LE REPRÉSENTANT DU MINISTÈRE DE TOUTE ANOMALIE.

Contractor to verify all dimensions and conditions on site and immediately notify the departmental representative of all discrepancies.

5	RE-ISSUE FOR TENDER	2014/11/04
4	ISSUED FOR TENDER	2014/10/23
3	ISSUED FOR 100% REVIEW	2014/10/02
2	ISSUED FOR 99% REVIEW	2014/08/15
1	ISSUED FOR 66% REVIEW	2014/07/09
revisions	description	date



project	projet
---------	--------

1W FIT-UP &  
M&E UPGRADE

OTTAWA, ONTARIO

drawing	dessin
---------	--------


## TYPICAL MILLWORK DETAILS

Designed By		Conçu par
Date	PK JUN./14	(yyyy/mm/dd)
Drawn By		Dessiné par
Date	KE/JB JUL./14	(yyyy/mm/dd)
Reviewed By		Examiné par
Date	PK OCT./14	(yyyy/mm/dd)
Approved By		Approuvé par
Date	PK OCT./14	(yyyy/mm/dd)
Tender		Submission
<div> <div>Project Manager</div> <div>STEPHANIE CORMIER</div> <div>Administrateur de projets</div> </div>		
Project no.		No. du projet


R.064703.002

Drawing no.	No. du dessin
-------------	---------------

A504




6 MILLWORK SECTION  
A504 KITCHEN  
SCALE 1:10




7  
A504

MILLWORK SECTION  
KITCHEN


SCALE 1:10



8 MILLWORK SECTION  
A504 COFFEE STATION  
SCALE 1:10



9 MILLWORK SECTION  
A504 COFFEE STATION  
SCALE 1:10




10 MILLWORK SECTION  
A504 EQUIPMENT AREA  
SCALE 1:10

# DRAWING NOTES, A504

1. PROVIDE TILE BACKSPASH AS INDICATED. REFER TO SPECIFICATIONS.
2. VALANCE IN LAMINATE FINISH TO MATCH CABINETS, TO CONCEAL TASK LIGHTING; REFER TO ELECTRICAL.
3. END PANELS IN LAMINATE FINISH TO MATCH CABINETS.
4. STANDARD SPLIT CIRCUIT DUPLEX RECEPTACLE, CENTRED AT 1065 A.F.F.. REFER TO ELECTRICAL.
5. SINK AND FAUCET, REFER TO MECHANICAL.
6. SINK FRONT AND PANEL IN LAMINATE FINISH TO MATCH CABINETS.
7. TOE KICK PANEL IN LAMINATE FINISH TO MATCH CABINETS.
8. BASE AS SPECIFIED.
9. MICROWAVE SHELF.
10. STANDARD DEDICATED CIRCUIT DUPLEX RECEPTACLES, CENTRED AT 1065 A.F.F.; REFER TO ELECTRICAL.

## GENERAL NOTES, A504

- A. PROVIDE BACKING IN WALL TO SUPPORT CABINETS, COUNTERS OR GABLES.



11 MILLWORK SECT & ELEV.  
A504 MULLION DET.  
SCALE 1:5

12 MILLWORK SECT.  
A504 MULLION DET.