



Continued to next page

DRAWING NOTES, A121 A

- PATCH & REPAIR HOLES IN CONCRETE COLUMN WHERE EXISTING PARTITIONS, OR WORKSTATION SCREENS HAVE BEEN REMOVED DURING DEMOLITION. PROVIDE MOCK UP OF PATCH TO DEPARTMENTAL REPRESENTATIVE FOR APPROVAL. REFER TO ARCHITECTURAL AND ELECTRICAL DEMOLITION PLANS FOR THIS FLOOR.
- NOT USED.
- PROVIDE MILLWORK. REFER TO DETAIL AS INDICATED. REFER TO MECHANICAL FOR PLUMBING.
- PROVIDE MOVABLE FOLDING PARTITION. SEE DETAILS 10-11/A502
- PROVIDE PAINTABLE METAL DRYWALL REVEAL AT ALL JUNCTIONS OF NEW PARTITIONS AND EXISTING EXPOSED CONCRETE WALLS OR COLUMNS. REVEAL TO BE ON BOTH SIDES OF NEW PARTITION. REVEAL TO BE 13mm WIDE AND 13mm DEEP.
- PATCH & REPAIR ANY HOLES AND OR ANY TAPE RESIDUE IN WINDOW FRAME WHERE EXISTING PARTITIONS WERE REMOVED DURING DEMOLITION. REFER TO DEMOLITION PLAN FOR THIS FLOOR.
- PATCH & REPAIR HOLES AND/OR DAMAGE IN DRYWALL WHERE EXISTING PARTITIONS, OR WORKSTATION SCREENS, HAVE BEEN REMOVED DURING DEMOLITION. REFER TO DEMOLITION PLAN FOR THIS FLOOR.
- ALIGN NEW PARTITION WITH EXISTING CORE WALL.
- PROVIDE MILLWORK. REFER TO DETAILS AS INDICATED.
- WIDTH OF SIDELIGHT: 435±, LESS THAN TYPICAL. SITE CONFIRM WIDTH.
- 3 DEGREE ANGLE FROM COLUMN GRID TO PARTITION.
- ADDITIONAL LAYER OF GYPSUM WALL BOARD ON CORRIDOR SIDE TO SUIT NEW 13mmx13mm C-CHANNEL METAL REVEAL APPLICATION. REFER TO 1-4/A501 & 7/A502.
- BLOCKING REQUIRED TO SUPPORT VIDEO DISPLAY PANEL; PROVIDE TWO ROWS IN WALL CAVITY 35mm X 19m X 602mm @ HEIGHT AS DIRECTED BY DEPARTMENTAL REPRESENTATIVE.
- BLOCKING REQUIRED TO SUPPORT WHITEBOARD; PROVIDE TWO ROWS IN WALL CAVITY 35mm X 19m X 602mm @ HEIGHT AS DIRECTED BY DEPARTMENTAL REPRESENTATIVE.
- TELCO ROOM SECURITY MESH TO BE INSPECTED BY INDUSTRY CANADA SECURITY. ACCREDITATION FOR WIRE MESH INSTALLATION WILL BE PROVIDED BY INDUSTRY CANADA SECURITY BEFORE DRYWALL CAN BE PROVIDED. (INSPECTION CONSISTS VERIFYING PROPER OVERLAP OF WIRE MESH AND SPOT WELD OR PL COMPOUND ON TOP OF SCREWS).
- PATCH AND REPAIR WALL IN AREA OF REMOVED SIGNAGE, PRIME, PATCH, AND PAINT ENTIRE WALL. COLOUR TO DEPARTMENTAL REPRESENTATIVE'S SELECTION.
- CORE THROUGH SLAB FOR FLOOR MONUMENT; SEE ELECTRICAL XRAY TO COORDINATE WITH EXISTING REBAR LOCATIONS. COORDINATE LOCATION WITH DEPARTMENTAL REPRESENTATIVE ON SITE.
- REUSED PARTITION FROM PUBLIC CORRIDOR 1W148; SEE A111-B NOTE 16; 6/A501
- NEW FIRE HOSE CABINET. REFER TO MECHANICAL M3
- FUR OUT WALL TO ACCOMMODATE FHC. REFER TO MECH. AND SPEC. DEPTH OF FUR OUT DEPENDENT ON DEPTH OF FHC.
- PATCH AND REPAIR WALL IN LOCATION OF REMOVED SECURITY DEVICE; SEE ELECTRICAL E4.
- PATCH AND REPAIR SLAB IN LOCATION OF REMOVED FLOOR MONUMENTS; SEE ELECTRICAL E4.
- ALIGN NEW PARTITION P1A WITH WITH NEW TRANSITION MULLION, SEE 11/A504.
- LOCATION OF CARD READER, MOUNT PROUD TO WALL TO MAINTAIN WALL FIRE RATING; REFER TO ELECTRICAL & DOOR HARDWARE SPEC.
- NOT USED.
- PATCH AND REPAIR OPENING LEFT OVER FROM ACCESS PANEL.
- LOCATION OF 13mmx13mm C-CHANNEL TERMINATION, FOR NORTH SIDE OF EASTERN END OF 1W120 DETAIL SEE 1/A501 NOTE 37
- LOCATION OF CARD READER, FLUSH MOUNT TO WALL.
- LOCATION OF REMOVED LINOLEUM, PATCH AND REPAIR AND READY FOR FLOOR TILE INSTALLATION.
- PROVIDE CONCRETE FIRE STOP TO COVER AND SEAL WALKER DUCT ACCESS OPENING. SEE 5/A506
- PROVIDE CONCRETE CURB. SEE 7 & 8/A506

GENERAL NOTES, A121-A

- NEW PARTITIONS CENTRED ON NEW CEILING GRID UNLESS OTHERWISE INDICATED.
- ALL NEW PARTITIONS ARE ORTHOGONAL TO EXISTING CONSTRUCTION UNLESS NOTED OTHERWISE.
- ALL CEILING-TO-U/S OF SLAB PARTITIONS TO BE BUILT AROUND DUCTWORK PIPES, CONDUITS, ETC., AS REQUIRED. ACOUSTICALLY SEAL AROUND ALL PENETRATIONS.
- PATCH AND REPAIR SLAB IN LOCATION OF REMOVED FLOOR MONUMENTS; SEE ELECTRICAL E4.



PETER J. KINDREE ARCHITECT

79 Hinton Avenue N.
Ottawa K1Y 0Z7 (613) 860-1530



L'ENTREPRENEUR DEVRA VÉRIFIER TOUTES LES DIMENSIONS ET LES CONDITIONS SUR LE CHANTIER ET AVISER SANS DÉLAI L'INGÉNIEUR DE TOUTE ANOMALIE.

Contractor to verify all dimensions & conditions on site and immediately notify the engineer of all discrepancies.

revisions	description	date
5	RE-ISSUED FOR TENDER	2014/11/04
4	ISSUED FOR TENDER	2014/10/20
3	ISSUED FOR 100% REVIEW	2014/10/02
2	ISSUED FOR 95% REVIEW	2014/08/15
1	ISSUED FOR 66% REVIEW	2014/07/09
A	detail no. no. du détail	
B	location drawing no. sur dessin no.	
C	drawing no. dessin no.	

project	projet
1W FIT-UP & M&E UPGRADE	
OTTAWA, ONTARIO	
drawing	dessin
CONSTRUCTION PLAN-A	

Designed By	Conçu par
Date JUN./14	(yyyy/mm/dd)
Drawn By KE/JB	Dessiné par
Date JUL./14	(yyyy/mm/dd)
Reviewed By PK	Examiné par
Date OCT./14	(yyyy/mm/dd)
Approved By PK	Approuvé par
Date OCT./14	(yyyy/mm/dd)
Tender	Soumission
Project Manager Stephanie Cormier	Administrateur de projets
Project no.	No. du projet
R.064703.002	
Drawing no.	No. du dessin
A121-A	

1 WEST FLOOR CONSTRUCTION PLAN-A