

RETURN BIDS TO:
RETOURNER LES SOUMISSIONS À:
Bid Receiving Public Works and Government
Services Canada/Réception des soumissions Travaux
publics et Services gouvernementaux Canada
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
B3J 1T3
Bid Fax: (902) 496-5016

SOLICITATION AMENDMENT
MODIFICATION DE L'INVITATION

The referenced document is hereby revised; unless otherwise
indicated, all other terms and conditions of the Solicitation
remain the same.

Ce document est par la présente révisé; sauf indication contraire,
les modalités de l'invitation demeurent les mêmes.

Comments - Commentaires

Vendor/Firm Name and Address
Raison sociale et adresse du
fournisseur/de l'entrepreneur

Issuing Office - Bureau de distribution
Atlantic Region Acquisitions/Région de l'Atlantique
Acquisitions
1713 Bedford Row
Halifax, N.S./Halifax, (N.É.)
B3J 3C9
Nova Scot

Title - Sujet Road Signs		
Solicitation No. - N° de l'invitation 5P123-140010/B		Amendment No. - N° modif. 004
Client Reference No. - N° de référence du client 5P123-14-0010		Date 2015-01-09
GETS Reference No. - N° de référence de SEAG PW-\$HAL-220-9395		
File No. - N° de dossier HAL-4-73147 (220)	CCC No./N° CCC - FMS No./N° VME	
Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-01-16		Time Zone Fuseau horaire Atlantic Standard Time AST
F.O.B. - F.A.B. Plant-Usine: <input type="checkbox"/> Destination: <input checked="" type="checkbox"/> Other-Autre: <input type="checkbox"/>		
Address Enquiries to: - Adresser toutes questions à: Dunphy, Nancy		Buyer Id - Id de l'acheteur hal220
Telephone No. - N° de téléphone (902) 496-5481 ()		FAX No. - N° de FAX (902) 496-5016
Destination - of Goods, Services, and Construction: Destination - des biens, services et construction:		

Instructions: See Herein

Instructions: Voir aux présentes

Delivery Required - Livraison exigée	Delivery Offered - Livraison proposée
Vendor/Firm Name and Address Raison sociale et adresse du fournisseur/de l'entrepreneur	
Telephone No. - N° de téléphone Facsimile No. - N° de télécopieur	
Name and title of person authorized to sign on behalf of Vendor/Firm (type or print) Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)	
Signature	Date

Solicitation No. - N° de l'invitation

5P123-140010/B

Amd. No. - N° de la modif.

004

Buyer ID - Id de l'acheteur

hal220

Client Ref. No. - N° de réf. du client


5P123-14-0010




File No. - N° du dossier


HAL-4-73147

CCC No./N° CCC - FMS No/ N° VME

Cet amendement 004 est portée à ajouter un deux panneaux de signalisation supplémentaires pour un total de douze panneaux routiers total à fabriquer. Voir ci-joint l'ensemble des 12 signes




<div><div><div>Parks Canada</div></div><div><div>Parks Canada</div></div><div></div></div>			
SUBSTRATE			
Sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B4)	White—ASTM D4956 Type II		
MULT-PANEL THUMBNAIL DRAWING or SIGN NUMBER LIST			
SITE			
Port Royal National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	B5	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular			1 of 1
SIGN NO.		DRAWING NO.	
HWY201_010-2		NS-PR_LHWY201_010-2_B5	



<div><div><div><div></div><div></div></div><div><div>Parks Canada</div><div>Parcs Canada</div></div></div><div><div><div></div><div></div></div><div><div>Canada</div></div></div></div>		
SUBSTRATE		
Reinforced sheet aluminum		
POST TYPE		
To be confirmed		
FASTENING METHOD		
To be confirmed		
NON-POST INSTALLATION METHOD		
MESSAGE COLOUR BREAK		
(A) PC Heritage Green		
((B4)) White—ASTM D4956 Type II		
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST		
SITE		
Fort Anne National Historic Site		
QUANTITY	X SIZE	SIGN TYPE
1	100 mm	L1
VEHICULAR / PEDESTRIAN		SPEED/DISTANCE
Vehicular		50-60 km/h
SIGN NO.		PAGE NO.
HWY1_005		1 of 1
DRAWING NO.		
NS-FA-HWY1_005_L1		

NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD	IP	09 / 02 / 13
Westbound on HWY 8 junction	REVISED BY	DATE : YY / MM / DD	SQ	14 / 02 / 06







<div><div><div><div></div><div></div></div><div><div>Parks Canada</div><div>Parcs Canada</div></div></div><div><div><div></div><div></div></div><div><div>Canada</div></div></div></div>	
SUBSTRATE	Reinforced sheet aluminum
POST TYPE	To be confirmed
FASTENING METHOD	To be confirmed
NON-POST INSTALLATION METHOD	
MESSAGE COLOUR BREAK	(A) PC Heritage Green (B41) White—ASTM D4956 Type II
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST	
SITE	Fort Anne National Historic Site
QUANTITY	1
X SIZE	100 mm
SIGN TYPE	L1
SPEED/DISTANCE	50-60 km/h
VEHICULAR / PEDESTRIAN	Vehicle
PAGE NO.	1 of 1
SIGN NO.	HWY1_005
DRAWING NO.	NS-FA-HWY1_005_L1

DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06

NOTES TO SITE

Westbound on HWY 8 junction







<div> Parks Canada</div> <div> Parcs Canada</div> <div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B41)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_006		NS-FA-HWY1_006_L1	

DRAWN BY		DATE : YY / MM / DD
IP		09 / 02 / 13
REVISED BY		DATE : YY / MM / DD
SQ		14 / 02 / 06


NOTES TO SITE



Eastbound on HWY 8 Junction




<div><div><div><div>Parks Canada</div></div><div><div><div>Parcs Canada</div></div><div></div></div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A) PC Heritage Green			
(B41) White-ASTM D4956 Type II			
MULTIPANEL THUMBNAIL DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_007		NS-FA-HWY1_007_L1	

NOTES TO SITE	DATE : YY / MM / DD
	09 / 02 / 13
Eastbound	DATE : YY / MM / DD
	14 / 02 / 06




<div><div><div><div>Parks Canada Parcs Canada</div></div><div></div></div></div>			
SUBSTRATE			
Extruded aluminum blades			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	150 mm	B1	80-90 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.	DRAWING NO.		
HWY1_009	NS-FA-HWY1_009-v02_B1		




NOTES TO SITE	DATE : YY / MM / DD
	09 / 02 / 13
DRAWN BY	IP
	SQ
REVISED BY	DATE : YY / MM / DD
	14 / 02 / 06
Westbound on HWY 1	






<div><div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div><div>Parks Canada</div><div>Parcs Canada</div></div><div><div></div><div></div></div></div><div><div>Canada</div><div></div></div></div></div>				SUBSTRATE	
Sheet aluminum					
POST TYPE					
To be confirmed					
FASTENING METHOD					
To be confirmed					
NON-POST INSTALLATION METHOD					
MESSAGE COLOUR BREAK					
(A)		PC Heritage Green			
((B4))		White—ASTM D4956 Type II			
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST					
SITE					
Fort Anne National Historic Site					
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE		
1	100 mm	B3	50 km/h		
VEHICULAR / PEDESTRIAN					
Vehicular		PAGE NO.			
		1 of 1			
SIGN NO.		DRAWING NO.			
HWY8_002		NS-FA_HWY8_002_B3			

NOTES TO SITE		DRAWN BY	DATE : YY / MM / DD
Type B3 Trail blazer sign with B5 nameplate mounted underneath, located on Route 8		IP	09 / 02 / 17
		REVISED BY	DATE : YY / MM / DD
		SQ	14/ 02/ 06



  			
SUBSTRATE			
Sheet aluminium			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B41)	White—ASTM D4956 Type II		
MULT-PANEL THUMBNAIL DRAWING or SIGN NUMBER LIST			
<div> <div>SITE</div> <div>Fort Anne National Historic Site</div> </div>			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	B5	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_002-2		NS-FA_HWY8_002-2_B5	



<div><div><div>Parks Canada Parcs Canada</div></div><div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY		X SIZE	SPEED/DISTANCE
1		100 mm L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_012		NS-FA-HWY8_012_L1	

DRAWN BY	DATE : YY / MM / DD	
	09 / 02 / 13	
REVISED BY	DATE : YY / MM / DD	
	14 / 02 / 06	

NOTE TO SITE


Eastbound on HWY 8 Junction



<div><div><div><div></div><div></div></div><div><div>Parks Canada</div><div>Parcs Canada</div></div></div><div><div>Canada</div><div></div></div></div>			
SUBSTRATE			
Extruded aluminum blades			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B4)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	150 mm	B1	80-90 km/h
VEHICULAR / PEDESTRIAN			
Vehicular			
PAGE NO.		PAGE NO.	
1 of 1		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_008		NS-PR_HWY1_008_B1	

DRAWN BY	DATE : YY / MM / DD
	IP 09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
	SQ 14/ 10 / 07




NOTES TO SITE	
Westbound on HWY 1	



<div><div><div><div></div><div></div></div><div><div>Parks Canada</div><div>Parcs Canada</div></div></div><div><div>Canada</div></div></div>			SUBSTRATE		
Sheet aluminum			POST TYPE		
To be confirmed			FASTENING METHOD		
To be confirmed			NON-POST INSTALLATION METHOD		
MESSAGE COLOUR BREAK			MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST		
(A) PC Heritage Green					
(B4) White-ASTM D4956 Type II					
SITE					
Port Royal National Historic Site					
QUANTITY		X SIZE		SPEED/DISTANCE	
1		100 mm B5		50 km/h	
VEHICULAR / PEDESTRIAN		PAGE NO.		DRAWING NO.	
Vehicular		1 of 1			
SIGN NO.		HWY201_010-2		NS-PR_HWY201_010-2_B5	

DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 17
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06

NOTES TO SITE	
Type B5 nameplate mounted below B3 Trail blazer sign, located on Route 201	



SUBSTRATE		Sheet aluminum
MESSAGE COLOUR BREAK		
(A)	PC Heritage Green	
(B4)	White—ASTM D4956 Type II	
POST TYPE		
FASTENING METHOD		
ALTERNATE INSTALLATION		
FABRICATION AND INSTALLATION NOTES		Drawing applies to sign number(s):
		Back to back with sign number(s):
NOTES TO SITE		
SITE		CLIENT
Port Royal NSH		Parcs Canada
VEHICULAR / PEDESTRIAN		SIGN TYPE
Pedestrian		E1 & E2
QUANTITY		X SIZE
1		20 mm
PAGE NO.		SPEED/DISTANCE
1 of 1		12 m
SIGN NO.		SCALE
FS_001-1		1:8
DRAWING NO.		10mm 1/4"
NS-PR_FS_001-1		check drawing scale

DRAWN BY	DATE DD / MM / YY	REVISED BY	DATE DD / MM / YY	DESIGN APPROVAL	DATE DD / MM / YY
JP	25 / 02 / 08	SQ	06 / 02 / 14	JL	06 / 02 / 14
		XX	DD / MM / YY	SITE APPROVAL	DATE DD / MM / YY
				LS	06 / 02 / 14