

- LEGEND**
- PROPERTY BOUNDARY
- - - - - EXISTING FENCE LINE
X X X X PROPOSED SECURITY FENCE

1. EXACT LOCATIONS OF EAST GORGE PUMP STATION, WEST GORGE PUMP STATION AND GPMWF EXCLUSION PUMP STATION TO BE DETERMINED FURTHER.

04	TENDER ADDENDUM No. 5	2014/12/18
03	TENDER ADDENDUM No. 4	2014/11/14
02	TENDER ADDENDUM No. 1	2014/10/01
01	ISSUED FOR TENDER	2013/06/28
revision		date

Do not scale drawings.
Verify all dimensions and conditions on site and immediately notify the Departmental Representative of all discrepancies.


AECOM

PORT GRANBY, ONTARIO
PORT HOPE AREA INITIATIVE

drawing title
titre du dessin

**ELECTRICAL PGWMF
SITE PLAN**

drawn by dessiné par	BJP	
designed by conçu par	BJP	
approved by approuvé par	Y.C./CH	project manager administrateur de projets
bid offre	J.A., P.ENG.	
project name date du projet	2013-07-15	
project no. no. du projet	R.023276.217	
drawing no. dessinée no.	PGWMF-E-10	



- NOTES:
1. 3-SIX STRANDS FIBER OPTIC CABLES WITH OUTDOOR RATING, OVERHEAD MOUNTED SELF-SUPPORTING AERIAL CABLE
 2. NEW DISTRIBUTION PANEL, DP-B WITH AUTOMATIC TRANSFER SWITCH SERVICE FOR THREE NEW PUMP STATIONS SHALL BE MOUNTED ON CONCRETE PAD. CONFIRM EXACT LOCATION ON SITE PRIOR TO INSTALLATION.

4. 2-SIX STRANDED FIBRE OPTIC CABLES, OVERHEAD MOUNTED SELF-SUPPORTING AERIAL CABLE.
5. 2-SEVEN IN CONCRETE ENCASED DUCT BANKS FOR POWER & FIBRE OPTIC CABLE REFER TO DRAWING LHM-6-C FOR DETAIL.
6. PROVIDE TEMPORARY POWER SUPPLY FOR SCALE HOUSE, WHEEL MATH, SEARCH ROOM AND CONCRETE MOUNTED TRAILER FROM NEW DISTRIBUTION PANEL. DP-C ON POWER SITE.

7. ~~CLASS 3 POLE c/w 11M.~~ REFER TO DRAWING PGWMF-E-83 FOR DETAIL.

9. 1-SIX STRANDS FIBRE OPTIC CABLES, OVERHEAD MOUNTED SELF-SUPPORTING AERIAL CABLE.

10. LOCATION OF POLES IS APPROXIMATE. CONTRACTOR TO SURVEY AND MAKE MINOR POLE RELOCATIONS TO SUIT THE SITE CONDITIONS.

- MINOR VERTICAL LEAKS COMPLETION OF AN EDUCATIONAL FUND
SUPPORT NEAR THE EDGE OF THE POND, WITH LEVEL SENSOR
SITUATED APPROXIMATELY 0.5m BELOW LOWEST POINT OF POND
EDGE. COORDINATE EXACT LOCATION AND ELEVATION WITH
DEPARTMENTAL REPRESENTATIVE

12. REFER TO DRAWING PGWME-E-80 FOR PANEL BOARD SCHEDULE AND CONDUIT/CABLE SCHEDULE FOR EQUIPMENT TO BE PROVIDED FOR THE SCALE HOUSE, SCALES AND PORTAL MONITORS.

14. MAXIMUM SPAN BETWEEN POLES SHALL BE NO GREATER THAN 40 METERS.

15. CONTRACTOR SHALL VERIFY AND UTILIZE EXISTING POLES AT SITE AS MUCH AS POSSIBLE SUBJECT TO THE REVIEW AND APPROVAL OF THE DEPARTMENTAL REPRESENTATIVE.

SCALE: 1:1000

AECL Project No. 4502-508120

ASC-A1	DATE PLOTTED: 2014-12-18	PLOT SCALE: 1:1	CADD FILE: P:\60154177\000-CADD\040 CADD-BIM\WIP\E\RSA\PGMNF\Sheel\PGMNF-E-10.dwg	ACCOM PROJECT No.: 60154177
--------	--------------------------	-----------------	---	-----------------------------