



L'ENTREPRENEUR DEVRA VÉRIFIER TOUTES  
LES DIMENSIONS ET LES CONDITIONS SUR LE  
CHANTIER ET AVISER SANS DÉLAI LE  
REPRÉSENTANT DU MINISTÈRE DE TOUTE  
ANOMALIE.

Contractor to verify all dimensions and  
conditions on site and immediately notify  
the departmental representative of all  
discrepancies.

revisions	description	date
6	ISSUED FOR ADDENDA NO. 1	2015/01/07
5	RE-ISSUE FOR TENDER	2014/11/04
4	ISSUED FOR TENDER	2014/10/20
3	ISSUED FOR 100% REVIEW	2014/10/02
2	ISSUED FOR 99% REVIEW	2014/08/15
1	ISSUED FOR 66% REVIEW	2014/7/19

A	B	C
detail no. no. du détail	location drawing no. sur dessin no.	drawing no. dessin no.

project  
**1W FIT-UP &  
M&E UPGRADE**  
project

OTTAWA, ONTARIO

drawing  
**TYPICAL ELEVATIONS,  
DETAILS**  
dessin

Designed By Date Drawn By Date Reviewed By Date Approved By Date Tender	Conçu par JUN./14 KE/UB JUL./14 Examined par OCT./14 PK OCT./14 STEPHANIE CORMIER Administrateur de projets
Project no.	No. du projet
<b>R.064703.002</b>	
Drawing no.	No. du dessin


A501

## DRAWING NOTES, A501


- EXISTING CONCRETE FLOOR SLAB ABOVE TO REMAIN
- EXISTING DOOR TO REMAIN, PAINT
- PUBLIC CORRIDOR SUSPENDED GYPSUM BOARD CEILING, PAINT FINISH: 2590mm± AFF.
- FLOOR FINISH (REFER TO FINISH PLANS)
- LINE OF PUBLIC CORRIDOR (1W120 ONLY) SUSPENDED LAY-IN ACOUSTICAL TILE CEILING SYSTEM IN FOREGROUND, TYPICAL 2515mm± AFF. REFER TO CEILING PLANS AND 7/A502.
- EQUAL DISTANCE
- EXISTING DOORS AND GLAZING TO REMAIN
- PUBLIC LOBBY SUSPENDED LAY-IN ACOUSTICAL TILE (762 X 762mm) CEILING SYSTEM: 2400mm± AFF. REFER TO CEILING PLANS.
- OFFICE SPACE NEW SUSPENDED LAY-IN ACOUSTICAL TILE CEILING SYSTEM: 2642mm± AFF. REFER TO 1/A503 & CEILING PLANS.
- CORNER GUARD
- DRYWALL PARTITION CONSTRUCTED TO ACCEPT REUSED GLASS PARTITION P9.
- TYPICAL CLERESTORY GLAZING. REFER TO 5/A502 FOR TYPICAL PARTITION CONSTRUCTION NOTES; PROVIDE SHOP DRAWINGS.
- FLOOR BASE (REFER TO FLOOR FINISH PLANS FOR TYPE)
- REFER TO CONSTRUCTION PLAN 1/A121-A
- INDICATES LOCATION OF ROOM SIDE PARTITION.
- 13 X 13mm PAINTED REVEAL TYPICAL, 1980mm± AFF.
- SPACING BETWEEN EDGE OF CLERESTORY WINDOW FRAME AND EDGE OF PARTITION IS TO BE EQUAL ON BOTH SIDES. VIEWED FROM INSIDE OF THE ROOM SIDE PARTITIONS.
- PROVIDE DOUBLE STUD FROM FLOOR TO U/S OF CEILING BETWEEN ADJOINING WINDOW FRAMES. TYPICAL AT ALL ADJOINING WINDOW FRAMES UNLESS NOTED OTHERWISE.
- PUBLIC CORRIDOR SUSPENDED LAY-IN ACOUSTICAL TILE CEILING SYSTEM: 2515mm± AFF. REFER TO CEILING PLANS.
- EXISTING DRINKING FOUNTAIN ALCOVE.
- REINSTALL DRINKING FOUNTAIN.
- NEW DOUBLE DOOR. FOR LOCATION REFER TO A121-B
- WALL SCONCE, TYPICAL. REFER TO ELECTRICAL.
- ADDITIONAL LAYER OF GYPSUM WALL BOARD ON CORRIDOR SIDE (1W120 ONLY) TO SUIT NEW 13mmx13mm C-CHANNEL METAL REVEAL APPLICATION; CONTINUOUS VINYL WALL COVERING FINISH TYPICAL BELOW REVEAL.
- EXISTING CONCRETE COLUMN.
- SUSPENDED GYPSUM BOARD BULKHEAD (LOBBY), PAINT FINISH: 2475mm± AFF.
- EXISTING SUSPENDED PLASTER CEILING TO REMAIN, (LOBBY).
- LINE OF NEW 25MM STAINLESS STEEL METAL TRIM TO MATCH EXISTING ON OTHER INDUSTRY CANADA FLOORS. SAMPLE TO BE PROVIDED TO DEPARTMENTAL REPRESENTATIVE FOR APPROVAL.
- NEW MIRROR PANELS TO BE SUPPLIED AND INSTALLED BY CONTRACTOR. NEW "CANADA" LOGO TO BE SUPPLIED AND INSTALLED BY INDUSTRY CANADA.
- PROVIDE PAINTABLE METAL DRYWALL REVEAL AT ALL JUNCTIONS OF NEW PARTITIONS AND EXISTING EXPOSED CONCRETE WALLS OR COLUMNS. REVEAL TO BE ON BOTH SIDES OF NEW PARTITION. REVEAL TO BE 13mm WIDE AND 13mm DEEP.
- LINE OF SUSPENDED GYPSUM BOARD BULKHEAD IN BACKGROUND (LOBBY), 2475mm± AFF. REFER TO CEILING PLANS.
- 1220 X 2438 ± X 3.175 THICK DECORATIVE ACRYLIC PANEL WITH CHARTREUSE GREEN ORGANIC PATTERN MOUNTED TO S/S CABLE SYSTEM. CABLE SYSTEM TO ANCHOR AT FLOOR AND CEILING.
- S/S CABLE SYSTEM ANCHORED AT FLOOR AND CEILING. ACRYLIC PANELS TO BE SECURED TO CABLE BY S/S PANEL CONNECTORS. ENSURE PANEL CONNECTOR SIZES SUIT THICKNESS OF ACRYLIC PANELS; PROVIDE ENGINEERED SHOP DRAWINGS.
- FULL HEIGHT MAPLE VENEER PANEL FACES, BOTH SIDES.
- DIMENSION: SITE VERIFICATION REQUIRED
- INSTALLED RECLAIMED GLAZING FROM PUBLIC CORRIDOR 1W148, REFER TO DEMOLITION PLANS A111-A
- ADDITIONAL GYPSUM BOARD REQUIRED TO CREATE 13MM REVEAL TERMINATES 13MM FROM GLASS WALL MULLION. INSTALL J CHANNEL ON EDGE. FOLD VINYL WALL COVERING INTO CHANNEL.
- TRANSITION MULLION, SEE 11 & 12/A504
- DRYWALL PARTITION.

## GENERAL NOTES, A501


- A. NOTE NEW 13mmx13mm C-CHANNEL METAL REVEAL APPLICATION. IN ALL PUBLIC CORRIDORS, SEE 1 & 2/A501, NOTE 16; 7/A502, NOTE 6.
- B. SLAB TO SLAB HEIGHT: 3302± SITE CONFIRM.
- C. ALL NEW CONSTRUCTION/FINISHES EXCEPT WHERE NOTED.
- D. REFER TO DOOR SCHEDULE AND ELEVATIONS FOR DOOR TYPES.
- E. REFER TO WALL FINISHES PLAN AND LEGEND FOR PARTITION FINISHES.




1 WEST PUBLIC CORRIDOR  
NORTH ELEVATION




2 WEST PUBLIC CORRIDOR  
SOUTH ELEVATION




3 WEST ENTRANCE & LOBBY  
EAST ELEVATION



4 WEST ENTRANCE & LOBBY  
WEST ELEVATION




5 ELEVATION - PARTITION P5  
1W130 Meeting Room




9 ELEVATION - MOVEABLE  
PARTITION - 1W 117 A&B

SCALE 1:50




6 ELEVATION - PARTITION P9  
1W130 Meeting Room

SCALE 1:50



7 ELEVATION - PARTITION P7  
Coffee/Collab Area

SCALE 1:50



8 ELEVATION - PARTITION P8  
Coffee/Collab Area

SCALE 1:50