

**RETURN BIDS TO:**  
**RETOURNER LES SOUMISSIONS À:**  
**Bid Receiving Public Works and Government  
Services Canada/Réception des soumissions Travaux  
publics et Services gouvernementaux Canada**  
**1713 Bedford Row**  
**Halifax, N.S./Halifax, (N.É.)**  
**B3J 1T3**  
**Bid Fax: (902) 496-5016**

## **SOLICITATION AMENDMENT MODIFICATION DE L'INVITATION**

The referenced document is hereby revised; unless otherwise indicated, all other terms and conditions of the Solicitation remain the same.

Ce document est par la présente révisé; sauf indication contraire, les modalités de l'invitation demeurent les mêmes.

**Comments - Commentaires**

**Vendor/Firm Name and Address**  
**Raison sociale et adresse du  
fournisseur/de l'entrepreneur**

**Issuing Office - Bureau de distribution**  
Atlantic Region Acquisitions/Région de l'Atlantique  
Acquisitions  
1713 Bedford Row  
Halifax, N.S./Halifax, (N.É.)  
B3J 3C9  
Nova Scot

<b>Title - Sujet</b> Road Signs		
<b>Solicitation No. - N° de l'invitation</b> 5P123-140010/B		<b>Amendment No. - N° modif.</b> 005
<b>Client Reference No. - N° de référence du client</b> 5P123-14-0010		<b>Date</b> 2015-01-12
<b>GETS Reference No. - N° de référence de SEAG</b> PW-\$HAL-220-9395		
<b>File No. - N° de dossier</b> HAL-4-73147 (220)	<b>CCC No./N° CCC - FMS No./N° VME</b>	
<b>Solicitation Closes - L'invitation prend fin at - à 02:00 PM on - le 2015-01-16</b>		<b>Time Zone</b> Fuseau horaire Atlantic Standard Time AST
<b>F.O.B. - F.A.B.</b> <b>Plant-Usine:</b> <input type="checkbox"/> <b>Destination:</b> <input checked="" type="checkbox"/> <b>Other-Autre:</b> <input type="checkbox"/>		
<b>Address Enquiries to: - Adresser toutes questions à:</b> Dunphy, Nancy		<b>Buyer Id - Id de l'acheteur</b> hal220
<b>Telephone No. - N° de téléphone</b> (902) 496-5481 ( )		<b>FAX No. - N° de FAX</b> (902) 496-5016
<b>Destination - of Goods, Services, and Construction:</b> <b>Destination - des biens, services et construction:</b>		

**Instructions: See Herein**

**Instructions: Voir aux présentes**

<b>Delivery Required - Livraison exigée</b>	<b>Delivery Offered - Livraison proposée</b>
<b>Vendor/Firm Name and Address</b> <b>Raison sociale et adresse du fournisseur/de l'entrepreneur</b>	
<b>Telephone No. - N° de téléphone</b> <b>Facsimile No. - N° de télécopieur</b>	
<b>Name and title of person authorized to sign on behalf of Vendor/Firm (type or print)</b> <b>Nom et titre de la personne autorisée à signer au nom du fournisseur/ de l'entrepreneur (taper ou écrire en caractères d'imprimerie)</b>	
<b>Signature</b>	<b>Date</b>

Solicitation No. - N° de l'invitation

5P123-140010/B

Amd. No. - N° de la modif.

005

Buyer ID - Id de l'acheteur

hal220

Client Ref. No. - N° de réf. du client

5P123-14-0010


File No. - N° du dossier



HAL-4-73147

CCC No./N° CCC - FMS No/ N° VME


---




Se il vous plaît ci-joint.



<div><div><div><div>Parks CanadaParcs Canada</div></div><div></div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.	DRAWING NO.		
HWY1_005	NS-FA-HWY1_005_L1		


NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD	IP	09 / 02 / 13
Westbound on HWY 8 junction	REVISED BY	DATE : YY / MM / DD	SQ	14 / 02 / 06





<div> Parks Canada</div> <div> Parcs Canada</div> <div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B41)	White—ASTM D4956 Type II		
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_006		NS-FA-HWY1_006_L1	

DRAWN BY	DATE : YY / MM / DD
IP	09 / 02 / 13
REVISED BY	DATE : YY / MM / DD
SQ	14 / 02 / 06


NOTES TO SITE	
Eastbound on HWY 8 Junction	





<div><div><div>Parks Canada Parcs Canada</div></div><div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY		SPEED/DISTANCE	
1		50-60 km/h	
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_007		NS-FA-HWY1_007_L1	


DRAWN BY		DATE : YY / MM / DD	
IP		09 / 02 / 13	
REVISED BY		DATE : YY / MM / DD	
SQ		14 / 02 / 06	

NOTES TO SITE	
Eastbound	




<div><div><div><div>Parks Canada</div></div><div><div>Parcs Canada</div></div></div><div></div></div>			
SUBSTRATE			
Extruded aluminum blades			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTI-PANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	150 mm	B1	80-90 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.	DRAWING NO.		
HWY1_009	NS-FA-HWY1_009-v02_B1		




NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD	
		IP 09 / 02 / 13	
Westbound on HWY 1	REVISED BY	DATE : YY / MM / DD	
		SQ 14 / 02 / 06	




<div><div><div></div><div>Parks Canada</div></div><div><div></div><div>Parcs Canada</div></div></div> <div>Canada</div>			
SUBSTRATE			
Sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A) PC Heritage Green			
(B41) White-ASTM D4956 Type II			
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	B3	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_002		NS-FA_HWY8_002_B3	



NOTES TO SITE	DRAWN BY	DATE : YY / MM / DD
	IP	09 / 02 / 17
Type B3 Trail blazer sign with B5 nameplate mounted underneath, located on Route 8	REVISED BY	DATE : YY / MM / DD
	SQ	14/ 02/ 06



<div><div><div>Parks Canada</div></div><div><div><div>Parks Canada</div></div><div></div></div></div>			
SUBSTRATE			
Sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
(B41)	White—ASTM D4956 Type II		
MULT-PANEL THUMBNAIL DRAWING or SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	100 mm	B5	50 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular			1 of 1
SIGN NO.		DRAWING NO.	
HWY8_002-2		NS-FA_HWY8_002-2_B5	









<div><div><div>Parks Canada Parcs Canada</div></div><div></div></div>			
SUBSTRATE			
Reinforced sheet aluminum			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)		PC Heritage Green	
(B4)		White—ASTM D4956 Type II	
MULTIPANEL THUMBNAI DRAWING OF SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY		X SIZE	SPEED/DISTANCE
1		100 mm L1	50-60 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY8_012		NS-FA-HWY8_012_L1	




DRAWN BY		DATE : YY / MM / DD
IP		09 / 02 / 13
REVISED BY		DATE : YY / MM / DD
SQ		14 / 02 / 06

NOTES TO SITE


Eastbound on HWY 8 Junction






<div> <div>  <div> Parks Canada </div> </div> <div>  <div> Parks Canada </div> </div> <div>  </div> </div>																																			
SUBSTRATE																																			
Sheet aluminum																																			
POST TYPE																																			
To be confirmed																																			
FASTENING METHOD																																			
To be confirmed																																			
NON-POST INSTALLATION METHOD																																			
MESSAGE COLOUR BREAK																																			
<div> <div>(A)</div> <div>PC Heritage Green</div> <div>(B-d1)</div> <div>White—ASTM D4956 Type II</div> </div>																																			
MULTIPANEL THUMBNAIL DRAWING or SIGN NUMBER LIST																																			
<table border="1"> <thead> <tr> <th colspan="4">SITE</th> </tr> <tr> <th colspan="4">Port Royal National Historic Site</th> </tr> <tr> <th>QUANTITY</th> <th>X SIZE</th> <th>SIGN TYPE</th> <th>SPEED/DISTANCE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>100 mm</td> <td>B5</td> <td>50 km/h</td> </tr> <tr> <td colspan="2">VEHICULAR / PEDESTRIAN</td> <td colspan="2">PAGE NO.</td> </tr> <tr> <td colspan="2">Vehicular</td> <td colspan="2">1 of 1</td> </tr> <tr> <td colspan="2">SIGN NO.</td> <td colspan="2">DRAWING NO.</td> </tr> <tr> <td colspan="2">HWY201_010-2</td> <td colspan="2">NS-PR_HWY201_010-2_B5</td> </tr> </tbody> </table>				SITE				Port Royal National Historic Site				QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE	1	100 mm	B5	50 km/h	VEHICULAR / PEDESTRIAN		PAGE NO.		Vehicular		1 of 1		SIGN NO.		DRAWING NO.		HWY201_010-2		NS-PR_HWY201_010-2_B5	
SITE																																			
Port Royal National Historic Site																																			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE																																
1	100 mm	B5	50 km/h																																
VEHICULAR / PEDESTRIAN		PAGE NO.																																	
Vehicular		1 of 1																																	
SIGN NO.		DRAWING NO.																																	
HWY201_010-2		NS-PR_HWY201_010-2_B5																																	



<div><div><div><div></div><div></div></div><div><div></div><div></div></div></div><div><div>Parcs Canada</div><div>Parcs Canada</div></div></div> <div><div><div></div><div></div></div><div><div></div><div></div></div></div> <div><div>Canada</div><div></div></div>	
SUBSTRATE	Sheet aluminum
MESSAGE COLOUR BREAK	
(A)	PC Heritage Green
(B4)	White—ASTM D4956 Type II
POST TYPE	
FASTENING METHOD	
ALTERNATE INSTALLATION	
FABRICATION AND INSTALLATION NOTES	Drawing applies to sign number(s):  Back to back with sign number(s):
NOTES TO SITE	
SITE	Port Royal NSH
VEHICULAR / PEDESTRIAN	Sign Type
QUANTITY	1
X SIZE	20 mm
SPEED/DISTANCE	12 m
PAGE NO.	1 of 1
SIGN NO.	FS_001-1
DRAWING NO.	NS-PR_FS_001-1



	Parks Canada		Parks Canada
			
SUBSTRATE			
Extruded aluminum blades			
POST TYPE			
To be confirmed			
FASTENING METHOD			
To be confirmed			
NON-POST INSTALLATION METHOD			
MESSAGE COLOUR BREAK			
(A)	PC Heritage Green		
((B4))	White—ASTM D4956 Type II		
MULT-PANEL THUMBNAIL DRAWING or SIGN NUMBER LIST			
SITE			
Fort Anne National Historic Site			
QUANTITY	X SIZE	SIGN TYPE	SPEED/DISTANCE
1	150 mm	B1	80-90 km/h
VEHICULAR / PEDESTRIAN		PAGE NO.	
Vehicular		1 of 1	
SIGN NO.		DRAWING NO.	
HWY1_008		NS-PR_HWY1_008_B1	